EUROWORLD IMPEX SRL

CATALOG ROTI INDUSTRIALE

ROTI CARUCIOARE INDUSTRIALE

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg			mm	mm	mm	mm	mm		ART. NO.
26	42×26×20	140	50	1.5		M12	30	28	50×18	70		001050
21	42×26×22	80	60	2		M12	30	32	65×22	85		001065
23.5	42×26×22	60	70	2		M12	30	32	75×23	100		001075
18.5	42×26×22	40	80	2.3		M12	30	33	100×27	132		001100
19	42×26×22	24	100	2.3		M12	30	34	120×27	156		001120

Product Design



● TREAD: GRAY RUBBER ● HUB: PP ● STAINLESS STEEL AVAILABLE

23	42×26×22	120	50	1.5		M12	30	28	50×18	70		002050
22	42×26×22	70	60	2		M12	30	32	65×22	85		002065
24.5	42×26×22	60	70	2		M12	30	32	75×23	100		002075
21	42×26×22	32	80	2.3		M12	30	33	100×27	132		002100
20	42×26×22	24	100	2.3		M12	30	34	120×27	154		002120



● TREAD: GRAY RUBBER ● HUB: PP ● STAINLESS STEEL AVAILABLE

22	42×26×22	120	50	1.5		M12	30	26	50×18	70		003050
25	42×26×22	60	70	2		M12	30	32	75×23	102		003075
31	42×26×22	36	80	2.3		M12	30	33	100×27	132		003100
19	42×26×22	20	100	2.3		M12	30	34	120×27	154		003120



● TREAD: GRAY RUBBER ● HUB: PP ● STAINLESS STEEL AVAILABLE

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg		mm	mm	mm	mm	mm	mm		ART. NO.
28	42×26×20	140	50	1.5	9×6.2	36×36	50×50	28	50×18	72		004050
22	42×26×22	80	60	2	15×8.2	49×49	65×65	32	65×22	85		004065
23	42×26×22	60	70	2	15×8.2	49×49	65×65	32	75×23	101		004075
24	42×26×22	36	80	2.3	15×8.5	57×57	76×76	33	100×27	134		004100
23	42×26×22	24	100	2.3	15×8.5	57×57	76×76	34	120×27	157		004120

● TREAD: GRAY RUBBER ● HUB: PP ● STAINLESS STEEL AVAILABLE

25.5	42×26×22	120	50	1.5	12×6.2	36×36	50×50	28	50×18	72		005050
23.5	42×26×22	70	60	2	15×8.2	49×49	65×65	32	65×22	85		005065
24	43×27×23	60	70	2	15×8.2	49×49	65×65	32	75×23	101		005075
28.5	43×28×25	36	80	2.3	15×8.5	57×57	76×76	33	100×27	134		005100
19	42×26×22	20	100	2.3	15×8.5	57×57	76×76	34	120×27	159		005120



● TREAD: GRAY RUBBER ● HUB: PP ● STAINLESS STEEL AVAILABLE

ROTI CARUCIOARE INDUSTRIALE

Product Design


006

ART. NO.		mm	mm	mm	mm	mm	mm		kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
006050		70	50×18	26	50×50	36×36	9×6.2	1.5	50	120	42×26×22	24
006075		102	75×23	32	65×65	49×49	15×8.2	2	70	60	42×26×22	23
006100		132	100×27	33	76×76	57×57	15×8.5	2.3	80	36	43×28×25	24
006120		154	120×27	34	76×76	57×57	15×8.5	2.3	100	24	42×26×22	18.5

● TREAD: GRAY RUBBER ● HUB: PP ● STAINLESS STEEL AVAILABLE


007

ART. NO.		mm	mm	mm	mm	mm	mm		kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
007050		72	50×18		65×50	45×33	6.5	1.5	50	140	42×26×20	22
007075		102	75×23		100×59	81×40	8.5	2	70	60	42×26×22	20
007100		134	100×27		100×59	81×40	8.5	2.3	80	36	42×26×22	21
007120		159	120×27		100×59	81×40	8.5	2.3	100	24	42×26×22	16

● TREAD: GRAY RUBBER ● HUB: PP ● STAINLESS STEEL AVAILABLE


008

ART. NO.		mm	mm	mm	mm				kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
008050		72	50×18	28	ø10.3			1.5	50	160	42×26×20	26
008065		85	65×22	32	ø10.3			2	60	80	42×26×22	21
008075		100	75×23	32	ø10.3			2	70	60	42×26×20	26
008100		132	100×27	33	ø10.3			2.3	80	40	42×26×22	22
008120		156	120×27	34	ø10.3			2.3	100	26	42×26×22	19

● TREAD: GRAY RUBBER ● HUB: PP ● STAINLESS STEEL AVAILABLE


009

ART. NO.		mm	mm	mm	mm				kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
009050		72	50×18	28	ø10.3			1.5	50	140	42×26×20	27
009065		85	65×22	32	ø10.3			2	60	70	42×26×22	22
009075		100	75×23	32	ø10.3			2	70	60	42×26×22	27
009100		132	100×27	33	ø10.3			2.3	80	40	42×26×22	23
009120		156	120×27	34	ø10.3			2.3	100	24	42×26×22	19

● TREAD: GRAY RUBBER ● HUB: PP ● STAINLESS STEEL AVAILABLE


010

ART. NO.		mm	mm	mm	mm				kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
010050		70	50×18	26	ø10.3			1.5	50	120	42×26×20	23
010075		102	75×23	32	ø10.3			2	70	60	42×26×22	22
010100		134	100×27	33	ø10.3			2.3	80	36	42×26×22	23
010120		159	120×27	34	ø10.3			2.3	100	24	42×26×22	18.5

● TREAD: GRAY RUBBER ● HUB: PP ● STAINLESS STEEL AVAILABLE

Product Design


019

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg		mm	mm	mm	mm	mm	mm		ART. NO.
23	42×26×19	60	50	1.8	8.5×11.5	62×50	81×72	31	75×22	95		019075
25.5	40×28×24	40	55	2	9×14	80×60	102×84	32	85×22	108		019085
29	57×26×20	38	70	2.0/2.5	9×14	80×60	102×84	33	100×27	125		019100
27	57×28×20	28	100	2.0/2.5	9×14	80×60	102×84	34	125×34	150		019125
28	57×27×19	12	150	2.7	11×15	105×75	135×105	43	160×39	190		019160
25	57×25×20	8	230	2.7	11×15	105×75	135×105	47	200×45	235		019200
26	57×28×20	6	250	3	11×15	105×75	135×105	55	250×50	285		019250

● TREAD: GREY RUBBER, ● HUB: STEEL, ● BEARING: ROLLER BEARING ● STAINLESS STEEL AVAILABLE


020

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg		mm	mm	mm	mm	mm	mm		ART. NO.
21	42×26×19	60	50	1.8	8.5×11.5	62×50	81×72		75×22	95		020075
25.5	57×28×24	50	55	2	9×14	80×60	102×84		85×22	108		020085
21	57×28×20	38	70	2.0/2.5	9×14	80×60	102×84		100×27	125		020100
24	57×26×20	28	100	2.0/2.5	9×14	80×60	102×84		125×34	150		020125
24	57×25×19	12	150	2.7	11×15	105×75	135×105		160×39	190		020160
23	57×25×21	8	230	2.7	11×15	105×75	135×105		200×45	235		020200
22	57×28×20	6	250	3	11×15	105×75	135×105		250×50	285		020250

● TREAD: GREY RUBBER, ● HUB: STEEL, ● BEARING: ROLLER BEARING ● STAINLESS STEEL AVAILABLE


021

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg		mm	mm	mm	mm	mm	mm		ART. NO.
30	51×28×19	60	50	1.8	8×12	55×42	75×60	32	75×22	95		021075
32	57×28×21	40	55	2.5	9×14	80×60	102×84	32	85×22	108		021085
29	57×28×20	32	70	2.5	9×14	80×60	102×84	33	100×27	125		021100
31	57×28×21	24	100	2.5	9×14	80×60	102×84	34	125×34	150		021125
30	57×28×21	12	150	2.7	11×15	105×75	135×105	43	160×39	190		021160
26	57×28×21	8	230	2.7	11×15	105×75	135×105	47	200×45	235		021200

● TREAD: GREY RUBBER, ● HUB: STEEL, ● BEARING: ROLLER BEARING ● STAINLESS STEEL AVAILABLE


022

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg			mm	mm	mm	mm	mm		ART. NO.
23	42×26×20	60	50	1.8		M10	30	32	75×22	93		022075
32	57×28×21	60	55	2		M12	30	32	85×22	105		022085
29	57×28×18	38	70	2.0/2.5		M12	30	33	100×27	122		022100
27	57×28×18	28	100	2.0/2.5		M12	30	34	125×34	147		022125
28	57×28×18	12	150	2.7		M16	40	43	160×39	186		022160
25	57×28×21	8	230	2.7		M16	40	47	200×45	231		022200

● TREAD: GREY RUBBER, ● HUB: STEEL, ● BEARING: ROLLER BEARING ● STAINLESS STEEL AVAILABLE


023

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg			mm	mm	mm	mm	mm		ART. NO.
30	51×28×19	60	50	1.8		M10	30	32	75×22	93		023075
32	57×28×21	40	55	2.5		M12	30	32	85×22	105		023085
33	57×28×21	32	70	2.5		M12	30	33	100×27	122		023100
30	57×28×21	24	100	2.5		M12	30	34	125×34	147		023125
29	57×28×21	12	150	2.7		M16	40	43	160×39	186		023160
26	57×28×21	8	230	2.7		M16	40	47	200×45	231		023200

● TREAD: GREY RUBBER, ● HUB: STEEL, ● BEARING: ROLLER BEARING ● STAINLESS STEEL AVAILABLE

ROTI CARUCIOARE INDUSTRIALE

Product Design	ART. NO.		mm	mm	mm	mm				kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
 024	024075		93	75 × 22	32	ø10.5			1.8	50	60	42 × 26 × 20	23
	024100		122	100 × 27	33	ø12.5			2.0/2.5	70	38	57 × 28 × 18	29
	024125		147	125 × 34	34	ø12.5			2.0/2.5	100	28	57 × 28 × 18	27
	024160		186	160 × 39	43	ø14.5			2.7	150	12	57 × 28 × 18	25
	024200		231	200 × 45	47	ø14.5			2.7	230	8	57 × 28 × 21	22

● TREAD: GREY RUBBER, ● HUB: STEEL, ● BEARING: ROLLER BEARING ● STAINLESS STEEL AVAILABLE

Product Design	ART. NO.		mm	mm	mm	mm				kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
 025	025075		93	75 × 22	32	ø10.5			1.8	50	60	51 × 28 × 19	29
	025100		122	100 × 27	33	ø12.5			2.5	70	32	57 × 28 × 21	33
	025125		147	125 × 34	34	ø12.5			2.5	100	24	57 × 28 × 21	30
	025160		186	160 × 39	43	ø14.5			2.7	150	12	57 × 28 × 21	28
	025200		231	200 × 45	47	ø14.5			2.7	230	8	57 × 28 × 21	25

● TREAD: GREY RUBBER, ● HUB: STEEL, ● BEARING: ROLLER BEARING ● STAINLESS STEEL AVAILABLE

Product Design	ART. NO.		mm	mm	mm	mm	mm	mm		kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
 028	028075		95	75 × 22	31	81 × 72	62 × 50	8.5 × 11.5	1.8	50	60	42 × 26 × 19	23
	028085		108	85 × 22	32	102 × 84	80 × 60	9 × 14	2	55	60	40 × 28 × 24	25
	028100		125	100 × 27	33	102 × 84	80 × 60	9 × 14	2.0/2.5	70	38	57 × 26 × 20	29
	028125		150	125 × 34	34	102 × 84	80 × 60	9 × 14	2.0/2.5	100	28	57 × 28 × 20	27
	028160		190	160 × 39	43	135 × 105	105 × 75	11 × 15	2.7	150	12	57 × 27 × 19	26
	028200		235	200 × 45	47	135 × 105	105 × 75	11 × 15	2.7	230	8	57 × 25 × 20	24

● TREAD: GREY RUBBER, ● HUB:PP, ● BEARING: ROLLER BEARING ● STAINLESS STEEL AVAILABLE

Product Design	ART. NO.		mm	mm	mm	mm	mm	mm		kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
 029	029075		95	75 × 22		84 × 72	60 × 50	8.5 × 11.5	1.8	50	60	42 × 26 × 19	21
	029085		108	85 × 22		102 × 84	80 × 60	9 × 14	2	55	60	57 × 28 × 24	22
	029100		125	100 × 27		102 × 84	80 × 60	9 × 14	2.0/2.5	70	38	57 × 28 × 20	21
	029125		150	125 × 34		102 × 84	80 × 60	9 × 14	2.0/2.5	100	28	57 × 26 × 20	24
	029160		190	160 × 39		135 × 105	105 × 75	11 × 15	2.7	150	12	57 × 25 × 19	22
	029200		235	200 × 45		135 × 105	105 × 75	11 × 15	2.7	230	8	57 × 25 × 21	23

● TREAD: GREY RUBBER, ● HUB:PP, ● BEARING: ROLLER BEARING ● STAINLESS STEEL AVAILABLE

Product Design	ART. NO.		mm	mm	mm	mm	mm	mm		kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
 030	030075		95	75 × 22	32	81 × 72	60 × 50	8.5 × 11.5	1.8	50	60	51 × 28 × 19	30
	030085		108	85 × 22	32	102 × 84	80 × 60	9 × 14	2.5	55	60	57 × 28 × 21	25
	030100		125	100 × 27	33	102 × 84	80 × 60	9 × 14	2.5	70	32	57 × 28 × 20	33
	030125		150	125 × 34	34	102 × 84	80 × 60	9 × 14	2.5	100	24	57 × 28 × 21	30
	030160		190	160 × 39	43	135 × 105	105 × 75	11 × 15	2.7	150	12	57 × 28 × 21	29
	030200		235	200 × 45	47	135 × 105	105 × 75	11 × 15	2.7	230	8	57 × 28 × 21	26

● TREAD: GREY RUBBER, ● HUB:PP, ● BEARING: ROLLER BEARING ● STAINLESS STEEL AVAILABLE

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg			mm	mm	mm	mm	mm		ART. NO.	Product Design
22	42 × 26 × 18	60	50	1.8		M10	30	31	75 × 22	93		031075	 031
25	57 × 28 × 21	60	55	2		M12	30	32	85 × 22	105		031085	
29	57 × 28 × 21	38	70	2.0/2.5		M12	30	33	100 × 27	122		031100	
27	57 × 28 × 21	28	100	2.0/2.5		M12	30	34	125 × 34	147		031125	
25	57 × 28 × 21	12	150	2.7		M16	40	43	160 × 39	186		031160	
23	57 × 28 × 21	8	230	2.7		M16	40	47	200 × 45	231		031200	

● TREAD: GREY RUBBER, ● HUB:PP, ● BEARING: ROLLER BEARING ● STAINLESS STEEL AVAILABLE

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg			mm	mm	mm	mm	mm		ART. NO.	Product Design
30	51 × 28 × 19	60	50	1.8		M10	30	31	75 × 22	93		032075	 032
32	57 × 28 × 21	40	55	2.5		M12	30	32	85 × 22	105		032085	
33	57 × 28 × 21	32	70	2.5		M12	30	33	100 × 27	122		032100	
30	57 × 28 × 21	24	100	2.5		M12	30	34	125 × 34	147		032125	
29	57 × 28 × 21	12	150	2.7		M16	40	43	160 × 39	186		032160	
23	57 × 28 × 21	8	230	2.7		M16	40	47	200 × 45	231		032200	

● TREAD: GREY RUBBER, ● HUB:PP, ● BEARING: ROLLER BEARING ● STAINLESS STEEL AVAILABLE

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg				mm	mm	mm	mm		ART. NO.	Product Design
21	42 × 26 × 22	60	50	1.8			ø10.5	32	75 × 22	93		033075	 033
29	57 × 28 × 18	38	70	2.0/2.5			ø12.5	33	100 × 27	122		033100	
27	57 × 28 × 18	28	100	2.0/2.5			ø12.5	34	125 × 34	147		033125	
25	57 × 28 × 18	12	150	2.7			ø14.5	43	160 × 39	186		033160	
22	57 × 28 × 21	8	230	2.7			ø14.5	47	200 × 45	231		033200	

● TREAD: GREY RUBBER, ● HUB:PP, ● BEARING: ROLLER BEARING ● STAINLESS STEEL AVAILABLE

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg				mm	mm	mm	mm		ART. NO.	Product Design
39	51 × 28 × 19	60	50	1.8			ø10.5	32	75 × 22	93		034075	 034
33	52 × 28 × 21	38	70	2.0/2.5			ø12.5	33	100 × 27	122		034100	
30	52 × 28 × 21	28	100	2.0/2.5			ø12.5	34	125 × 34	147		034125	
28	52 × 28 × 21	12	150	2.7			ø14.5	43	160 × 39	186		034160	
25	52 × 28 × 21	8	230	2.7			ø14.5	47	200 × 45	231		034200	

● TREAD: GREY RUBBER, ● HUB:PP, ● BEARING: ROLLER BEARING ● STAINLESS STEEL AVAILABLE

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg		mm	mm	mm	mm	mm	mm	ART. NO.	Product Design
23	42 × 26 × 19	60	50	1.8	8.5 × 11.5	60 × 50	84 × 72	31	75 × 22	95	036075	 036
25.5	40 × 28 × 24	40	55	2	9 × 14	80 × 60	102 × 84	32	85 × 22	108	036085	
28	57 × 26 × 20	38	70	2.0/2.5	9 × 14	80 × 60	102 × 84	33	100 × 27	125	036100	
27	57 × 28 × 20	28	100	2.0/2.5	9 × 14	80 × 60	102 × 84	34	125 × 34	150	036125	
28	57 × 27 × 19	12	150	2.7	11 × 15	105 × 75	135 × 105	43	160 × 39	190	036160	
25	57 × 25 × 20	8	230	2.7	11 × 15	105 × 75	135 × 105	47	200 × 45	235	036200	
26	57 × 28 × 20	6	250	3	11 × 15	105 × 75	135 × 105	55	250 × 50	285	036250	

HUB: STEEL ● BEARING: ROLLER BEARING ● STAINLESS STEEL AVAILABLE

ROTI CARUCIOARE INDUSTRIALE

Product Design

037

ART. NO.		mm	mm	mm	mm	mm	mm		kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
037075		95	75 × 22		84 × 72	60 × 50	8.5 × 11.5	1.8	50	60	42 × 26 × 19	21
037085		108	85 × 22		102 × 84	80 × 60	9 × 14	2	55	50	57 × 28 × 24	25.5
037100		125	100 × 27		102 × 84	80 × 60	9 × 14	2.0/2.5	70	38	57 × 28 × 20	21
037125		150	125 × 34		102 × 84	80 × 60	9 × 14	2.0/2.5	100	28	57 × 26 × 20	24
037160		190	160 × 39		135 × 105	105 × 75	11 × 15	2.7	150	12	57 × 25 × 19	24
037200		235	200 × 45		135 × 105	105 × 75	11 × 15	2.7	230	8	57 × 25 × 21	23
037250		285	250 × 50		135 × 105	105 × 75	11 × 15	3	250	6	57 × 28 × 20	22

● TREAD: BLACK RUBBER ● HUB: STEEL ● BEARING: ROLLER BEARING ● STAINLESS STEEL AVAILABLE

038

038075		95	75 × 22	32	84 × 72	60 × 50	8.5 × 11.5	1.8	50	60	51 × 28 × 19	30
038085		108	85 × 22	32	102 × 84	80 × 60	9 × 14	2.5	55	40	57 × 28 × 21	32
038100		125	100 × 27	33	102 × 84	80 × 60	9 × 14	2.5	70	32	57 × 28 × 20	29
038125		150	125 × 34	34	102 × 84	80 × 60	9 × 14	2.5	100	24	57 × 28 × 21	30
038160		190	160 × 39	43	135 × 105	105 × 75	11 × 15	2.7	150	12	57 × 28 × 21	29
038200		235	200 × 45	47	135 × 105	105 × 75	11 × 15	2.7	230	8	57 × 28 × 21	26

● TREAD: BLACK RUBBER ● HUB: STEEL ● BEARING: ROLLER BEARING ● STAINLESS STEEL AVAILABLE

039

ART. NO.		mm	mm	mm	mm	mm			kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
039075		93	75 × 22	31	30	M10		1.8	50	60	42 × 26 × 18	25
039085		105	85 × 22	32	30	M12		2	55	60	57 × 28 × 21	32
039100		122	100 × 27	33	30	M12		2.0/2.5	70	38	57 × 28 × 18	29
039125		147	125 × 34	34	30	M12		2.0/2.5	100	28	57 × 28 × 18	27
039160		186	160 × 39	43	40	M16		2.7	150	12	57 × 28 × 18	28
039200		231	200 × 45	47	40	M16		2.7	230	8	57 × 28 × 21	25

● TREAD: BLACK RUBBER ● HUB: STEEL ● BEARING: ROLLER BEARING ● STAINLESS STEEL AVAILABLE

040

040075		93	75 × 22	32	30	M10		1.8	50	60	51 × 28 × 19	30
040085		105	85 × 22	32	30	M12		2	55	50	57 × 28 × 21	32
040100		122	100 × 27	33	30	M12		2	70	32	57 × 28 × 20	33
040125		147	125 × 34	34	30	M12		2	100	24	57 × 28 × 20	30
040160		186	160 × 39	43	40	M16		2.7	150	12	57 × 28 × 20	29
040200		231	200 × 45	47	40	M16		2.7	230	8	57 × 28 × 20	26

● TREAD: BLACK RUBBER ● HUB: STEEL ● BEARING: ROLLER BEARING ● STAINLESS STEEL AVAILABLE

041

ART. NO.		mm	mm	mm	mm				kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
041075		93	75 × 22	32	ø10.5			1.8	50	60	42 × 26 × 20	22
041100		122	100 × 27	33	ø12.5			2.0/2.5	70	38	57 × 28 × 21	29
041125		147	125 × 34	34	ø12.5			2.0/2.5	100	28	57 × 28 × 21	27
041160		186	160 × 39	43	ø14.5			2.7	150	12	57 × 28 × 21	25
041200		231	200 × 45	47	ø14.5			2.7	230	8	57 × 28 × 20	22

● TREAD: BLACK RUBBER ● HUB: STEEL ● BEARING: ROLLER BEARING ● STAINLESS STEEL AVAILABLE

Product Design

042

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg				mm	mm	mm	mm		ART. NO.
39	51 × 28 × 19	60	50	1.8			ø10.5	32	75 × 22	93		042075
33	57 × 28 × 21	32	70	2.5			ø12.5	33	100 × 27	122		042100
30	57 × 28 × 20	24	100	2.5			ø12.5	34	125 × 34	147		042125
28	57 × 28 × 21	12	150	2.7			ø14.5	43	160 × 39	186		042160
25	57 × 28 × 21	8	230	2.7			ø14.5	47	200 × 45	231		042200

● TREAD: BLACK RUBBER ● HUB: STEEL ● BEARING: ROLLER BEARING ● STAINLESS STEEL AVAILABLE

045

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg		mm	mm	mm	mm	mm	mm		ART. NO.
23	42 × 26 × 20	60	50	1.8	8.5 × 11.5	60 × 50	84 × 72	31	75 × 22	95		045075
27	57 × 28 × 21	60	55	2	9 × 14	80 × 60	102 × 84	32	85 × 22	108		045085
29	57 × 28 × 20	38	70	2.0/2.5	9 × 14	80 × 60	102 × 84	33	100 × 27	125		045100
27	57 × 28 × 20	28	100	2.0/2.5	9 × 14	80 × 60	102 × 84	34	125 × 34	150		045125
25	57 × 28 × 19	12	150	2.7	11 × 15	105 × 75	135 × 105	43	160 × 39	190		045160
23	57 × 28 × 21	8	230	2.7	11 × 15	105 × 75	135 × 105	47	200 × 45	235		045200

● TREAD: BLACK RUBBER ● HUB: PP ● BEARING: ROLLER BEARING ● STAINLESS STEEL AVAILABLE

046

20	42 × 26 × 20	60	50	1.8	8.5 × 11.5	60 × 50	84 × 72		75 × 22	95		046075
24	57 × 28 × 21	60	55	2	9 × 14	80 × 60	102 × 84		85 × 22	108		046085
21	57 × 28 × 20	38	70	2.5	9 × 14	80 × 60	102 × 84		100 × 27	125		046100
24	57 × 28 × 20	28	100	2.5	9 × 14	80 × 60	102 × 84		125 × 34	150		046125
24	57 × 28 × 20	12	150	2.7	11 × 15	105 × 75	135 × 105		160 × 39	190		046160
23	57 × 28 × 20	8	230	2.7	11 × 15	105 × 75	135 × 105		200 × 45	235		046200

● TREAD: BLACK RUBBER ● HUB: PP ● BEARING: ROLLER BEARING ● STAINLESS STEEL AVAILABLE

047

30	51 × 28 × 19	60	50	1.8	8.5 × 11.5	60 × 50	84 × 72	32	75 × 22	95		047075
33	57 × 28 × 20	32	70	2.5	9 × 14	80 × 60	102 × 84	33	100 × 27	125		047100
30	57 × 28 × 21	24	100	2.5	9 × 14	80 × 60	102 × 84	34	125 × 34	150		047125
29	57 × 28 × 21	12	150	2.7	11 × 15	105 × 75	135 × 105	43	160 × 39	190		047160
26	57 × 28 × 21	8	230	2.7	11 × 15	105 × 75	135 × 105	47	200 × 45	235		047200

● TREAD: BLACK RUBBER ● HUB: PP ● BEARING: ROLLER BEARING ● STAINLESS STEEL AVAILABLE

048

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg			mm	mm	mm	mm	mm		ART. NO.
22	42 × 26 × 18	60	50	1.8		M10	30	31	75 × 22	93		048075
27	57 × 28 × 21	60	55	2		M12	30	32	85 × 22	105		048085
29	57 × 28 × 18	38	70	2.0/2.5		M12	30	33	100 × 27	122		048100
27	57 × 28 × 18	28	100	2.0/2.5		M12	30	34	125 × 34	147		048125
25	57 × 28 × 18	12	150	2.7		M16	40	43	160 × 39	186		048160
23	57 × 28 × 21	8	230	2.7		M16	40	47	200 × 45	231		048200

● TREAD: BLACK RUBBER ● HUB: PP ● BEARING: ROLLER BEARING ● STAINLESS STEEL AVAILABLE

ROTI CARUCIOARE INDUSTRIALE

049

ART. NO.		mm	mm	mm	mm	mm			kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
049075		93	75×22	32	30	M10		1.8	50	60	51×28×19	29
049100		122	100×27	33	30	M12		2.5	70	32	57×28×21	33
049125		147	125×34	34	30	M12		2.5	100	24	57×28×21	30
049160		186	160×39	43	40	M16		2.7	150	12	57×28×21	28
049200		231	200×45	47	40	M16		2.7	230	8	57×28×21	25

● TREAD: BLACK RUBBER ● HUB: PP ● BEARING: ROLLER BEARING ● STAINLESS STEEL AVAILABLE

050

ART. NO.		mm	mm	mm	mm				kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
050075		93	75×22	31	ø10.5			1.8	50	60	42×26×20	22
050100		122	100×27	33	ø12.5			2.0/2.5	70	38	57×28×21	29
050125		147	125×34	34	ø12.5			2.0/2.5	100	28	57×28×21	27
050160		186	160×39	43	ø14.5			2.7	150	12	57×28×21	25
050200		231	200×45	47	ø14.5			2.7	230	8	57×28×21	22

● TREAD: BLACK RUBBER ● HUB: PP ● BEARING: ROLLER BEARING ● STAINLESS STEEL AVAILABLE

051

051075		93	75×22	32	ø10.5			1.8	50	60	51×28×19	29
051100		122	100×27	33	ø12.5			2.5	70	32	57×28×20	33
051125		147	125×34	34	ø12.5			2.5	100	24	57×28×21	30
051160		186	160×39	43	ø14.5			2.7	150	12	57×28×21	28
051200		231	200×45	47	ø14.5			2.7	230	8	57×28×21	25

● TREAD: BLACK RUBBER ● HUB: PP ● BEARING: ROLLER BEARING ● STAINLESS STEEL AVAILABLE

052

ART. NO.		mm	mm	mm	mm	mm	mm		kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
052080		102	80×22	32	102×84	80×60	9×14	2	55	60	57×28×22	27
052100		125	100×36	33	102×84	80×60	9×14	2.0/2.5	70	38	57×28×21	29
052125		156	125×36	42	102×84	80×60	9×14	2.0/2.5	100	28	57×28×19	27
052160		190	160×39	43	135×105	105×75	11×15	2.7	150	12	57×28×21	25

● TREAD: BLUE ELASTIC RUBBER ● HUB: NYLON ● BEARING: ROLLER BEARING ● STAINLESS STEEL AVAILABLE

053

053080		102	80×22		102×84	80×60	9×14	2	55	50	57×28×21	25.5
053100		125	100×36		102×84	80×60	9×14	2.0/2.5	70	38	57×28×21	21
053125		156	125×36		102×84	80×60	9×14	2.0/2.5	100	28	57×28×21	17
053160		190	160×39		135×105	105×75	11×15	2.7	150	12	57×28×21	24

● TREAD: BLUE ELASTIC RUBBER ● HUB: NYLON ● BEARING: ROLLER BEARING ● STAINLESS STEEL AVAILABLE

054

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg		mm	mm	mm	mm	mm	mm		ART. NO.
23	57×28×21	45	55	2.5	9×14	80×60	102×84	32	80×22	102		054080
33	57×28×21	32	70	2.5	9×14	80×60	102×84	33	100×36	125		054100
25	57×28×19	20	100	2.5	9×14	80×60	102×84	42	125×36	156		054120
29	57×28×21	12	150	2.7	11×15	105×75	135×105	43	160×39	198		054160

● TREAD: BLUE ELASTIC RUBBER ● HUB: NYLON ● BEARING: ROLLER BEARING ● STAINLESS STEEL AVAILABLE

346

24	40×28×24	40	65	2		80×60	102×84	32	80×36	108		346080
24	57×28×21	38	80	2		80×60	102×84	33	100×36	125		346100
21	57×28×23	28	120	2		80×60	102×84	34	125×42	150		346125
18	57×28×21	12	170	2.7		105×75	135×105	43	160×45	190		346160
17	57×28×21	8	250	2.7		105×76	135×106	47	195×45	235		346200

● WHEEL: PP OR NYLON(DIFFERENT COLOR AVAILABLE) ● BEARING:PLAIN BEARING ● STAINLESS STEEL AVAILABLE

347

25.5	57×28×24	50	65	2				32	80×36	108		347080
19	57×28×23	38	80	2		80×60	102×84	33	100×36	125		347100
16	57×28×23	28	120	2		80×60	102×84	34	125×42	150		347125
15	58×28×21	10	170	2.7		105×75	135×105	43	160×45	190		347160
10	57×28×21	8	250	2.7		105×76	135×106	47	195×45	235		347200

● WHEEL: PP OR NYLON(DIFFERENT COLOR AVAILABLE) ● BEARING:PLAIN BEARING ● STAINLESS STEEL AVAILABLE

348

27	57×28×23	40	65	2				32	80×36	108		348080
24	57×28×24	38	80	2		80×60	102×84	33	100×36	125		348100
25.5	57×28×25	28	120	2		80×60	102×84	34	125×42	150		348125
23	57×28×21	12	170	2.7		105×75	135×105	43	160×45	190		348160
20	57×28×23	8	250	2.7		105×76	135×106	47	195×45	235		348200

● WHEEL: PP OR NYLON(DIFFERENT COLOR AVAILABLE) ● BEARING:PLAIN BEARING ● STAINLESS STEEL AVAILABLE

349

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg			mm	mm	mm	mm	mm		ART. NO.
24	40×28×24	60	65	2		M12	30	32	80×36	105		349080
24	57×28×21	38	80	2		M12	30	33	100×36	122		349100
21	57×28×23	28	120	2		M12	30	34	125×42	147		349125
18	57×28×21	12	170	2.7		M16	40	43	160×45	186		349160
17	57×28×21	8	250	2.7		M16	40	47	200×45	231		349200

● WHEEL: PP OR NYLON(DIFFERENT COLOR AVAILABLE) ● BEARING:PLAIN BEARING ● STAINLESS STEEL AVAILABLE

ROTI CARUCIOARE INDUSTRIALE

350

ART. NO.	mm	mm	mm	mm			kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
350080	105	80×36	32	30	M12	2	65	40	57×28×21	27
350100	122	100×36	33	30	M12	2	80	32	57×28×21	24
350125	147	125×42	34	30	M12	2	120	24	57×28×21	25.5
350160	186	160×45	43	40	M16	2.7	170	12	57×28×21	23
350200	231	195×45	47	40	M16	2.7	250	8	57×28×21	20

● WHEEL: PP OR NYLON(DIFFERENT COLOR AVAILABLE) ● BEARING:PLAIN BEARING ● STAINLESS STEEL AVAILABLE

351

ART. NO.	mm	mm	mm	mm		kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
351080	105	80×36	32	ø12.5	2	65	60	57×28×23	24
351100	122	100×36	33	ø12.5	2	80	38	57×28×24	24
351125	147	125×42	34	ø12.5	2	120	28	57×28×25	21
351160	186	160×45	43	ø14.5	2.7	170	12	57×28×21	18
351200	231	195×45	47	ø14.5	2.7	250	8	57×28×23	17

● WHEEL: PP OR NYLON(DIFFERENT COLOR AVAILABLE) ● BEARING:PLAIN BEARING ● STAINLESS STEEL AVAILABLE

352

ART. NO.	mm	mm	mm	mm		kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
352080	105	80×36	32	ø12.5	2	65	40	57×28×21	27
352100	122	100×36	33	ø12.5	2	80	38	57×28×24	24
352125	147	125×42	34	ø12.5	2	120	28	57×28×25	25.5
352160	186	160×45	43	ø14.5	2.7	170	12	57×28×21	23
352200	231	195×45	47	ø14.5	2.7	250	8	57×28×23	20

● WHEEL: PP OR NYLON(DIFFERENT COLOR AVAILABLE) ● BEARING:PLAIN BEARING ● STAINLESS STEEL AVAILABLE

072

ART. NO.	mm	mm	mm	mm	mm	mm		kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
072075	95	75×22	31	81×72	62×50	8.5×11.5	2	50	60	42×26×23	17
072080	108	80×27	32	102×84	80×60	9×14	2	55	40	40×28×24	24
072100	125	100×27	33	102×84	80×60	9×14	2.0/2.5	70	38	57×28×23	24
072125	150	125×34	34	102×84	80×60	9×14	2.0/2.5	100	28	57×28×23	21
072160	190	160×39	43	135×105	105×75	11×15	2.7	150	12	57×28×21	18
072200	235	195×43	47	135×105	105×75	11×15	2.7	230	8	57×28×21	17

● WHEEL: PP OR NYLON(DIFFERENT COLOR AVAILABLE) ● BEARING: ROLLER BEARING ● STAINLESS STEEL AVAILABLE

073

ART. NO.	mm	mm	mm	mm	mm	mm		kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
073075	95	75×22		84×72	62×50	8.5×11.5	2	60	60	42×26×23	14
073080	108	80×27		102×84	80×60	9×14	2	50	50	57×28×24	25.5
073100	125	100×27		102×84	80×60	9×14	2.0/2.5	70	38	57×28×23	19
073125	150	125×34		102×84	80×60	9×14	2.0/2.5	100	28	57×28×23	16
073160	190	160×39		135×105	105×75	11×15	2.7	150	12	57×28×21	15
073200	235	195×43		135×105	105×75	11×15	2.7	230	8	57×28×21	15

● WHEEL: PP OR NYLON(DIFFERENT COLOR AVAILABLE) ● BEARING: ROLLER BEARING ● STAINLESS STEEL AVAILABLE

074

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg		mm	mm	mm	mm	mm	mm	ART. NO.
22	51×28×19	60	50	2	8.5×11.5	62×50	84×72	32	75×22	95	074075
27	57×28×23	40	55	2	9×14	80×60	102×84	32	80×27	108	074080
24	57×28×23	32	70	2.5	9×14	80×60	102×84	33	100×27	125	074100
22	57×28×23	24	100	2.5	9×14	80×60	102×84	34	125×34	150	074125
23	57×28×21	12	150	2.7	11×15	105×75	135×105	43	160×39	190	074160
20	57×28×21	8	230	2.7	11×15	105×75	135×105	47	195×43	235	074200

● WHEEL: PP OR NYLON(DIFFERENT COLOR AVAILABLE) ● BEARING: ROLLER BEARING ● STAINLESS STEEL AVAILABLE

075

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg		mm	mm	mm	mm	mm	ART. NO.
15	42×26×20	60	50	2	M10	30	32	75×22	93	075075
25.5	57×28×21	60	55	2	M12	30	32	80×27	105	075080
23	57×28×21	38	70	2.5	M12	30	33	100×27	122	075100
22	57×28×21	28	100	2.5	M12	30	34	125×34	147	075125
20	57×28×21	12	150	2.7	M16	40	43	160×39	186	075160
20	57×28×21	8	230	2.7	M16	40	47	195×43	231	075200

● WHEEL: PP OR NYLON(DIFFERENT COLOR AVAILABLE) ● BEARING: ROLLER BEARING ● STAINLESS STEEL AVAILABLE

076

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg		mm	mm	mm	mm	mm	ART. NO.
22	51×28×19	60	50	2	M10	30	32	75×22	93	076075
27	57×28×21	40	55	2	M12	30	32	80×27	105	076080
24	57×28×21	32	70	2.5	M12	30	33	100×27	122	076100
22	57×28×21	24	100	2.5	M12	30	34	125×34	147	076125
23	57×28×21	12	150	2.7	M16	40	43	160×39	186	076160
25	57×28×21	8	230	2.7	M16	40	47	195×43	231	076200

● WHEEL: PP OR NYLON(DIFFERENT COLOR AVAILABLE) ● BEARING: ROLLER BEARING ● STAINLESS STEEL AVAILABLE

077

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg		mm	mm	mm	mm	ART. NO.
15	42×26×23	60	50	2	ø10.5	32	75×22	93	077085
23	57×28×20	38	70	2.0/2.5	ø12.5	33	100×27	122	077100
22	57×28×20	28	100	2.0/2.5	ø12.5	34	125×34	147	077125
20	57×28×20	12	150	2.7	ø14.5	43	160×39	186	077160
25	57×28×21	8	230	2.7	ø14.5	47	195×43	231	077200

● WHEEL: PP OR NYLON(DIFFERENT COLOR AVAILABLE) ● BEARING: ROLLER BEARING ● STAINLESS STEEL AVAILABLE

078

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg		mm	mm	mm	mm	ART. NO.
22	51×28×19	60	50	2	ø10.5	32	75×22	93	078085
24	57×28×20	32	70	2.5	ø12.5	33	100×27	122	078100
22	57×28×20	24	100	2.5	ø12.5	34	125×34	147	078125
23	57×28×20	12	150	2.7	ø14.5	43	160×39	186	078160
25	57×28×21	8	230	2.7	ø14.5	47	195×43	231	078200

● WHEEL: PP OR NYLON(DIFFERENT COLOR AVAILABLE) ● BEARING: ROLLER BEARING ● STAINLESS STEEL AVAILABLE

ROTI CARUCIOARE INDUSTRIALE

301

ART. NO.		mm	mm	mm	mm	mm	mm		kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
301075		95	75×25	31	81×72	62×50	8.5×11.5	2	50	30	26×24×22	24
301080		108	85×28	32	102×84	80×60	9×14	2	55	20	30×28×21	23
301100		125	100×32	33	102×84	80×60	9×14	2.5	70	18	30×28×21	22
301125		150	125×35	34	102×84	80×60	9×14	2.5	100	12	30×28×21	18
301160		190	160×38	43	135×105	105×75	11×15	2.7	150	12	38×26×28	31
301200		235	200×38	47	135×105	105×75	11×15	2.7	230	6	38×26×28	27

● WHEEL: CASTING IRON ● BEARING:PLAIN BEARING ● STAINLESS STEEL AVAILABLE

302

302075		95	75×25		84×72	60×50	8.5×11.5	1.8	50	40	38×19×25	23
302080		108	85×28		102×84	80×60	9×14	2	55	60	30×28×21	33
302100		125	100×32		102×84	80×60	9×14	2.5	70	18	30×28×21	20
302125		150	125×35		102×84	80×60	9×14	2.5	100	12	30×28×21	18
302160		190	160×38		135×105	105×75	11×15	2.7	150	12	38×26×26	29
302200		235	200×38		135×105	105×75	11×15	2.7	230	6	38×26×26	25

● WHEEL: CASTING IRON ● BEARING:PLAIN BEARING ● STAINLESS STEEL AVAILABLE

303

303075		95	75×25	31	81×72	62×50	8.5×11.5	1.8	50	30	26×26×22	39
303080		108	85×28	32	102×84	80×60	9×14	2	55	20	30×29×21	33
303100		125	100×32	33	102×84	80×60	9×14	2.5	70	18	30×29×21	31
303125		150	125×35	34	102×84	80×60	9×14	2.5	100	12	30×29×21	24
303160		190	160×38	43	135×105	105×75	11×15	2.7	150	12	38×28×28	37
303200		235	200×38	47	135×105	105×75	11×15	2.7	230	6	38×28×28	30

● WHEEL: CASTING IRON ● BEARING:PLAIN BEARING ● STAINLESS STEEL AVAILABLE

249

ART. NO.		mm	mm	mm	mm	mm	mm		kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
249125		155	125×40	42	102×84	79.5×60	14×19	3	130	24	57×28×21	26
249160		195	160×50	50	135×105	105.5×77.5	15.5×10.5	3.5	180	11	57×28×22	22

● TREAD: BLUE ELASTIC RUBBER, ● HUB: NYLON, ● BEARING:ROLLER BEARING ● STAINLESS STEEL AVAILABLE

250

250125		155	125×40		102×84	79.5×60	14×19	3	130	24	57×28×21	21.5
250160		195	160×50		135×105	105.5×77.5	15.5×10.5	3.5	180	11	57×28×22	16

● TREAD: BLUE ELASTIC RUBBER, ● HUB: NYLON, ● BEARING:ROLLER BEARING ● STAINLESS STEEL AVAILABLE

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg		mm	mm	mm	mm	mm	mm		ART. NO.
	57×28×21	24	130	3	14×19	79.5×60	102×84		125×40	155		251125
	57×28×22	11	180	3.5	15.5×10.5	105.5×77.5	135×105		160×50	195		251160

● TREAD: BLUE ELASTIC RUBBER, ● HUB: NYLON, ● BEARING:ROLLER BEARING ● STAINLESS STEEL AVAILABLE

251

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg		mm	mm	mm	mm	mm	mm		ART. NO.
	57×28×22	24	130	3.5	14×19	79.5×60	102×84	42	129×46	157		252125

● TREAD: RED PU, ● HUB: PP, ● BEARING: ROLLER BEARING ● STAINLESS STEEL AVAILABLE

252

	57×28×22	24	130	3.5	14×19	79.5×60	102×84		129×46	157		253125

● TREAD: RED PU, ● HUB: PP, ● BEARING: ROLLER BEARING ● STAINLESS STEEL AVAILABLE



253

	57×28×22	24	130	3.5	14×19	79.5×60	102×84	42	129×46	157		254125

● TREAD: RED PU, ● HUB: PP, ● BEARING: ROLLER BEARING ● STAINLESS STEEL AVAILABLE

254

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg			mm	mm	mm	mm	mm		ART. NO.
			130	2.5		32×32	92	40	100×31	127.5		393100
			150	2.5		32×32	92	41	125×31	151.5		393125

● WHEEL: BLACK RUBBER, ● STAINLESS STEEL AVAILABLE



393

ROTI CARUCIOARE INDUSTRIALE

Product Design	ART. NO.		mm	mm	mm	mm	mm			kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)

394

ART. NO.		mm	mm	mm	mm	mm			kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
394100		127.5	100×31	40	92	32×32		22.5	130			
394125		151.5	125×31	41	92	32×32		2.5	150			

● WHEEL: BLACK RUBBER, ● STAINLESS STEEL AVAILABLE

395

ART. NO.		mm	mm	mm	mm	mm	mm		kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
395200		250	200 × 64	57	115 × 100	85 × 72	10.5 × 19	5.5	100			
395250		290	250 × 80	67	115 × 100	85 × 72	10.5 × 19	5.5	130			

● WHEEL:PNEUMATIC, ● BEARING:DOUBLE BALL BEARING ● STAINLESS STEEL AVAILABLE

396

ART. NO.		mm	mm	mm	mm	mm	mm		kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
396200		250	200 × 64	57	115 × 100	85 × 72	10.5 × 19	5.5	100			
396250		290	250 × 80	67	115 × 100	85 × 72	10.5 × 19	5.5	130			

● WHEEL:PNEUMATIC, ● BEARING:DOUBLE BALL BEARING ● STAINLESS STEEL AVAILABLE

085

ART. NO.		mm	mm	mm	mm	mm			kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
085160		190	150 × 50	Φ45	100	ø35		6	400	6	38 × 26 × 24	26
085200		235	200 × 50	Φ55	100	ø35		6	500	4	38 × 26 × 24	22

● TREAD: BLACK RUBBER, ● HUB: CASTING IRON, ● BEARING:ROLLER BEARING ● STAINLESS STEEL AVAILABLE

086

ART. NO.		mm	mm	mm	mm	mm			kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
086160		190	150 × 50	Φ45	100	ø35		5.5	400	6	38 × 26 × 24	21.5
086200		235	200 × 50	Φ55	100	ø35		5.5	500	4	38 × 26 × 24	16

● TREAD: PU, ● HUB: PP OR NYLON, ● BEARING:ROLLER BEARING ● STAINLESS STEEL AVAILABLE

087

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg		mm	mm	mm	mm	mm	mm		ART. NO.
26	38 × 26 × 24	6	400	5.5		ø35	100	Φ45	150 × 50	190		087160
20	38 × 26 × 24	4	500	5.5		ø35	100	Φ55	200 × 50	235		087200

● TREAD: PU, ● HUB: CASTING IRON, ● BEARING:ROLLER BEARING ● STAINLESS STEEL AVAILABLE



088

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg		mm	mm	mm	mm	mm	mm		ART. NO.
20.5	54 × 21 × 16	10	240	5.5	10.5 × 19	85 × 72	115 × 100	35	100 × 50	142		088100
22.5	62 × 21 × 17	10	300	5.5	10.5 × 19	85 × 72	115 × 100	39	125 × 50	164		088125
22	36 × 21 × 28.5	8	400	5.5	10.5 × 19	85 × 72	115 × 100	45	150 × 50	190		088160
21	56 × 20 × 24.5	6	500	5.5	10.5 × 19	85 × 72	115 × 100	40	200 × 50	240		088200

● TREAD: PVC/PU(DIFFERENT COLOR AVAILABLE), ● HUB: PP ● BEARING: ROLLER /DOUBLE BALL ● STAINLESS STEEL AVAILABLE



089

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg		mm	mm	mm	mm	mm	mm		ART. NO.
16.5	54 × 21 × 16	10	240	5.5	10.5 × 19	85 × 72	115 × 100		100 × 50	142		089100
18.5	62 × 21 × 17	10	300	5.5	10.5 × 19	85 × 72	115 × 100		125 × 50	164		089125
20	36 × 21 × 28.5	8	400	5.5	10.5 × 19	85 × 72	115 × 100		150 × 50	190		089160
17.5	60 × 21 × 24	6	500	5.5	10.5 × 19	85 × 72	115 × 100		200 × 50	240		089200

● TREAD: PVC/PU(DIFFERENT COLOR AVAILABLE), ● HUB: PP ● BEARING: ROLLER /DOUBLE BALL ● STAINLESS STEEL AVAILABLE



090

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg		mm	mm	mm	mm	mm	mm		ART. NO.
22.5	54 × 21 × 16	10	240	5.5	10.5 × 19	85 × 72	115 × 100	35	100 × 50	142		090100
25	62 × 21 × 17	10	300	5.5	10.5 × 19	85 × 72	115 × 100	39	125 × 50	164		090125
22	41 × 21 × 28.5	8	400	5.5	10.5 × 19	85 × 72	115 × 100	45	150 × 50	190		090160
22	57 × 20 × 20.5	6	500	5.5	10.5 × 19	85 × 72	115 × 100	40	200 × 50	240		090200

● TREAD: PVC/PU(DIFFERENT COLOR AVAILABLE), ● HUB: PP ● BEARING: ROLLER /DOUBLE BALL ● STAINLESS STEEL AVAILABLE

091

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg		mm	mm	mm	mm	mm	mm		ART. NO.
20	54 × 21 × 16	10	240	5.5	10.5 × 19	85 × 72	115 × 100	35	100 × 50	142		091100
22	62 × 21 × 17	10	300	5.5	10.5 × 19	85 × 72	115 × 100	39	125 × 50	164		091125
21	36 × 21 × 28.5	8	400	5.5	10.5 × 19	85 × 72	115 × 100	45	150 × 50	190		091160
20	56 × 20 × 24.5	6	500	5.5	10.5 × 19	85 × 72	115 × 100	40	200 × 50	240		091200

● TREAD: PU(DIFFERENT COLOR AVAILABLE), ● HUB: PP ● BEARING: ROLLER /DOUBLE BALL ● STAINLESS STEEL AVAILABLE

ROTI CARUCIOARE INDUSTRIALE

091AL

ART. NO.		mm	mm	mm	mm	mm	mm		kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
091100AL		142	100×50	35	115×100	85×72	10.5×19	5.5	240	6	62×18×15	13
091125AL		164	125×50	39	115×100	85×72	10.5×19	5.5	300	6	62×18×16.5	14.5
091160AL		190	150×50	45	115×100	85×72	10.5×19	5.5	400	6	62×18×19.5	16
091200AL		240	200×50	40	115×100	85×72	10.5×19	5.5	500	6	62×20×24.5	22

● TREAD: PU(DIFFERENT COLOR AVAILABLE), ● HUB: PP ● BEARING: ROLLER /DOUBLE BALL ●STAINLESS STEEL AVAILABLE

091TL

ART. NO.		mm	mm	mm	mm	mm	mm		kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
091100TL		142	100×50	35	115×100	85×72	10.5×19	5.5	240	6	62×24×15	14.5
091125TL		164	125×50	39	115×100	85×72	10.5×19	5.5	300	6	62×24×16.5	16
091160TL		190	150×50	45	115×100	85×72	10.5×19	5.5	400	6	62×24×19.5	17.5
091200TL		240	200×50	40	115×100	85×72	10.5×19	5.5	500	6	62×24×24.5	23.5

● TREAD: PU(DIFFERENT COLOR AVAILABLE), ● HUB: PP ● BEARING: ROLLER /DOUBLE BALL ●STAINLESS STEEL AVAILABLE

092

ART. NO.		mm	mm	mm	mm	mm	mm		kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
092100		142	100×50		115×100	85×72	10.5×19	5.5	240	10	54×21×16	16.5
092125		164	125×50		115×100	85×72	10.5×19	5.5	300	10	62×21×17	18.5
092160		190	150×50		115×100	85×72	10.5×19	5.5	400	8	36×21×28.5	17.5
092200		240	200×50		115×100	85×72	10.5×19	5.5	500	6	60×21×24	17

● TREAD: PU(DIFFERENT COLOR AVAILABLE), ● HUB: PP ● BEARING: ROLLER /DOUBLE BALL ●STAINLESS STEEL AVAILABLE

093

ART. NO.		mm	mm	mm	mm	mm	mm		kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
093100		142	100×50	35	115×100	85×72	10.5×19	5.5	240	10	54×21×16	22
093125		164	125×50	39	115×100	85×72	10.5×19	5.5	300	10	62×21×17	25
093160		190	150×50	45	115×100	85×72	10.5×19	5.5	400	8	41×21×28.5	23
093200		240	200×50	40	115×100	85×72	10.5×19	5.5	500	6	57×20×20.5	21.5

● TREAD: PU(DIFFERENT COLOR AVAILABLE), ● HUB: PP ● BEARING: ROLLER /DOUBLE BALL ●STAINLESS STEEL AVAILABLE

094

ART. NO.		mm	mm	mm	mm	mm	mm		kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
094100		142	100×50	35	115×100	85×72	10.5×19	5.5	240	10	54×21×16	24
094125		164	125×50	39	115×100	85×72	10.5×19	5.5	300	10	62×21×17	28
094160		190	150×50	45	115×100	85×72	10.5×19	5.5	400	8	36×21×28.5	25.5
094200		240	200×50	40	115×100	85×72	10.5×19	5.5	500	6	56×20×24.5	24.5

● TREAD: PU (DIFFERENT COLOR AVAILABLE), ● HUB: CASTING IRON ● BEARING: ROLLER BEARING(DOUBLE BEARING AVAILABLE)

094AL

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg		mm	mm	mm	mm	mm	mm		ART. NO.
17	62×18×15	6	240	5.5	10.5×19	85×72	115×100	35	100×50	142		094100AL
19.5	62×18×16.5	6	300	5.5	10.5×19	85×72	115×100	39	125×50	164		094125AL
21	62×18×19.5	6	400	5.5	10.5×19	85×72	115×100	45	150×50	190		094160AL
26.5	62×20×24.5	6	500	5.5	10.5×19	85×72	115×100	40	200×50	240		094200AL

● TREAD: PU (DIFFERENT COLOR AVAILABLE), ● HUB: CASTING IRON ● BEARING: ROLLER BEARING(DOUBLE BEARING AVAILABLE)

094TL

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg		mm	mm	mm	mm	mm	mm		ART. NO.
18.5	62×24×15	6	240	5.5	10.5×19	85×72	115×100	35	100×50	142		094100TL
21	62×24×16.5	6	300	5.5	10.5×19	85×72	115×100	39	125×50	164		094125TL
22.5	62×24×19.5	6	400	5.5	10.5×19	85×72	115×100	45	150×50	190		094160TL
28	62×24×24.5	6	500	5.5	10.5×19	85×72	115×100	40	200×50	240		094200TL

● TREAD: PU (DIFFERENT COLOR AVAILABLE), ● HUB: CASTING IRON ● BEARING: ROLLER BEARING(DOUBLE BEARING AVAILABLE)



095

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg		mm	mm	mm	mm	mm	mm		ART. NO.
20	54×21×16	10	240	5.5	10.5×19	85×72	115×100	35	100×50	142		095100
23.5	62×21×17	10	300	5.5	10.5×19	85×72	115×100	39	125×50	164		095125
22	36×21×28.5	8	400	5.5	10.5×19	85×72	115×100	45	150×50	190		095160
22	60×21×24	6	500	5.5	10.5×19	85×72	115×100	40	200×50	240		095200

● TREAD: PU (DIFFERENT COLOR AVAILABLE), ● HUB: CASTING IRON ● BEARING: ROLLER BEARING(DOUBLE BEARING AVAILABLE)

096

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg		mm	mm	mm	mm	mm	mm		ART. NO.
26	54×21×16	10	240	5.5	10.5×19	85×72	115×100	35	100×50	142		096100
30	62×21×17	10	300	5.5	10.5×19	85×72	115×100	39	125×50	164		096125
27.5	41×21×28.5	8	400	5.5	10.5×19	85×72	115×100	45	150×50	190		096160
26	57×20×20.5	6	500	5.5	10.5×19	85×72	115×100	40	200×50	240		096200

● TREAD: PU (DIFFERENT COLOR AVAILABLE), ● HUB: CASTING IRON ● BEARING: ROLLER BEARING(DOUBLE BEARING AVAILABLE)

097

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg		mm	mm	mm	mm	mm	mm		ART. NO.
26	54×21×16	10	240	5.5	10.5×19	85×72	115×100	35	100×50	142		097100
30	62×21×17	10	300	5.5	10.5×19	85×72	115×100	39	125×50	164		097125
28	36×21×28.5	8	400	5.5	10.5×19	85×72	115×100	45	150×50	190		097160
27	56×20×24.5	6	500	5.5	10.5×19	85×72	115×100	40	200×50	240		097200

● TREAD: PU OR PVC(DIFFERENT COLOR AVAILABLE), ●HUB: CASTING IRON ● BEARING: ROLLER BEARING ●STAINLESS STEEL AVAILABLE

ROTI CARUCIOARE INDUSTRIALE

Product Design	ART. NO.		mm	mm	mm	mm	mm	mm		kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)

097AL

097100AL		142	100×50	35	115×100	85×72	10.5×19	5.5	240	6	62×18×15	17
097125AL		164	125×50	39	115×100	85×72	10.5×19	5.5	300	6	62×18×16.5	19.5
097160AL		190	150×50	45	115×100	85×72	10.5×19	5.5	400	6	62×18×19.5	22.5
097200AL		240	200×50	40	115×100	85×72	10.5×19	5.5	500	6	62×20×24.5	28.5

● TREAD: BLACK RUBBER, ● HUB: CASTING IRON, ● BEARING: ROLLER BEARING ● STAINLESS STEEL AVAILABLE

097TL

091100TL		142	100×50	35	115×100	85×72	10.5×19	5.5	240	6	62×24×15	18.5
091125TL		164	125×50	39	115×100	85×72	10.5×19	5.5	300	6	62×24×16.5	21
091160TL		190	150×50	45	115×100	85×72	10.5×19	5.5	400	6	62×24×19.5	24
091200TL		240	200×50	40	115×100	85×72	10.5×19	5.5	500	6	62×24×24.5	30

● TREAD: BLACK RUBBER, ● HUB: CASTING IRON, ● BEARING: ROLLER BEARING ● STAINLESS STEEL AVAILABLE

098

098100		142	100×50		115×100	85×72	10.5×19	5.5	240	10	54×21×16	22
098125		164	125×50		115×100	85×72	10.5×19	5.5	300	10	62×21×17	25.5
098160		190	150×50		115×100	85×72	10.5×19	5.5	400	8	36×21×28.5	24
098200		240	200×50		115×100	85×72	10.5×19	5.5	500	6	60×21×24	24

● TREAD: BLACK RUBBER, ● HUB: CASTING IRON, ● BEARING: ROLLER BEARING ● STAINLESS STEEL AVAILABLE

099

099100		142	100×50	35	115×100	85×72	10.5×19	5.5	240	10	54×21×16	28
099125		164	125×50	39	115×100	85×72	10.5×19	5.5	300	10	62×21×17	32
099160		190	150×50	45	115×100	85×72	10.5×19	5.5	400	8	41×21×28.5	29.5
099200		240	200×50	40	115×100	85×72	10.5×19	5.5	500	6	57×20×20.5	28.5

● TREAD: BLACK RUBBER, ● HUB: CASTING IRON, ● BEARING: ROLLER BEARING ● STAINLESS STEEL AVAILABLE

100

100100		142	100×50	35	115×100	85×72	10.5×19	5.5	240	10	54×21×16	18.5
100125		164	125×50	39	115×100	85×72	10.5×19	5.5	300	10	62×21×17	20.5
100160		190	150×50	45	115×100	85×72	10.5×19	5.5	400	8	36×21×28.5	17.5
100200		240	200×50	40	115×100	85×72	10.5×19	5.5	500	6	56×20×24.5	16

● WHEEL: NYLON(DIFFERENT COLOR ABAILABLE), ● BEARING: DOUBLE BALL BEARING ● STAINLESS STEEL AVAILABLE

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg		mm	mm	mm	mm	mm	mm		ART. NO.	Product Design

101

14.5	54×21×16	10	240	5.5	10.5×19	85×72	115×100		100×50	142		101100
16	62×21×17	10	300	5.5	10.5×19	85×72	115×100		125×50	164		101125
14	36×21×28.5	8	400	5.5	10.5×19	85×72	115×100		150×50	190		101160
13.5	60×21×24	6	500	5.5	10.5×19	85×72	115×100		200×50	240		101200

● WHEEL: NYLON(DIFFERENT COLOR ABAILABLE), ● BEARING: DOUBLE BALL BEARING ● STAINLESS STEEL AVAILABLE



102

20.5	54×21×16	10	240	5.5	10.5×19	85×72	115×100	35	100×50	142		102100
22.5	62×21×17	10	300	5.5	10.5×19	85×72	115×100	39	125×50	164		102125
19.8	41×21×28.5	8	400	5.5	10.5×19	85×72	115×100	45	150×50	190		102160
17.8	57×20×20.5	6	500	5.5	10.5×19	85×72	115×100	40	200×50	240		102200

● WHEEL: NYLON(DIFFERENT COLOR ABAILABLE), ● BEARING: DOUBLE BALL BEARING ● STAINLESS STEEL AVAILABLE

103

29	54×21×16	10	240	5.5	10.5×19	85×72	115×100	35	100×50	142		103100
35	62×21×17	10	300	5.5	10.5×19	85×72	115×100	39	125×50	164		103125
31	36×21×28.5	8	400	5.5	10.5×19	85×72	115×100	45	150×50	190		103160
33	56×20×24.5	6	500	5.5	10.5×19	85×72	115×100	40	200×50	240		103200

● WHEEL: CASTING IRON, ● BEARING: ROLLER BEARING ● STAINLESS STEEL AVAILABLE

103TL

22.5	62×24×15	6	240	5.5	10.5×19	85×72	115×100	35	100×50	142		103100TL
26	62×24×16.5	6	300	5.5	10.5×19	85×72	115×100	39	125×50	164		103125TL
28	62×24×19.5	6	400	5.5	10.5×19	85×72	115×100	45	150×50	190		103160TL
38	62×24×24.5	6	500	5.5	10.5×19	85×72	115×100	40	200×50	240		103200TL

● WHEEL: CASTING IRON, ● BEARING: ROLLER BEARING ● STAINLESS STEEL AVAILABLE

104

25	54×21×16	10	240	5.5	10.5×19	85×72	115×100	35	100×50	142		104100
30.5	62×21×17	10	300	5.5	10.5×19	85×72	115×100	39	125×50	164		104125
27.5	36×21×28.5	8	400	5.5	10.5×19	85×72	115×100	45	150×50	190		104160
30.5	60×21×24	6	500	5.5	10.5×19	85×72	115×100	40	200×50	240		104200

● WHEEL: CASTING IRON, ● BEARING: ROLLER BEARING ● STAINLESS STEEL AVAILABLE

ROTI CARUCIOARE INDUSTRIALE

Product Design	ART. NO.		mm	mm	mm	mm	mm	mm		kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
 105	105100		142	100×50	35	115×100	85×72	10.5×19	5.5	240	10	54×21×16	31
	105125		164	125×50	39	115×100	85×72	10.5×19	5.5	300	10	62×21×17	37
	105160		190	150×50	45	115×100	85×72	10.5×19	5.5	400	8	41×21×28.5	33
	105200		240	200×50	40	115×100	85×72	10.5×19	5.5	500	6	57×20×20.5	35

● WHEEL: CASTING IRON, ● BEARING: ROLLER BEARING ● STAINLESS STEEL AVAILABLE

Product Design	ART. NO.		mm	mm	mm	mm	mm	mm		kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
 106	106100		142	100×50	35	115×100	85×72	10.5×19	5.5	240	10	54×21×16	18.5
	106125		164	125×50	39	115×100	85×72	10.5×19	5.5	300	10	62×21×17	20
	106160		190	150×50	45	115×100	85×72	10.5×19	5.5	400	8	36×21×28.5	19
	106200		240	200×50	40	115×100	85×72	10.5×19	5.5	500	6	56×20×24.5	17.5

● WHEEL :BLACK PP(DIFFERENT COLOR ABAILABLE) ● BEARING: PLAIN OR ROLLER BEARING ● STAINLESS STEEL AVAILABLE

Product Design	ART. NO.		mm	mm	mm	mm	mm	mm		kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
 106TL	106100TL		142	100×50		115×100	85×72	10.5×19	5.5	240	6	62×24×15	11.5
	106125TL		164	125×50		115×100	85×72	10.5×19	5.5	300	6	62×24×16.5	12
	106160TL		190	150×50		115×100	85×72	10.5×19	5.5	400	6	62×24×19.5	14
	106200TL		240	200×50		115×100	85×72	10.5×19	5.5	500	6	62×24×24.5	17

● WHEEL :BLACK PP(DIFFERENT COLOR ABAILABLE) ● BEARING: PLAIN OR ROLLER BEARING ● STAINLESS STEEL AVAILABLE

Product Design	ART. NO.		mm	mm	mm	mm	mm	mm		kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
 107	107100		142	100×50	35	115×100	85×72	10.5×19	5.5	240	10	54×21×16	15
	107125		164	125×50	39	115×100	85×72	10.5×19	5.5	300	10	62×21×17	16
	107160		190	150×50	45	115×100	85×72	10.5×19	5.5	400	8	36×21×28.5	15.5
	107200		240	200×50	40	115×100	85×72	10.5×19	5.5	500	6	60×21×24	15

● WHEEL :BLACK PP(DIFFERENT COLOR ABAILABLE) ● BEARING: PLAIN OR ROLLER BEARING ● STAINLESS STEEL AVAILABLE

Product Design	ART. NO.		mm	mm	mm	mm	mm	mm		kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
 108	109100A		142	100×50	35	115×100	85×72	10.5×19	5.5	240	10	54×21×16	20.5
	109125A		164	125×50	39	115×100	85×72	10.5×19	5.5	300	10	62×21×17	22.5
	109160A		190	150×50	45	115×100	85×72	10.5×19	5.5	400	8	41×21×28.5	21
	109200A		240	200×50	40	115×100	85×72	10.5×19	5.5	500	6	57×20×20.5	19

● WHEEL :BLACK PP(DIFFERENT COLOR ABAILABLE) ● BEARING: PLAIN OR ROLLER BEARING ● STAINLESS STEEL AVAILABLE

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg		mm	mm	mm	mm	mm	mm		ART. NO.	Product Design
14.5	62×24×15	10	240	5.5	10.5×19	85×72	115×100	35	100×50	142		304100	 304
16	62×24×16.5	10	300	5.5	10.5×19	85×72	115×100	39	125×50	164		304125	
17.5	62×24×19.5	8	400	5.5	10.5×19	85×72	115×100	45	150×50	190		304160	
23.5	62×24×24.5	6	500	5.5	10.5×19	85×72	115×100	40	200×50	240		304200	

● TREAD: TPR, ● HUB:PP ● BEARING: ROLLER/DOUBLE BALL BEARING ● STAINLESS STEEL AVAILABLE

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg		mm	mm	mm	mm	mm	mm		ART. NO.	Product Design
14.5	62×24×15	6	240	5.5	10.5×19	85×72	115×100	35	100×50	142		305100	 305
16	62×24×16.5	6	300	5.5	10.5×19	85×72	115×100	39	125×50	164		305125	
17.5	62×24×19.5	6	400	5.5	10.5×19	85×72	115×100	45	150×50	190		305160	
23.5	62×24×24.5	6	500	5.5	10.5×19	85×72	115×100	40	200×50	240		305200	

● TREAD: TPR, ● HUB:PP ● BEARING: ROLLER/DOUBLE BALL BEARING ● STAINLESS STEEL AVAILABLE

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg		mm	mm	mm	mm	mm	mm		ART. NO.	Product Design
16.5	54×21×16	10	240	5.5	10.5×19	85×72	115×100	35	100×50	142		306100	 306
18.5	62×21×17	10	300	5.5	10.5×19	85×72	115×100	39	125×50	164		306125	
17.5	36×21×28.5	8	400	5.5	10.5×19	85×72	115×100	45	150×50	190		306160	
17	60×21×24	6	500	5.5	10.5×19	85×72	115×100	40	200×50	240		306200	

● TREAD: TPR, ● HUB:PP ● BEARING: ROLLER/DOUBLE BALL BEARING ● STAINLESS STEEL AVAILABLE

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg		mm	mm	mm	mm	mm	mm		ART. NO.	Product Design
22	54×21×16	10	240	5.5	10.5×19	85×72	115×100	35	100×50	142		307100	 307
25	62×21×17	10	300	5.5	10.5×19	85×72	115×100	39	125×50	164		307125	
23	41×21×28.5	8	400	5.5	10.5×19	85×72	115×100	45	150×50	190		307160	
21.5	57×20×20.5	6	500	5.5	10.5×19	85×72	115×100	40	200×50	240		307200	

● TREAD: TPR, ● HUB:PP ● BEARING: ROLLER/DOUBLE BALL BEARING ● STAINLESS STEEL AVAILABLE

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg		mm	mm	mm	mm	mm	mm		ART. NO.	Product Design
	62×21×17	10	300	5.5	10.5×19	85×72	115×100	39	125×50	164		308125	 308
	36×21×28.5	8	400	5.5	10.5×19	85×72	115×100	45	150×50	190		308160	
	56×20×24.5	6	500	5.5	10.5×19	85×72	115×100	40	200×50	240		308200	

● TREAD: BLUE ELASTIC RUBBER ● HUB: PP ● BEARING: ROLLER/DOUBLE BALL BEARING ● STAINLESS STEEL AVAILABLE

ROTI CARUCIOARE INDUSTRIALE

Product Design	ART. NO.		mm	mm	mm	mm	mm	mm		kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)

309

ART. NO.		mm	mm	mm	mm	mm	mm		kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
309125		164	125×50		115×100	85×72	10.5×19	5.5	300	10	62×21×17	
309160		190	150×50		115×100	85×72	10.5×19	5.5	400	8	36×21×28.5	
309200		240	200×50		115×100	85×72	10.5×19	5.5	500	6	60×21×24	

● TREAD: BLUE ELASTIC RUBBER ● HUB: PP ● BEARING: ROLLER/DOUBLE BALL BEARING ● STAINLESS STEEL AVAILABLE

310

ART. NO.		mm	mm	mm	mm	mm	mm		kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
310125		164	125×50	39	115×100	85×72	10.5×19	5.5	300	10	62×21×17	
310160		190	150×50	45	115×100	85×72	10.5×19	5.5	400	8	41×21×28.5	
310200		240	200×50	40	115×100	85×72	10.5×19	5.5	500	6	57×20×20.5	

● TREAD: BLUE ELASTIC RUBBER ● HUB: PP ● BEARING: ROLLER/DOUBLE BALL BEARING ● STAINLESS STEEL AVAILABLE

311

ART. NO.		mm	mm	mm	mm	mm	mm		kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
311125		164	125×50	39	115×100	85×72	10.5×19	5.5	300	6	62×24×16.5	
311160		190	150×50	45	115×100	85×72	10.5×19	5.5	400	6	62×24×19.5	
311200		240	200×50	40	115×100	85×72	10.5×19	5.5	500	6	62×24×24.5	

● TREAD: BLUE ELASTIC RUBBER ● HUB: PP ● BEARING: ROLLER/DOUBLE BALL BEARING ● STAINLESS STEEL AVAILABLE

312

ART. NO.		mm	mm	mm	mm	mm	mm		kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
312125		164	125×50	39	115×100	85×72	10.5×19	5.5	300	10	62×21×17	
312160		190	150×50	45	115×100	85×72	10.5×19	5.5	400	8	36×21×28.5	
312200		240	200×50	40	115×100	85×72	10.5×19	5.5	500	6	56×20×24.5	

● TREAD: PU ● HUB: CASTING ALUMINUM ● BEARING: DOUBLE BALL BEARING ● STAINLESS STEEL AVAILABLE

313

ART. NO.		mm	mm	mm	mm	mm	mm		kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
313125		164	125×50		115×100	85×72	10.5×19	5.5	300	10	62×21×17	
313160		190	150×50		115×100	85×72	10.5×19	5.5	400	8	36×21×28.5	
313200		240	200×50		115×100	85×72	10.5×19	5.5	500	6	60×21×24	

● TREAD: PU ● HUB: CASTING ALUMINUM ● BEARING: DOUBLE BALL BEARING ● STAINLESS STEEL AVAILABLE

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg		mm	mm	mm	mm	mm	mm		ART. NO.	Product Design



314

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg		mm	mm	mm	mm	mm	mm		ART. NO.
	62×21×17	10	300	5.5	10.5×19	85×72	115×100	39	125×50	164		314125
	41×21×28.5	8	400	5.5	10.5×19	85×72	115×100	45	150×50	190		314160
	57×20×20.5	6	500	5.5	10.5×19	85×72	115×100	40	200×50	240		314200

● TREAD: PU ● HUB: CASTING ALUMINUM ● BEARING: DOUBLE BALL BEARING ● STAINLESS STEEL AVAILABLE



315

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg		mm	mm	mm	mm	mm	mm		ART. NO.
	62×24×16.5	10	300	5.5	10.5×19	85×72	115×100	39	125×50	164		315125
	62×24×19.5	8	400	5.5	10.5×19	85×72	115×100	45	150×50	190		315160
	62×24×24.5	6	500	5.5	10.5×19	85×72	115×100	40	200×50	240		315200

● TREAD: PU ● HUB: CASTING ALUMINUM ● BEARING: DOUBLE BALL BEARING ● STAINLESS STEEL AVAILABLE



316

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg		mm	mm	mm	mm	mm	mm		ART. NO.
	62×21×17	10	300	5.5	10.5×19	85×72	115×100	39	125×50	164		316125
	36×21×28.5	8	400	5.5	10.5×19	85×72	115×100	45	150×50	190		316160
	56×20×24.5	6	500	5.5	10.5×19	85×72	115×100	40	200×50	240		316200

● TREAD: GREY ELASTIC RUBBER ● HUB: CASTING ALUMINUM ● BEARING: DOUBLE BALL BEAING ● STAINLESS STEEL AVAILABLE



317

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg		mm	mm	mm	mm	mm	mm		ART. NO.
	62×21×17	10	300	5.5	10.5×19	85×72	115×100	39	125×50	164		317125
	36×21×28.5	8	400	5.5	10.5×19	85×72	115×100	45	150×50	190		317160
	60×21×24	6	500	5.5	10.5×19	85×72	115×100	40	200×50	240		317200

● TREAD: GREY ELASTIC RUBBER ● HUB: CASTING ALUMINUM ● BEARING: DOUBLE BALL BEAING ● STAINLESS STEEL AVAILABLE



318

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg		mm	mm	mm	mm	mm	mm		ART. NO.
	62×21×17	10	300	5.5	10.5×19	85×72	115×100	39	125×50	164		318125
	41×21×28.5	8	400	5.5	10.5×19	85×72	115×100	45	150×50	190		318160
	57×20×20.5	6	500	5.5	10.5×19	85×72	115×100	40	200×50	240		318200

● TREAD: GREY ELASTIC RUBBER ● HUB: CASTING ALUMINUM ● BEARING: DOUBLE BALL BEAING ● STAINLESS STEEL AVAILABLE

ROTI CARUCIOARE INDUSTRIALE

Product Design

319

ART. NO.		mm	mm	mm	mm	mm	mm		kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
319125		164	125 × 50		115 × 100	85 × 72	10.5 × 19	5.5	300	10	62 × 24 × 16.5	
319160		190	150 × 50		115 × 100	85 × 72	10.5 × 19	5.5	400	8	62 × 24 × 19.5	
319200		240	200 × 50		115 × 100	85 × 72	10.5 × 19	5.5	500	6	62 × 24 × 24.5	

● TREAD: GREY ELASTIC RUBBER ● HUB: CASTING ALUMINUM ● BEARING: DOUBLE BALL BEAING ● STAINLESS STEEL AVAILABLE

320

ART. NO.		mm	mm	mm	mm	mm	mm		kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
320125		164	125 × 50	39	115 × 100	85 × 72	10.5 × 19	5.5	300	10	62 × 21 × 17	
320160		190	150 × 50	45	115 × 100	85 × 72	10.5 × 19	5.5	400	8	36 × 21 × 28.5	
320200		240	200 × 50	40	115 × 100	85 × 72	10.5 × 19	5.5	500	6	56 × 20 × 24.5	

● TREAD: BLACK ELASTIC RUBBER ● HUB: CASTING ALUMINUM ● BEARING: DOUBLE BALL BEAING ● STAINLESS STEEL AVAILABLE

321

ART. NO.		mm	mm	mm	mm	mm	mm		kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
321125		164	125 × 50	39	115 × 100	85 × 72	10.5 × 19	5.5	300	6	62 × 21 × 17	
321160		190	150 × 50	45	115 × 100	85 × 72	10.5 × 19	5.5	400	6	36 × 21 × 28.5	
321200		240	200 × 50	40	115 × 100	85 × 72	10.5 × 19	5.5	500	6	60 × 21 × 24	

● TREAD: BLACK ELASTIC RUBBER ● HUB: CASTING ALUMINUM ● BEARING: DOUBLE BALL BEAING ● STAINLESS STEEL AVAILABLE

322

ART. NO.		mm	mm	mm	mm	mm	mm		kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
322125		164	125 × 50	39	115 × 100	85 × 72	10.5 × 19	5.5	300	10	62 × 21 × 17	
322160		190	150 × 50	45	115 × 100	85 × 72	10.5 × 19	5.5	400	8	41 × 21 × 28.5	
322200		240	200 × 50	40	115 × 100	85 × 72	10.5 × 19	5.5	500	6	57 × 20 × 20.5	

● TREAD: BLACK ELASTIC RUBBER ● HUB: CASTING ALUMINUM ● BEARING: DOUBLE BALL BEAING ● STAINLESS STEEL AVAILABLE

323

ART. NO.		mm	mm	mm	mm	mm	mm		kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
323125		164	125 × 50		115 × 100	85 × 72	10.5 × 19	5.5	300	10	62 × 24 × 16.5	
323160		190	150 × 50		115 × 100	85 × 72	10.5 × 19	5.5	400	8	62 × 24 × 19.5	
323200		240	200 × 50		115 × 100	85 × 72	10.5 × 19	5.5	500	6	62 × 24 × 24.5	

● TREAD: BLACK ELASTIC RUBBER ● HUB: CASTING ALUMINUM ● BEARING: DOUBLE BALL BEAING ● STAINLESS STEEL AVAILABLE

The color of the products and printed matter may be different to some extent, please subject to real products!

Product Design

324

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg		mm	mm	mm	mm	mm	mm		ART. NO.
	54 × 21 × 16	10	240	5.5	10.5 × 19	85 × 72	115 × 100	35	100 × 50	142		324100
23	62 × 21 × 17	10	300	5.5	10.5 × 19	85 × 72	115 × 100	39	125 × 50	164		324125
27	36 × 21 × 28.5	8	400	5.5	10.5 × 19	85 × 72	115 × 100	45	150 × 50	190		324160
21	56 × 20 × 24.5	6	500	5.5	10.5 × 19	85 × 72	115 × 100	40	200 × 50	240		324200

● WHEEL: BLACK BAKELITE ● BEAING: ROLLER BEAING ● STAINLESS STEEL AVAILABLE

325

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg		mm	mm	mm	mm	mm	mm		ART. NO.
	54 × 21 × 16	10	240	5.5	10.5 × 19	85 × 72	115 × 100		100 × 50	142		325100
19	62 × 21 × 17	10	300	5.5	10.5 × 19	85 × 72	115 × 100		125 × 50	164		325125
24	36 × 21 × 28.5	8	400	5.5	10.5 × 19	85 × 72	115 × 100		150 × 50	190		325160
18.5	60 × 21 × 24	6	500	5.5	10.5 × 19	85 × 72	115 × 100		200 × 50	240		325200

● WHEEL: BLACK BAKELITE ● BEAING: ROLLER BEAING ● STAINLESS STEEL AVAILABLE



326

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg		mm	mm	mm	mm	mm	mm		ART. NO.
26	54 × 21 × 16	10	240	5.5	10.5 × 19	85 × 72	115 × 100	35	100 × 50	142		326100
28.5	62 × 21 × 17	10	300	5.5	10.5 × 19	85 × 72	115 × 100	39	125 × 50	164		326125
30.5	41 × 21 × 28.5	8	400	5.5	10.5 × 19	85 × 72	115 × 100	45	150 × 50	190		326160
25.5	57 × 20 × 20.5	6	500	5.5	10.5 × 19	85 × 72	115 × 100	40	200 × 50	240		326200

● WHEEL: BLACK BAKELITE ● BEAING: ROLLER BEAING ● STAINLESS STEEL AVAILABLE

327

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg		mm	mm	mm	mm	mm	mm		ART. NO.
15	62 × 24 × 15	10	240	5.5	10.5 × 19	85 × 72	115 × 100	35	100 × 50	142		327100
16	62 × 24 × 16.5	10	300	5.5	10.5 × 19	85 × 72	115 × 100	39	125 × 50	164		327125
22.5	62 × 24 × 19.5	8	400	5.5	10.5 × 19	85 × 72	115 × 100	45	150 × 50	190		327160
23.5	62 × 24 × 24.5	6	500	5.5	10.5 × 19	85 × 72	115 × 100	40	200 × 50	240		327200

● WHEEL: BLACK BAKELITE ● BEAING: ROLLER BEAING ● STAINLESS STEEL AVAILABLE

328

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg		mm	mm	mm	mm	mm	mm		ART. NO.
19.5	54 × 21 × 16	10	240	5.5	10.5 × 19	85 × 72	115 × 100	35	100 × 50	142		328100
22.5	62 × 21 × 17	10	300	5.5	10.5 × 19	85 × 72	115 × 100	39	125 × 50	164		328125
25.5	36 × 21 × 28.5	8	400	5.5	10.5 × 19	85 × 72	115 × 100	45	150 × 50	190		328160
30.5	56 × 20 × 24.5	6	500	5.5	10.5 × 19	85 × 72	115 × 100	40	200 × 50	240		328200

● TREAD: BLACK ELASTIC RUBBER ● HUB: CASTING ALUMINUM ● BEARING: ROLLER BEARING ● STAINLESS STEEL AVAILABLE

The color of the products and printed matter may be different to some extent, please subject to real products!

ROTI CARUCIOARE INDUSTRIALE

329

ART. NO.		mm	mm	mm	mm	mm	mm		kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
329100		142	100 × 50		115 × 100	85 × 72	10.5 × 19	5.5	240	10	54 × 21 × 16	15.5
329125		164	125 × 50		115 × 100	85 × 72	10.5 × 19	5.5	300	10	62 × 21 × 17	18.5
329160		190	150 × 50		115 × 100	85 × 72	10.5 × 19	5.5	400	8	36 × 21 × 28.5	22.5
329200		240	200 × 50		115 × 100	85 × 72	10.5 × 19	5.5	500	6	60 × 21 × 24	28

● TREAD: BLACK ELASTIC RUBBER ● HUB: CASTING ALUMINUM ● BEARING: ROLLER BEARING ● STAINLESS STEEL AVAILABLE

330

ART. NO.		mm	mm	mm	mm	mm	mm		kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
330100		142	100 × 50	35	115 × 100	85 × 72	10.5 × 19	5.5	240	10	54 × 21 × 16	23
330125		164	125 × 50	39	115 × 100	85 × 72	10.5 × 19	5.5	300	10	62 × 21 × 17	26
330160		190	150 × 50	45	115 × 100	85 × 72	10.5 × 19	5.5	400	8	41 × 21 × 28.5	28.5
330200		240	200 × 50	40	115 × 100	85 × 72	10.5 × 19	5.5	500	6	57 × 20 × 20.5	32.5

● TREAD: BLACK ELASTIC RUBBER ● HUB: CASTING ALUMINUM ● BEARING: ROLLER BEARING ● STAINLESS STEEL AVAILABLE

331

ART. NO.		mm	mm	mm	mm	mm	mm		kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
331100		142	100 × 50	35	115 × 100	85 × 72	10.5 × 19	5.5	240	10	62 × 24 × 15	22.5
331125		164	125 × 50	39	115 × 100	85 × 72	10.5 × 19	5.5	300	10	62 × 24 × 16.5	25.5
331160		190	150 × 50	45	115 × 100	85 × 72	10.5 × 19	5.5	400	8	62 × 24 × 19.5	28.5
331200		240	200 × 50	40	115 × 100	85 × 72	10.5 × 19	5.5	500	6	62 × 24 × 24.5	33.5

● TREAD: BLACK ELASTIC RUBBER ● HUB: CASTING ALUMINUM ● BEARING: ROLLER BEARING ● STAINLESS STEEL AVAILABLE

332

ART. NO.		mm	mm	mm	mm	mm	mm		kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
332125		164	125 × 50	39	115 × 100	85 × 72	10.5 × 19	5.5	300	10	54 × 21 × 16	15.5
332160		190	150 × 50	45	115 × 100	85 × 72	10.5 × 19	5.5	400	8	36 × 21 × 28.5	17
332200		240	200 × 50	40	115 × 100	85 × 72	10.5 × 19	5.5	500	6	60 × 20.5 × 25	25

● TREAD: BLACK RUBBER, ● HUB:STEEL ● BEARING: DOUBLE BALL BEARING ● STAINLESS STEEL AVAILABLE

333

ART. NO.		mm	mm	mm	mm	mm	mm		kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
333125		164	125 × 50		115 × 100	85 × 72	10.5 × 19	5.5	300	10	54 × 21 × 16	19.5
333160		190	150 × 50		115 × 100	85 × 72	10.5 × 19	5.5	400	8	36 × 21 × 28.5	14
333200		240	200 × 50		115 × 100	85 × 72	10.5 × 19	5.5	500	6	60 × 20.5 × 25	22

● TREAD: BLACK RUBBER, ● HUB:STEEL ● BEARING: DOUBLE BALL BEARING ● STAINLESS STEEL AVAILABLE

Product Design

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg		mm	mm	mm	mm	mm	mm		ART. NO.
21	57 × 28 × 21	10	180	2.7	13.5 × 10.5	105 × 77	135 × 110	56	150 × 50	195		112160
27	57 × 28 × 20.5	8	260	2.7	13.5 × 10.5	105 × 77	135 × 110	65	200 × 50	240		112200

● TREAD: BLACK RUBBER, ● HUB: STEEL ● BEARING: ROLLER BEARING ● STAINLESS STEEL AVAILABLE

112

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg		mm	mm	mm	mm	mm	mm		ART. NO.
24.3	57 × 28 × 21	10	180	2.7	13.5 × 10.5	105 × 77	135 × 110	56	150 × 50	195		113160
31	57 × 28 × 20.5	8	260	2.7	13.5 × 10.5	105 × 77	135 × 110	65	200 × 50	240		113200

● TREAD: BLACK RUBBER, ● HUB: STEEL ● BEARING: ROLLER BEARING ● STAINLESS STEEL AVAILABLE

113

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg		mm	mm	mm	mm	mm	mm		ART. NO.
19.3	57 × 28 × 21	10	180	2.7	13.5 × 10.5	105 × 77	135 × 110	56	150 × 50	195		114160
25	57 × 28 × 20.5	8	260	2.7	13.5 × 10.5	105 × 77	135 × 110	65	200 × 50	240		114200

● TREAD: PU, ● HUB:PP ● BEARING: ROLLER BEARING ● STAINLESS STEEL AVAILABLE

114

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg		mm	mm	mm	mm	mm	mm		ART. NO.
22.7	57 × 28 × 21	10	180	2.7	13.5 × 10.5	105 × 77	135 × 110	56	150 × 50	195		115160
29	57 × 28 × 20.5	8	260	2.7	13.5 × 10.5	105 × 77	135 × 110	65	200 × 50	240		115200

● TREAD: PU, ● HUB:PP ● BEARING: ROLLER BEARING ● STAINLESS STEEL AVAILABLE

115

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg			mm	mm	mm	mm	mm		ART. NO.
22.8	57 × 28 × 21	10	180	2.7		22 × 22	Φ55	56	150 × 50	195		116160
25	57 × 28 × 20.5	8	260	2.7		22 × 22	Φ55	65	200 × 50	240		116200

● TREAD: PVC, ● HUB:PP ● BEARING: ROLLER BEARING ● STAINLESS STEEL AVAILABLE

116

ROTI CARUCIOARE INDUSTRIALE

Product Design	ART. NO.		mm	mm	mm	mm	mm			kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
 117	117160		185	150×50	56	Φ55	22×22		2.7	180	10	57×28×21	26
	117200		230	200×50	65	Φ55	22×22		2.7	260	8	57×28×20.5	28

● TREAD: PVC. ● HUB:PP ● BEARING: ROLLER BEARING ● STAINLESS STEEL AVAILABLE

 334	334160		185	150×50	56	Φ55	22×22		2.7	180	10	57×28×21	21
	334200		230	200×50	65	Φ55	22×22		2.7	260	8	57×28×20.5	27

● TREAD: BLACK RUBBER. ● HUB: STEEL ● BEARING: ROLLER BEARING ●STAINLESS STEEL AVAILABLE

 335	335160		185	150×50	56	Φ55	22×22		2.7	180	10	57×28×21	24.3
	335200		230	200×50	65	Φ55	22×22		2.7	260	8	57×28×20.5	31

● TREAD: BLACK RUBBER. ● HUB: STEEL ● BEARING: ROLLER BEARING ● STAINLESS STEEL AVAILABLE

 336	336160		185	150×50	56	Φ55	22×22		2.7	180	10	57×28×21	19.3
	336200		230	200×50	65	Φ55	22×22		2.7	260	8	57×28×20.5	25

● TREAD: PU. ● HUB:PP ● BEARING: ROLLER BEARING ● STAINLESS STEEL AVAILABLE

 337	337160		185	150×50	56	Φ55	22×22		2.7	180	10	57×28×21	22.7
	337200		230	200×50	65	Φ55	22×22		2.7	260	8	57×28×20.5	29

● TREAD: PU. ● HUB:PP ● BEARING: ROLLER BEARING ● STAINLESS STEEL AVAILABLE

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg		mm	mm	mm	mm	mm	mm		ART. NO.	Product Design
26	43×22×22	40	100	2.3	10×8.5	74.5×44.5	95×65	38	75×31	106		118075	 118
27.5	43×26×22	40	110	2.3	10×8.5	74.5×44.5	95×65	39	85×31	119		118085	
26	57×28×19	36	130	2.3	10×8.5	74.5×44.5	95×65	40	100×31	130.5		118100	
26.5	57×28×21	30	150	2.3	10×8.5	74.5×44.5	95×65	41	125×31	153.5		118125	

● TREAD: GREY TPR(PU,PVC/DIFFERENT COLOR AVAILABLE). ● HUB: PP ● BEARING: DOUBLE BALL BEARING. ● STAINLESS STEEL AVAILABLE

18.0	36×22×28	40	100	2.3	10×8.5	74.5×44.5	95×65		75×31	106		119075	 119
20.0	43×26×22	40	110	2.3	10×8.5	74.5×44.5	95×65		85×31	119		119085	
19.5	57×28×19	36	130	2.3	10×8.5	74.5×44.5	95×65		100×31	130.5		119100	
20.5	57×28×21	30	150	2.3	10×8.5	74.5×44.5	95×65		125×31	153.5		119125	

● TREAD: GREY TPR(PU,PVC/DIFFERENT COLOR AVAILABLE). ● HUB: PP ● BEARING: DOUBLE BALL BEARING. ● STAINLESS STEEL AVAILABLE

22.0	43×22×22	30	100	2.3	10×8.5	74.5×44.5	95×65	38	75×31	106		120075	 120
23.0	43×26×22	30	110	2.3	10×8.5	74.5×44.5	95×65	39	85×31	119		120085	
28.5	57×28×23	36	130	2.3	10×8.5	74.5×44.5	95×65	40	100×31	130.5		120100	
29.0	57×28×23	30	150	2.3	10×8.5	74.5×44.5	95×65	41	125×31	153.5		120125	

● TREAD: GREY TPR(PU,PVC/DIFFERENT COLOR AVAILABLE). ● HUB: PP ● BEARING: DOUBLE BALL BEARING. ● STAINLESS STEEL AVAILABLE

23.0	43×22×22	32	100	2.3	10×8.5	74.5×44.5	95×65	38	75×31	106		121075	 121
24.5	43×26×22	32	110	2.3	10×8.5	74.5×44.5	95×65	39	85×31	119		121085	
31.5	57×28×23	40	130	2.3	10×8.5	74.5×44.5	95×65	40	100×31	130.5		121100	
27.0	52×28×23	28	150	2.3	10×8.5	74.5×44.5	95×65	41	125×31	153.5		121125	

● TREAD: GREY TPR(PU,PVC/DIFFERENT COLOR AVAILABLE). ● HUB: PP ● BEARING: DOUBLE BALL BEARING. ● STAINLESS STEEL AVAILABLE

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg			mm	mm	mm	mm	mm		ART. NO.	
26.5	42×26×22	48	100	2.3		M12	30	38	75×31	103		122075	 122
24	43×26×22	40	110	2.3		M12	30	39	85×31	116		122085	
22.3	57×28×19	36	130	2.3		M12	30	40	100×31	127.5		122100	
23.5	57×28×19	30	150	2.3		M12	30	41	125×31	150.5		122125	

● TREAD: GREY TPR(PU,PVC/DIFFERENT COLOR AVAILABLE). ● HUB: PP ● BEARING: DOUBLE BALL BEARING. ● STAINLESS STEEL AVAILABLE

ROTI CARUCIOARE INDUSTRIALE

Product Design	ART. NO.	mm	mm	mm	mm	mm		kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)


123

ART. NO.	mm	mm	mm	mm	mm		kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
123075	103	75×31	38	30	M12	2.3	100	48	42×26×22	22.3
123085	116	85×31	39	30	M12	2.3	110	40	43×26×22	20.0
123100	127.5	100×31	40	30	M12	2.3	130	36	57×28×23	25.5
123125	150.5	125×31	41	30	M12	2.3	150	30	57×28×23	26.0

● TREAD: GREY TPR(PU,PVC/DIFFERENT COLOR AVAILABLE), ● HUB: PP ● BEARING: DOUBLE BALL BEARING, ● STAINLESS STEEL AVAILABLE


124

ART. NO.	mm	mm	mm	mm	mm		kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
124075	103	75×31	38	30	M12	2.3	100	36	42×26×22	22.3
124085	116	85×31	39	30	M12	2.3	110	30	43×26×22	20.0
124100	127.5	100×31	40	30	M12	2.3	130	36	57×28×23	25.5
124125	150.5	125×31	41	30	M12	2.3	150	30	57×28×23	26.0

● TREAD: GREY TPR(PU,PVC/DIFFERENT COLOR AVAILABLE), ● HUB: PP ● BEARING: DOUBLE BALL BEARING, ● STAINLESS STEEL AVAILABLE


125

ART. NO.	mm	mm	mm	mm		kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
125075	103	75×31	38	Φ12	2.3	100	40	42×22×22	21
125085	116	85×31	39	Φ12	2.3	110	40	43×26×22	22
125100	127.5	100×31	40	Φ12	2.3	130	36	57×28×19	21
125125	150.5	125×31	41	Φ12	2.3	150	30	57×28×19	22.3

● TREAD: GREY TPR(PU,PVC/DIFFERENT COLOR AVAILABLE), ● HUB: PP ● BEARING: DOUBLE BALL BEARING, ● STAINLESS STEEL AVAILABLE


126

ART. NO.	mm	mm	mm	mm		kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
126075	103	75×31	38	Φ12	2.3	100	30	42×22×22	18.0
126085	116	85×31	39	Φ12	2.3	110	30	43×26×22	19.0
126100	127.5	100×31	40	Φ12	2.3	130	36	57×28×23	24.0
126125	150.5	125×31	41	Φ12	2.3	150	30	57×28×23	24.5

● TREAD: GREY TPR(PU,PVC/DIFFERENT COLOR AVAILABLE), ● HUB: PP ● BEARING: DOUBLE BALL BEARING, ● STAINLESS STEEL AVAILABLE


127

ART. NO.	mm	mm	mm	mm		kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
127075	103	75×31	38	Φ12	2.3	100	32	43×22×22	21.0
127085	116	85×31	39	Φ12	2.3	110	32	43×26×22	22.0
127100	127.5	100×31	40	Φ12	2.3	130	40	57×28×23	29.5
127125	150.5	125×31	41	Φ12	2.3	150	28	52×28×23	26.5

● TREAD: GREY TPR(PU,PVC/DIFFERENT COLOR AVAILABLE), ● HUB: PP ● BEARING: DOUBLE BALL BEARING, ● STAINLESS STEEL AVAILABLE

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg		mm	mm	mm	mm	mm	ART. NO.	Product Design

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg		mm	mm	mm	mm	mm	ART. NO.
27	42×22×22	48	100	2.3	Φ11.3	50	38	75×31	103	128075
24	43×26×22	40	110	2.3	Φ11.3	50	39	85×31	116	128085
22.3	57×28×19	36	130	2.3	Φ11.3	50	40	100×31	127.5	128100
23.5	57×28×19	30	150	2.3	Φ11.3	50	41	125×31	150.5	128125

● TREAD: GREY TPR(PU,PVC/DIFFERENT COLOR AVAILABLE), ● HUB: PP ● BEARING: DOUBLE BALL BEARING, ● STAINLESS STEEL AVAILABLE


128

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg		mm	mm	mm	mm	mm	ART. NO.
23.0	42×22×22	36	100	2.3	Φ11.3	50	38	75×31	103	129075
20.5	43×26×22	30	110	2.3	Φ11.3	50	39	85×31	116	129085
25.5	57×28×19	36	130	2.3	Φ11.3	50	40	100×31	127.5	129100
26.0	57×28×19	30	150	2.3	Φ11.3	50	41	125×31	150.5	129125

● TREAD: GREY TPR(PU,PVC/DIFFERENT COLOR AVAILABLE), ● HUB: PP ● BEARING: DOUBLE BALL BEARING, ● STAINLESS STEEL AVAILABLE


129

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg		mm	mm	mm	mm	mm	ART. NO.
22.3	43×26×22	32	100	2.3	Φ11.3	50	38	75×31	103	130075
23.5	43×26×22	32	110	2.3	Φ11.3	50	39	85×31	116	130085
23.5	57×28×23	40	130	2.3	Φ11.3	50	40	100×31	127.5	130100
23.0	52×28×23	28	150	2.3	Φ11.3	50	41	125×31	150.5	130125

● TREAD: GREY TPR(PU,PVC/DIFFERENT COLOR AVAILABLE), ● HUB: PP ● BEARING: DOUBLE BALL BEARING, ● STAINLESS STEEL AVAILABLE


130

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg		mm	mm	mm	mm	mm	mm	ART. NO.
29	43×22×22	40	100	2.3	10×8.5	74.5×44.5	95×65	38	75×31	106	131075
33	43×26×22	40	110	2.3	10×8.5	74.5×44.5	95×65	39	85×31	119	131085
33.5	57×28×19	36	130	2.3	10×8.5	74.5×44.5	95×65	40	100×31	130.5	131100
35.5	57×28×21	30	150	2.3	10×8.5	74.5×44.5	95×65	41	125×31	153.5	131125

● WHEEL: BLACK RUBBER, ● BEARING: PLAIN BEARING ● STAINLESS STEEL AVAILABLE


131

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg		mm	mm	mm	mm	mm	mm	ART. NO.
21.0	36×22×28	40	100	2.3	10×8.5	74.5×44.5	95×65		75×31	106	132075
25.5	43×26×22	40	110	2.3	10×8.5	74.5×44.5	95×65		85×31	119	132085
27.5	57×28×19	36	130	2.3	10×8.5	74.5×44.5	95×65		100×31	130.5	132100
30.0	57×28×21	30	150	2.3	10×8.5	74.5×44.5	95×65		125×31	153.5	132125

● WHEEL: BLACK RUBBER, ● BEARING: PLAIN BEARING ● STAINLESS STEEL AVAILABLE


132

ROTI CARUCIOARE INDUSTRIALE

Product Design

ART. NO.		mm	mm	mm	mm	mm	mm		kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)

133

133075		106	75×31	38	95×65	74.5×44.5	10×8.5	2.3	100	30	43×22×22	24.0
133085		119	85×31	39	95×65	74.5×44.5	10×8.5	2.3	110	30	43×26×22	27.0
133100		130.5	100×31	40	95×65	74.5×44.5	10×8.5	2.3	130	36	57×28×23	36.5
133125		153.5	125×31	41	95×65	74.5×44.5	10×8.5	2.3	150	30	57×28×23	38.0

● WHEEL: BLACK RUBBER, ● BEARING: PLAIN BEARING ● STAINLESS STEEL AVAILABLE

134

133075		106	75×31	38	95×65	74.5×44.5	10×8.5	2.3	100	32	43×22×22	27.5
133085		119	85×31	39	95×65	74.5×44.5	10×8.5	2.3	110	32	43×26×22	31.0
133100		130.5	100×31	40	95×65	74.5×44.5	10×8.5	2.3	130	40	57×28×23	43.5
133125		153.5	125×31	41	95×65	74.5×44.5	10×8.5	2.3	150	28	52×28×23	39.5

● WHEEL: BLACK RUBBER, ● BEARING: PLAIN BEARING ● STAINLESS STEEL AVAILABLE



135

ART. NO.		mm	mm	mm	mm	mm			kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
135075		103	75×31	38	30	M12		2.3	100	48	42×26×22	30
135085		116	85×31	39	30	M12		2.3	110	40	43×26×22	29
135100		127.5	100×31	40	30	M12		2.3	130	36	57×28×19	30
135125		150.5	125×31	41	30	M12		2.3	150	30	57×28×19	33

● WHEEL: BLACK RUBBER, ● BEARING: PLAIN BEARING ● STAINLESS STEEL AVAILABLE

136

136075		103	75×31	38	30	M12		2.3	100	36	42×26×22	25.5
136085		116	85×31	39	30	M12		2.3	110	30	43×26×22	24.5
136100		127.5	100×31	40	30	M12		2.3	130	36	57×28×23	33.0
136125		150.5	125×31	41	30	M12		2.3	150	30	57×28×23	33.5

● WHEEL: BLACK RUBBER, ● BEARING: PLAIN BEARING ● STAINLESS STEEL AVAILABLE

137

137075		103	75×31	38	30	M12		2.3	100	32	43×26×22	24.5
137085		116	85×31	39	30	M12		2.3	110	32	43×26×22	28.0
137100		127.5	100×31	40	30	M12		2.3	130	40	57×28×23	30.0
137125		150.5	125×31	41	30	M12		2.3	150	28	52×28×23	31.0

● WHEEL: BLACK RUBBER, ● BEARING: PLAIN BEARING ● STAINLESS STEEL AVAILABLE

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg		mm	mm	mm	mm	mm	mm		ART. NO.

Product Design

338

26	43×22×22	40	100	2.3	10×8.5	74.5×44.5	95×65	38	75×31	106		338075
27.5	43×26×22	40	110	2.3	10×8.5	74.5×44.5	95×65	39	85×31	119		338085
26	57×28×19	36	130	2.3	10×8.5	74.5×44.5	95×65	40	100×31	130.5		338100
26.5	57×28×21	30	150	2.3	10×8.5	74.5×44.5	95×65	41	125×31	153.5		338125

● TREAD: CRIMSON PVC(PU,TPR/DIFFERENT COLOR AVAILABLE), ● HUB: PP ● BEARING: DOUBLE BALL BEARING, ● STAINLESS STEEL AVAILABLE



339

18.0	36×22×28	40	100	2.3	10×8.5	74.5×44.5	95×65		75×31	106		339075
20.0	43×26×22	40	110	2.3	10×8.5	74.5×44.5	95×65		85×31	119		339085
19.5	57×28×19	36	130	2.3	10×8.5	74.5×44.5	95×65		100×31	130.5		339100
20.5	57×28×21	30	150	2.3	10×8.5	74.5×44.5	95×65		125×31	153.5		339125

● TREAD: CRIMSON PVC(PU,TPR/DIFFERENT COLOR AVAILABLE), ● HUB: PP ● BEARING: DOUBLE BALL BEARING, ● STAINLESS STEEL AVAILABLE



340

22.0	43×22×22	30	100	2.3	10×8.5	74.5×44.5	95×65	38	75×31	106		340075
23.0	43×26×22	30	110	2.3	10×8.5	74.5×44.5	95×65	39	85×31	119		340085
28.5	57×28×23	36	130	2.3	10×8.5	74.5×44.5	95×65	40	100×31	130.5		340100
29.0	57×28×23	30	150	2.3	10×8.5	74.5×44.5	95×65	41	125×31	153.5		340125

● TREAD: CRIMSON PVC(PU,TPR/DIFFERENT COLOR AVAILABLE), ● HUB: PP ● BEARING: DOUBLE BALL BEARING, ● STAINLESS STEEL AVAILABLE



341

23.0	43×22×22	32	100	2.3	10×8.5	74.5×44.5	95×65	38	75×31	106		341075
24.5	43×26×22	32	110	2.3	10×8.5	74.5×44.5	95×65	39	85×31	119		341085
31.5	57×28×23	40	130	2.3	10×8.5	74.5×44.5	95×65	40	100×31	130.5		341100
29.0	52×28×23	28	150	2.3	10×8.5	74.5×44.5	95×65	41	125×31	153.5		341125

● TREAD: CRIMSON PVC(PU,TPR/DIFFERENT COLOR AVAILABLE), ● HUB: PP ● BEARING: DOUBLE BALL BEARING, ● STAINLESS STEEL AVAILABLE



342

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg			mm	mm	mm	mm	mm		ART. NO.
27	42×22×22	48	100	2.3		M12	50	38	75×31	103		342075
24	43×26×22	40	110	2.3		M12	50	39	85×31	116		342085
22.3	57×28×19	36	130	2.3		M12	50	40	100×31	127.5		342100
23.5	57×28×19	30	150	2.3		M12	50	41	125×31	150.5		342125

● TREAD: CRIMSON PVC(PU,TPR/DIFFERENT COLOR AVAILABLE), ● HUB: PP ● BEARING: DOUBLE BALL BEARING, ● STAINLESS STEEL AVAILABLE

ROTI CARUCIOARE INDUSTRIALE

Product Design	ART. NO.		mm	mm	mm	mm	mm			kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
 343	343075		103	75×31	38	30	M12		2.3	100	36	42×26×22	22.3
	343085		116	85×31	39	30	M12		2.3	110	30	43×26×22	20.0
	343100		127.5	100×31	40	30	M12		2.3	130	36	57×28×23	25.5
	343125		150.5	125×31	41	30	M12		2.3	150	30	57×28×23	26.0

● TREAD: CRIMSON PVC(PU,TPR/DIFFERENT COLOR AVAILABLE), ● HUB: PP ● BEARING: DOUBLE BALL BEARING, ● STAINLESS STEEL AVAILABLE

Product Design	ART. NO.		mm	mm	mm	mm	mm			kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
 344	344075		103	75×31	38	30	M12		2.3	100	32	43×26×22	22.0
	344085		116	85×31	39	30	M12		2.3	110	32	43×26×22	23.5
	344100		127.5	100×31	40	30	M12		2.3	130	40	57×28×23	23.5
	344125		150.5	125×31	41	30	M12		2.3	150	28	52×28×23	24.0

● TREAD: CRIMSON PVC(PU,TPR/DIFFERENT COLOR AVAILABLE), ● HUB: PP ● BEARING: DOUBLE BALL BEARING, ● STAINLESS STEEL AVAILABLE

Product Design	ART. NO.		mm	mm	mm	mm	mm	mm		kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
 144	144075		106	75×31	38	95×65	74.5×44.5	10×8.5	2.3	100	40	43×22×22	28.5
	144085		119	85×31	39	95×65	74.5×44.5	10×8.5	2.3	110	40	43×26×22	30
	144100		130.5	100×31	40	95×65	74.5×44.5	10×8.5	2.3	130	36	57×28×19	29.5
	144125		153.5	125×31	41	95×65	74.5×44.5	10×8.5	2.3	150	30	57×28×21	30.5

●WHEEL: BLUE PVC(DIFFERENT COLOR AVAILABLE), ● BEARING: DOUBLE BALL BEARING, ●STAINLESS STEEL AVAILABLE

Product Design	ART. NO.		mm	mm	mm	mm	mm	mm		kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
 145	145075		106	75×31		95×65	74.5×44.5	10×8.5	2.3	100	40	36×22×28	20.5
	145085		119	85×31		95×65	74.5×44.5	10×8.5	2.3	110	40	43×26×22	22.3
	145100		130.5	100×31		95×65	74.5×44.5	10×8.5	2.3	130	36	57×28×19	23.0
	145125		153.5	125×31		95×65	74.5×44.5	10×8.5	2.3	150	30	57×28×21	24.5

●WHEEL: BLUE PVC(DIFFERENT COLOR AVAILABLE), ● BEARING: DOUBLE BALL BEARING, ●STAINLESS STEEL AVAILABLE

Product Design	ART. NO.		mm	mm	mm	mm	mm	mm		kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
 146	146075		106	75×31	38	95×65	74.5×44.5	10×8.5	2.3	100	30	43×22×22	23.5
	146085		119	85×31	39	95×65	74.5×44.5	10×8.5	2.3	110	30	43×26×22	24.5
	146100		130.5	100×31	40	95×65	74.5×44.5	10×8.5	2.3	130	36	57×28×23	32.0
	146125		153.5	125×31	41	95×65	74.5×44.5	10×8.5	2.3	150	30	57×28×23	33.0

●WHEEL: BLUE PVC(DIFFERENT COLOR AVAILABLE), ● BEARING: DOUBLE BALL BEARING, ●STAINLESS STEEL AVAILABLE

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg		mm	mm	mm	mm	mm	mm		ART. NO.	Product Design
27.0	43×22×22	32	100	2.3	10×8.5	74.5×44.5	95×65	38	75×31	106		147075	 147
28.5	43×26×22	32	110	2.3	10×8.5	74.5×44.5	95×65	39	85×31	119		147085	
38.5	57×28×23	40	130	2.3	10×8.5	74.5×44.5	95×65	40	100×31	130.5		147100	
34.5	52×28×23	28	150	2.3	10×8.5	74.5×44.5	95×65	41	125×31	153.5		147125	

● WHEEL: BLUE PVC(DIFFERENT COLOR AVAILABLE), ● BEARING: DOUBLE BALL BEARING, ● STAINLESS STEEL AVAILABLE

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg			mm	mm	mm	mm	mm		ART. NO.	Product Design
28.5	42×26×22	48	100	2.3		M12	50	38	75×31	103		148075	 148
26	43×26×22	40	110	2.3		M12	50	39	85×31	116		148085	
26	57×28×23	36	130	2.3		M12	50	40	100×31	127.5		148100	
28	57×28×23	30	150	2.3		M12	50	41	125×31	150.5		148125	

●WHEEL: BLUE PVC(DIFFERENT COLOR AVAILABLE), ●BEARING: DOUBLE BALL BEARING, ●STAINLESS STEEL AVAILABLE

25.0	42×26×22	36	100	2.3		M12	50	38	75×31	103		149075	 149
22.0	43×26×22	30	110	2.3		M12	50	39	85×31	116		149085	
29.0	57×28×23	36	130	2.3		M12	50	40	100×31	127.5		149100	
30.0	57×28×23	30	150	2.3		M12	50	41	125×31	150.5		149125	

●WHEEL: BLUE PVC(DIFFERENT COLOR AVAILABLE), ●BEARING: DOUBLE BALL BEARING, ●STAINLESS STEEL AVAILABLE

24.0	43×26×22	32	100	2.3		M12	50	38	75×31	103		150075	 150
25.5	43×26×22	32	110	2.3		M12	50	39	85×31	116		150085	
26.5	57×28×23	40	130	2.3		M12	50	40	100×31	127.5		150100	
27.0	52×28×23	28	150	2.3		M12	50	41	125×31	150.5		150125	

●WHEEL: BLUE PVC(DIFFERENT COLOR AVAILABLE), ●BEARING: DOUBLE BALL BEARING, ●STAINLESS STEEL AVAILABLE

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg		mm	mm	mm	mm	mm	mm		ART. NO.	Product Design
33.5	57×28×19	36	130	2.3	10×8.5	74.5×44.5	95×65	40	100×31	130.5		353100	 353
33.5	57×28×21	30	150	2.3	10×8.5	74.5×44.5	95×65	41	125×31	153.5		353125	

● WHEEL: ELECTRIC RUBBER, ● BEARING: DOUBLE BALL BEARING, ● STAINLESS STEEL AVAILABLE

ROTI CARUCIOARE INDUSTRIALE

Product Design	ART. NO.		mm	mm	mm	mm	mm	mm		kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
 354	354100		130.5	100×31		95×65	74.5×44.5	10×8.5	2.3	130	36	57×28×19	27.5
	354125		153.5	125×31		95×65	74.5×44.5	10×8.5	2.3	150	30	57×28×21	30.0
 355	355100		130.5	100×31	40	95×65	74.5×44.5	10×8.5	2.3	130	36	57×28×23	36.5
	355125		153.5	125×31	41	95×65	74.5×44.5	10×8.5	2.3	150	30	57×28×23	38.0
 356	356100		130.5	100×31	40	95×65	74.5×44.5	10×8.5	2.3	130	36	57×28×23	43.5
	356125		153.5	125×31	41	95×65	74.5×44.5	10×8.5	2.3	150	30	57×28×23	39.0

354: ● WHEEL: ELECTRIC RUBBER, ● BEARING: DOUBLE BALL BEARING, ● STAINLESS STEEL AVAILABLE

355: ● WHEEL: ELECTRIC RUBBER, ● BEARING: DOUBLE BALL BEARING, ● STAINLESS STEEL AVAILABLE

356: ● WHEEL: ELECTRIC RUBBER, ● BEARING: DOUBLE BALL BEARING, ● STAINLESS STEEL AVAILABLE

Product Design	ART. NO.		mm	mm	mm	mm	mm			kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
 357	357100		127.5	100×31	40	30	M12		2.3	130	36	57×28×19	30
	357125		150.5	125×31	41	30	M12		2.3	150	30	57×28×19	33
 358	358100		127.5	100×31	40	30	M12		2.3	130	36	57×28×23	33
	358125		150.5	125×31	41	30	M12		2.3	150	30	57×28×23	33.5

357: ● WHEEL: ELECTRIC RUBBER, ● BEARING: DOUBLE BALL BEARING, ● STAINLESS STEEL AVAILABLE

358: ● WHEEL: ELECTRIC RUBBER, ● BEARING: DOUBLE BALL BEARING, ● STAINLESS STEEL AVAILABLE

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg			mm	mm	mm	mm	mm		ART. NO.	Product Design
30	57×28×23	40	130	2.3		M12	30	40	100×31	127.5		359100	 359
31	57×28×23	28	150	2.3		M12	30	41	125×31	150.5		359125	

359: ● WHEEL: ELECTRIC RUBBER, ● BEARING: DOUBLE BALL BEARING, ● STAINLESS STEEL AVAILABLE

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg		mm	mm	mm	mm	mm	mm		ART. NO.	Product Design
26.5	43×22×22	40	100	2.3	10×8.5	74.5×44.5	95×65		75×31	106		157075	 157
27	57×28×19	36	130	2.3	10×8.5	74.5×44.5	95×65		100×31	130.5		157100	
27	57×28×21	30	150	2.3	10×8.5	74.5×44.5	95×65		125×31	153.5		157125	
18.5	36×22×28	40	100	2.3	10×8.5	74.5×44.5	95×65		75×31	106		158075	 158
20.5	57×28×21	36	130	2.3	10×8.5	74.5×44.5	95×65		100×31	130.5		158100	
21.0	57×28×21	30	150	2.3	10×8.5	74.5×44.5	95×65		125×31	153.5		158125	
22.0	43×22×22	30	100	2.3	10×8.5	74.5×44.5	95×65	38	75×31	106		159075	 159
29.5	57×28×23	36	130	2.3	10×8.5	74.5×44.5	95×65	40	100×31	130.5		159100	
29.5	57×28×23	30	150	2.3	10×8.5	74.5×44.5	95×65	41	125×31	153.5		159125	
25.5	43×22×22	30	100	2.3	10×8.5	74.5×44.5	95×65	38	75×31	106		160075	 160
36.0	57×28×23	40	130	2.3	10×8.5	74.5×44.5	95×65	40	100×31	130.5		160100	
31.0	52×28×23	28	150	2.3	10×8.5	74.5×44.5	95×65	41	125×31	153.5		160125	

157: ● TREAD: RED PVC(PU,TPR/DIFFERENT COLOR AVAILABLE), ● HUB: PP, ● BEARING: BALL BEARING, ● STAINLESS STEEL AVAILABLE

158: ● TREAD: RED PVC(PU,TPR/DIFFERENT COLOR AVAILABLE), ● HUB: PP, ● BEARING: BALL BEARING, ● STAINLESS STEEL AVAILABLE

159: ● TREAD: RED PVC(PU,TPR/DIFFERENT COLOR AVAILABLE), ● HUB: PP, ● BEARING: BALL BEARING, ● STAINLESS STEEL AVAILABLE

160: ● TREAD: RED PVC(PU,TPR/DIFFERENT COLOR AVAILABLE), ● HUB: PP, ● BEARING: BALL BEARING, ● STAINLESS STEEL AVAILABLE

ROTI CARUCIOARE INDUSTRIALE

Product Design	ART. NO.		mm	mm	mm	mm	mm			kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
 161	161075		103	75×31	38	30	M12		2.3	100	48	42×26×22	27
	161100		127.5	100×31	40	30	M12		2.3	130	36	57×28×19	23.5
	161125		150.5	125×31	41	30	M12		2.3	150	30	57×28×21	24

● TREAD: RED PVC(PU,TPR/DIFFERENT COLOR AVAILABLE), ● HUB: PP, ● BEARING: BALL BEARING, ● STAINLESS STEEL AVAILABLE

Product Design	ART. NO.		mm	mm	mm	mm	mm			kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
 162	162075		103	75×31	38	30	M12		2.3	100	36	42×26×22	23.0
	162100		127.5	100×31	40	30	M12		2.3	130	36	57×28×23	26.5
	162125		150.5	125×31	41	30	M12		2.3	150	30	57×28×23	26.5

● TREAD: RED PVC(PU,TPR/DIFFERENT COLOR AVAILABLE), ● HUB: PP, ● BEARING: BALL BEARING, ● STAINLESS STEEL AVAILABLE

Product Design	ART. NO.		mm	mm	mm	mm	mm			kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
 163	163075		103	75×31	38	30	M12		2.3	100	32	43×26×22	22.3
	163100		127.5	100×31	40	30	M12		2.3	130	40	57×28×23	24.0
	163125		150.5	125×31	41	30	M12		2.3	150	28	52×28×23	23.5

● TREAD: RED PVC(PU,TPR/DIFFERENT COLOR AVAILABLE), ● HUB: PP, ● BEARING: BALL BEARING, ● STAINLESS STEEL AVAILABLE

Product Design	ART. NO.		mm	mm	mm	mm	mm	mm		kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
 360	360125		153.5	125×35	41	95×65	74.5×44.5	10×8.5	2.3		30	52×28×21	27

● WHEEL: PP(DIFFERENT COLOR AVAILABLE), ● BEARING: PLAIN BEARING, ● STAINLESS STEEL AVAILABLE

Product Design	ART. NO.		mm	mm	mm	mm	mm	mm		kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
 361	361125		153.5	125×35		95×65	74.5×44.5	10×8.5	2.3		30	52×28×21	21

● WHEEL: PP(DIFFERENT COLOR AVAILABLE), ● BEARING: PLAIN BEARING, ● STAINLESS STEEL AVAILABLE

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg		mm	mm	mm	mm	mm	mm		ART. NO.	Product Design
	52×28×23	30	150	2.3	10×8.5	74.5×44.5	95×65	41	125×35	153.5		362125	 362

● WHEEL: PP(DIFFERENT COLOR AVAILABLE), ● BEARING: PLAIN BEARING, ● STAINLESS STEEL AVAILABLE

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg		mm	mm	mm	mm	mm	mm		ART. NO.	Product Design
	52×28×23	28	150	2.3	10×8.5	74.5×44.5	95×65	41	125×35	153.5		363125	 363

● WHEEL: PP(DIFFERENT COLOR AVAILABLE), ● BEARING: PLAIN BEARING, ● STAINLESS STEEL AVAILABLE

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg		mm	mm	mm	mm	mm	mm		ART. NO.	Product Design
27	57×28×19	36	130	2.3	10×8.5	74.5×44.5	95×65	40	100×31	130.5		170100	 170
27	57×28×21	30	150	2.3	10×8.5	74.5×44.5	95×65	41	125×31	153.5		170125	

● TREAD: PURPLE PU(DIFFERENT COLOR AVAILABLE), ● HUB: PP, ● BEARING: BALL BEARING, ● STAINLESS STEEL AVAILABLE

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg		mm	mm	mm	mm	mm	mm		ART. NO.	Product Design
20.5	57×28×21	36	130	2.3	10×8.5	74.5×44.5	95×65		100×31	130.5		171100	 171
21	57×28×21	30	150	2.3	10×8.5	74.5×44.5	95×65		125×31	153.5		171125	

● TREAD: PURPLE PU(DIFFERENT COLOR AVAILABLE), ● HUB: PP, ● BEARING: BALL BEARING, ● STAINLESS STEEL AVAILABLE

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg		mm	mm	mm	mm	mm	mm		ART. NO.	Product Design
29.5	57×28×23	36	100	2.3	10×8.5	74.5×44.5	95×65	40	100×31	130.5		172100	 172
29.5	57×28×23	30	110	2.3	10×8.5	74.5×44.5	95×65	41	125×31	153.5		172125	

● TREAD: PURPLE PU(DIFFERENT COLOR AVAILABLE), ● HUB: PP, ● BEARING: BALL BEARING, ● STAINLESS STEEL AVAILABLE

ROTI CARUCIOARE INDUSTRIALE

Product Design	ART. NO.		mm	mm	mm	mm	mm	mm		kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
 173	173100		130.5	100×31	40	95×65	74.5×44.5	10×8.5	2.3	100	40	57×28×23	36
	173125		153.5	125×31	41	95×65	74.5×44.5	10×8.5	2.3	110	28	57×28×23	31

● TREAD: PURPLE PU(DIFFERENT COLOR AVAILABLE), ● HUB: PP, ● BEARING: BALL BEARING, ● STAINLESS STEEL AVAILABLE

Product Design	ART. NO.		mm	mm	mm	mm	mm			kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
 174	174100		127.5	100×31	40	30	M12		2.3	100	36	57×28×19	23.5
	174125		150.5	125×31	41	30	M12		2.3	110	30	57×28×21	24

● TREAD: PURPLE PU(DIFFERENT COLOR AVAILABLE), ● HUB: PP, ● BEARING: BALL BEARING, ● STAINLESS STEEL AVAILABLE

Product Design	ART. NO.		mm	mm	mm	mm	mm			kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
 175	175100		127.5	100×31	40	30	M12		2.3	100	36	57×28×23	26.5
	175125		150.5	125×31	41	30	M12		2.3	110	30	57×28×23	26.5

● TREAD: PURPLE PU(DIFFERENT COLOR AVAILABLE), ● HUB: PP, ● BEARING: BALL BEARING, ● STAINLESS STEEL AVAILABLE

Product Design	ART. NO.		mm	mm	mm	mm	mm			kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
 176	176100		127.5	100×31	40	30	M12		2.3	100	30	57×28×21	24
	176125		150.5	125×31	41	30	M12		2.3	110	25	57×28×21	23.5

● TREAD: PURPLE PU(DIFFERENT COLOR AVAILABLE), ● HUB: PP, ● BEARING: BALL BEARING, ● STAINLESS STEEL AVAILABLE

Product Design	ART. NO.		mm	mm	mm	mm	mm	mm		kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
 364	364075		106	75×31	38	95×65	74.5×44.5	10×8.5	2.3	100	40	43×22×22	28.5
	364085		119	85×31	39	95×65	74.5×44.5	10×8.5	2.3	110	40	43×26×22	30
	364100		130.5	100×31	40	95×65	74.5×44.5	10×8.5	2.3	130	36	57×28×19	29.5
	364125		153.5	125×31	41	95×65	74.5×44.5	10×8.5	2.3	150	30	57×28×21	30.5

● WHEEL:PP(DIFFERENT COLOR AVAILABLE), ● BEARING:DOUBLE BALL BEARING, ● STAINLESS STEEL AVAILABLE

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg		mm	mm	mm	mm	mm	mm		ART. NO.	Product Design
20.5	36×22×28	40	100	2.3	10×8.5	74.5×44.5	95×65		75×31	106		365075	 365
22.3	43×26×22	40	110	2.3	10×8.5	74.5×44.5	95×65		85×31	119		365085	
23.0	57×28×19	36	130	2.3	10×8.5	74.5×44.5	95×65		100×31	130.5		365100	
24.5	57×28×21	30	150	2.3	10×8.5	74.5×44.5	95×65		125×31	153.5		365125	

● WHEEL:PP(DIFFERENT COLOR AVAILABLE), ● BEARING:DOUBLE BALL BEARING, ● STAINLESS STEEL AVAILABLE

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg		mm	mm	mm	mm	mm	mm		ART. NO.	Product Design
23.5	43×22×22	30	100	2.3	10×8.5	74.5×44.5	95×65	38	75×31	106		366075	 366
24.5	43×26×22	30	110	2.3	10×8.5	74.5×44.5	95×65	39	85×31	119		366085	
32.0	57×28×23	36	130	2.3	10×8.5	74.5×44.5	95×65	40	100×31	130.5		366100	
33.0	57×28×23	30	150	2.3	10×8.5	74.5×44.5	95×65	41	125×31	153.5		366125	

● WHEEL:PP(DIFFERENT COLOR AVAILABLE), ● BEARING:DOUBLE BALL BEARING, ● STAINLESS STEEL AVAILABLE

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg		mm	mm	mm	mm	mm	mm		ART. NO.	Product Design
24.0	43×22×22	32	100	2.3	10×8.5	74.5×44.5	95×65	38	75×31	106		367075	 367
25.5	43×26×22	32	110	2.3	10×8.5	74.5×44.5	95×65	39	85×31	119		367085	
26.5	57×28×23	40	130	2.3	10×8.5	74.5×44.5	95×65	40	100×31	130.5		367100	
27.0	52×28×23	28	150	2.3	10×8.5	74.5×44.5	95×65	41	125×31	153.5		367125	

● WHEEL:PP(DIFFERENT COLOR AVAILABLE), ● BEARING:DOUBLE BALL BEARING, ● STAINLESS STEEL AVAILABLE

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg			mm	mm	mm	mm	mm		ART. NO.	Product Design
28.5	42×26×22	48	100	2.3		M12	30	38	75×31	106		368075	 368
26	43×26×22	40	110	2.3		M12	30	39	85×31	119		368085	
26	57×28×23	36	130	2.3		M12	30	40	100×31	130.5		368100	
28	57×28×23	30	150	2.3		M12	30	41	125×31	153.5		368125	

● WHEEL:PP(DIFFERENT COLOR AVAILABLE), ● BEARING:DOUBLE BALL BEARING, ● STAINLESS STEEL AVAILABLE

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg			mm	mm	mm	mm	mm		ART. NO.	Product Design
25.0	42×26×22	36	100	2.3		M12	30	38	75×31	106		369075	 369
22.0	43×26×22	30	110	2.3		M12	30	39	85×31	119		369085	
29.0	57×28×23	36	130	2.3		M12	30	40	100×31	130.5		369100	
30.0	57×28×23	30	150	2.3		M12	30	41	125×31	153.5		369125	

● WHEEL:PP(DIFFERENT COLOR AVAILABLE), ● BEARING:DOUBLE BALL BEARING, ● STAINLESS STEEL AVAILABLE

ROTI CARUCIOARE INDUSTRIALE

Product Design	ART. NO.		mm	mm	mm	mm	mm			kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
 370	370075		106	75×31	38	30	M12		2.3	100	32	43×26×22	24.0
	370085		119	85×31	39	30	M12		2.3	110	32	43×26×22	25.5
	370100		130.5	100×31	40	30	M12		2.3	130	40	57×28×23	26.5
	370125		153.5	125×31	41	30	M12		2.3	150	28	52×28×23	27.0

● WHEEL:PP(DIFFERENT COLOR AVAILABLE), ● BEARING:DOUBLE BALL BEARING, ● STAINLESS STEEL AVAILABLE

Product Design	ART. NO.		mm	mm	mm	mm	mm			kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
 183	183125		150	125×35	36	20	1/2"		2.3	150	30	52×28×21	20

● WHEEL:PP(DIFFERENT COLOR AVAILABLE), ● STAINLESS STEEL AVAILABLE

Product Design	ART. NO.		mm	mm	mm	mm	mm			kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
 184	184125		150	125×35	36	20	11.3		2.3	150	30	52×28×21	22

● WHEEL:PP(DIFFERENT COLOR AVAILABLE), ● STAINLESS STEEL AVAILABLE

Product Design	ART. NO.		mm	mm	mm	mm	mm	mm		kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
 185	185075		106	75×31	36	95×65	74.5×44.5	10×8.5	2.3	150	30	42×23×20	30.5

● TREAD: PU, ● HUB: CASTING IRON, ● BEARING: ROLLER BEARING, ● STAINLESS STEEL AVAILABLE

Product Design	ART. NO.		mm	mm	mm	mm	mm	mm		kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
 186	186075		106	75×31		95×65	74.5×44.5	10×8.5	2.3	150	30	38×23×20	24

● TREAD: PU, ● HUB: CASTING IRON, ● BEARING: ROLLER BEARING, ● STAINLESS STEEL AVAILABLE

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg		mm	mm	mm	mm	mm	mm		ART. NO.	Product Design
29	38×23×25	25	150	2.3	10×8.5	74.5×44.5	95×65	36	75×31	106		187075	 187

● TREAD: PU, ● HUB: CASTING IRON, ● BEARING: ROLLER BEARING, ● STAINLESS STEEL AVAILABLE

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg		mm	mm	mm	mm	mm	mm		ART. NO.	Product Design
24	43×23×20	25	150	2.3	10×8.5	74.5×44.5	95×65	36	75×31	106		188075	 188

● TREAD: PU, ● HUB: CASTING IRON, ● BEARING: ROLLER BEARING, ● STAINLESS STEEL AVAILABLE

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg			mm	mm	mm	mm	mm		ART. NO.	Product Design
25	42×26×22	30	120	2.3		Φ50	22	33	100×31	125		255100	 255
24	42×26×22	20	120	2.3		Φ50	22	33	125×31	154		255125	

● TREAD:PURPLE PU(DIFFERENT COLOR AVAILABLE), ● HUB:PP, ● BEARING:DOUBLE BALL BEARING, ● STAINLESS STEEL AVAILABLE

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg			mm	mm	mm	mm	mm		ART. NO.	Product Design
22	57×28×21	40	120	2.3		1/2"	22	33	100×31	125		256100	 256
20.5	57×28×21	40	120	2.3		1/2"	22	33	125×31	154		256125	

● TREAD:PURPLE PU(DIFFERENT COLOR AVAILABLE), ● HUB:PP, ● BEARING:DOUBLE BALL BEARING, ● STAINLESS STEEL AVAILABLE

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg				mm	mm	mm	mm		ART. NO.	Product Design
16.0	42×26×23	24	70	2.3			Φ12	50	125×30	155		371125	 371

● TREAD:PU, ● BEARING:BALL BEARING, ● STAINLESS STEEL AVAILABLE

ROTI CARUCIOARE INDUSTRIALE

372

Product Design	ART. NO.		mm	mm	mm	mm				kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
372	372100		130.5	100×30	35	Φ12			2.3	60	24	38×26×23	14.0
372	372125		153.5	125×30	35	Φ12			2.3	70	24	42×26×23	17.5

● TREAD:PU, ● BEARING:BALL BEARING, ● STAINLESS STEEL AVAILABLE

011

ART. NO.		mm	mm	mm	mm	mm			kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
011050		70	50×18	21.5	50	Ø9.9		1.5	50	160	42×26×22	22

● TREAD: GRAY TPR, ● HUB: PP ● STAINLESS STEEL AVAILABLE

012

ART. NO.		mm	mm	mm	mm	mm	mm		kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
012050		70	50×18	24	54×54	40×40	Ø6.5	2	60	140	42×26×22	28
012075		103	75×24	34	60×60	40×40	6×13	2.0/2.5	70	60	42×26×22	20
012100		123	100×25	39	60×60	40×40	6×13	2.0/2.5	80	36	42×26×22	17

● TREAD: CO-POLYMER ● HUB: TPR ● STAINLESS STEEL AVAILABLE

013

ART. NO.		mm	mm	mm	mm	mm	mm		kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
013050		70	50×18		54×54	40×40	Ø6.5	2	60	140	42×26×22	19
013075		103	75×24		60×60	40×40	6×13	2.0/2.5	70	60	42×26×22	19
013100		123	100×25		60×60	40×40	6×13	2.0/2.5	80	36	42×26×22	14

● TREAD: CO-POLYMER ● HUB: TPR ● STAINLESS STEEL AVAILABLE

014

ART. NO.		mm	mm	mm	mm	mm	mm		kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
014050		70	50×18	24	54×54	40×40	Ø6.5	2	60	112	42×26×22	28
014075		103	75×24	34	60×60	40×40	6×13	2.0/2.5	70	60	42×26×22	25
014100		123	100×25	39	60×60	40×40	6×13	2.0/2.5	80	36	42×26×22	19

● TREAD: CO-POLYMER ● HUB: TPR ● STAINLESS STEEL AVAILABLE

015

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg				mm	mm	mm	mm		ART. NO.
30	42×26×22	160	60	2			Ø10.2	24	50×18	68		015050
23	42×26×22	80	70	2.0/2.5			Ø10.2	34	75×24	100		015075
17	42×26×22	40	80	2.0/2.5			Ø10.2	39	100×25	120		015100

● TREAD: CO-POLYMER ● HUB: TPR ● STAINLESS STEEL AVAILABLE

016

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg				mm	mm	mm	mm		ART. NO.
34	42×26×22	160	60	2			Ø10.2	24	50×18	68		016050
30	42×26×22	80	70	2.0/2.5			Ø10.2	34	75×24	100		016075
20	42×26×22	40	80	2.0/2.5			Ø10.2	39	100×25	120		016100

● TREAD: CO-POLYMER ● HUB: TPR ● STAINLESS STEEL AVAILABLE



017

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg			mm	mm	mm	mm	mm		ART. NO.
28	42×26×22	140	60	2		M10	30	24	50×18	68		017050
25	42×26×22	80	70	2.0/2.5		M10	30	34	75×24	100		017075
19	42×26×22	40	80	2.0/2.5		M10	30	39	100×25	120		017100

● TREAD: CO-POLYMER ● HUB: TPR ● STAINLESS STEEL AVAILABLE

018

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg			mm	mm	mm	mm	mm		ART. NO.
33	42×26×22	140	60	2		M10	30	24	50×18	68		018050
33	42×26×22	80	70	2.0/2.5		M10	30	34	75×24	100		018075
21	42×26×22	40	80	2.0/2.5		M10	30	39	100×25	120		018100

● TREAD: CO-POLYMER ● HUB: TPR ● STAINLESS STEEL AVAILABLE

055

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg		mm	mm	mm	mm	mm	mm		ART. NO.
25	42×26×22	140	50	1.5	12×6.2	36×36	50×50	32	50×20	70		055050
23	42×26×22	60	70	2	12×6.2	49×49	65×65	33	75×23	100		055075

● TREAD: PVC/PU(DIFFERENT COLOR AVAILABLE) ● HUB: PP ● BEARING: DOUBLE BALL BEARING ● STAINLESS STEEL AVAILABLE

ROTI CARUCIOARE INDUSTRIALE

Product Design	ART. NO.		mm	mm	mm	mm	mm	mm		kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)


056

ART. NO.		mm	mm	mm	mm	mm	mm		kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
056050		70	50×20		50×50	36×36	9×6.2	1.5	50	140	42×26×22	23
056075		100	75×23		65×65	49×49	15×6.2	2	70	60	42×26×22	21

● TREAD: PVC/PU(DIFFERENT COLOR AVAILABLE) ● HUB: PP ● BEARING: DOUBLE BALL BEARING ● STAINLESS STEEL AVAILABLE


057

ART. NO.		mm	mm	mm	mm	mm	mm		kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
057050		70	50×20	32	50×50	36×36	12×6.2	1.5	50	112	42×26×22	24
057075		100	75×23	33	65×65	49×49	12×6.2	2	70	60	43×27×23	24

● TREAD: PVC/PU(DIFFERENT COLOR AVAILABLE) ● HUB: PP ● BEARING: DOUBLE BALL BEARING ● STAINLESS STEEL AVAILABLE


058

ART. NO.		mm	mm	mm	mm	mm	mm		kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
058050		70	50×20	32	50×50	36×36	9×6.2	1.5	50	112	42×26×22	23
058075		100	75×23	33	65×65	49×49	15×6.2	2	70	60	43×27×23	26

● TREAD: PVC/PU(DIFFERENT COLOR AVAILABLE) ● HUB: PP ● BEARING: DOUBLE BALL BEARING ● STAINLESS STEEL AVAILABLE


059

ART. NO.		mm	mm	mm	mm				kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
059050		72	50×20	32	⌀10.5			1.5	50	160	42×26×18	24
059075		98	75×23	33	⌀10.5			2	70	60	43×27×22	26

● TREAD: PVC/PU(DIFFERENT COLOR AVAILABLE) ● HUB: PP ● BEARING: DOUBLE BALL BEARING ● STAINLESS STEEL AVAILABLE


060

ART. NO.		mm	mm	mm	mm				kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
060050		72	50×20	32	⌀10.5			1.5	50	160	42×26×20	25
060075		98	75×23	33	⌀10.5			2	70	60	43×27×22	27

● TREAD: PVC/PU(DIFFERENT COLOR AVAILABLE) ● HUB: PP ● BEARING: DOUBLE BALL BEARING ● STAINLESS STEEL AVAILABLE

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg				mm	mm	mm	mm		ART. NO.	Product Design


061

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg				mm	mm	mm	mm		ART. NO.
26	42×26×20	112	50	1.5			⌀10.5	26	50×20	70		061050
28	42×26×22	60	70	2			⌀10.5	32	75×23	98		061075

● TREAD: PVC/PU(DIFFERENT COLOR AVAILABLE) ● HUB: PP ● BEARING: DOUBLE BALL BEARING ● STAINLESS STEEL AVAILABLE


062

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg			mm	mm	mm	mm	mm		ART. NO.
26	42×26×18	140	50	1.5		M10	30	32	50×20	70		062050
28	42×26×22	60	70	2		M10	30	33	75×23	98		062075

● TREAD: PVC/PU(DIFFERENT COLOR AVAILABLE) ● HUB: PP ● BEARING: DOUBLE BALL BEARING ● STAINLESS STEEL AVAILABLE


064

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg			mm	mm	mm	mm	mm		ART. NO.
28.5	42×26×20	112	50	1.5		M10	30	26	50×20	70		064050
24	42×26×22	60	70	2		M10	30	32	75×23	98		064075

● TREAD: PVC/PU(DIFFERENT COLOR AVAILABLE) ● HUB: PP ● BEARING: DOUBLE BALL BEARING ● STAINLESS STEEL AVAILABLE


373

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg		mm	mm	mm	mm	mm	mm		ART. NO.
27	42×26×22	140	50	1.5	6.2	38×38	50×50	20	50×24	65		373050

● WHEEL: PVC/PU(DIFFERENT COLOR AVAILABLE) ● BEARING: DOUBLE BALL BEARING ● STAINLESS STEEL AVAILABLE


374

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg		mm	mm	mm	mm	mm	mm		ART. NO.
18.5	46.5×28×17	120	50	1.5	6.2	38×38	50×50		50×24	65		374050

● WHEEL: PVC/PU(DIFFERENT COLOR AVAILABLE) ● BEARING: DOUBLE BALL BEARING ● STAINLESS STEEL AVAILABLE

ROTI CARUCIOARE INDUSTRIALE

Product Design	ART. NO.		mm	mm	mm	mm	mm	mm		kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
 375	375050		65	50×24	20	50×50	38×38	6.2	1.5	50	120	42×26×22	24.5

● WHEEL: PVC/PU(DIFFERENT COLOR AVAILABLE) ● BEARING: DOUBLE BALL BEARING ● STAINLESS STEEL AVAILABLE

Product Design	ART. NO.		mm	mm	mm	mm	mm			kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
 376	376050		65	50×24	20		M10		1.5	50	140	42×26×18	26.5
 377	377050		65	50×24	20		M10		1.5	50	112	42×26×20	24.5

● WHEEL: PVC/PU(DIFFERENT COLOR AVAILABLE) ● BEARING: DOUBLE BALL BEARING ● STAINLESS STEEL AVAILABLE

● WHEEL: PVC/PU(DIFFERENT COLOR AVAILABLE) ● BEARING: DOUBLE BALL BEARING ● STAINLESS STEEL AVAILABLE

Product Design	ART. NO.		mm	mm	mm	mm				kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
 378	378050		65	50×24	20	10.2			1.5	50	160	42×26×18	31
 379	379050		65	50×24	20	10.2			1.5	50	160	42×26×18	34.5

● WHEEL: PVC/PU(DIFFERENT COLOR AVAILABLE) ● BEARING: DOUBLE BALL BEARING ● STAINLESS STEEL AVAILABLE

● WHEEL: PVC/PU(DIFFERENT COLOR AVAILABLE) ● BEARING: DOUBLE BALL BEARING ● STAINLESS STEEL AVAILABLE

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg		mm	mm	mm	mm	mm	mm		ART. NO.	Product Design
30	42×26×22	150	50	2	φ6.5	54×24	65×48	17	50×21	60		079050	 079
26	38×26×26	60	80	2.3	φ9	76×44.5	95×70	21	65×23	84		079065	
24.5	38×26×26	40	100	2.3	8.8×11.8	83×60	105×80	23	75×31	97		079075	
28	46×28×25	24	140	2.7	10.5×13.5	102×78	130×102	30	100×31	127		079100	

● WHEEL: BLACK RUBBER, ● STAINLESS STEEL AVAILABLE

25.5	42×26×22	170	50	2	φ6.5	54×24	65×48		50×21	60		080050	 080
22	38×26×26	60	80	2.3	φ9	76×44.5	95×70		65×23	84		080065	
21	38×26×26	40	100	2.3	8.8×11.8	83×60	105×80		75×31	97		080075	
24	46×28×25	24	140	2.7	10.5×13.5	102×78	130×102		100×31	127		080100	

● WHEEL: BLACK RUBBER, ● STAINLESS STEEL AVAILABLE

31	42×26×22	140	50	2	φ6.5	54×24	65×48	17	50×21	60		081050	 081
24	38×26×26	50	80	2.3	φ9	76×44.5	95×70	21	65×23	84		081065	
24	38×26×26	35	100	2.3	8.8×11.8	83×60	105×80	23	75×31	97		081075	
29	46×28×25	24	140	2.7	10.5×13.5	102×78	130×102	30	100×31	127		081100	

● WHEEL: BLACK RUBBER, ● STAINLESS STEEL AVAILABLE

28	42×26×22	150	50	2	φ6.5	54×24	65×48	17	50×21	60		082050	 082
24	38×26×26	60	80	2.3	φ9	76×44.5	95×70	21	65×23	84		082065	
26	38×26×26	40	100	2.3	8.8×11.8	83×60	105×80	23	75×31	97		082075	
29	46×28×25	24	140	2.7	10.5×13.5	102×78	130×102	30	100×31	127		082100	

● WHEEL: BLACK RUBBER, ● STAINLESS STEEL AVAILABLE

25.5	42×26×22	170	50	2	φ6.5	54×24	65×48		50×21	60		082050F	 082F
22	38×26×26	60	80	2.3	φ9	76×44.5	95×70		65×23	84		082065F	
21	38×26×26	40	100	2.3	8.8×11.8	83×60	105×80		75×31	97		082075F	
24	46×28×25	24	140	2.7	10.5×13.5	102×78	130×102		100×31	127		082100F	

● WHEEL: BLACK RUBBER, ● STAINLESS STEEL AVAILABLE

ROTI CARUCIOARE INDUSTRIALE

Product Design	ART. NO.		mm	mm	mm	mm	mm	mm		kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)


082SL

082050SL		60	50×21	17	65×48	54×24	φ6.5	2	50	140	42×26×22	31
082065SL		84	65×23	21	95×70	76×44.5	φ9	2.3	80	50	38×26×26	24
082075SL		97	75×31	23	105×80	83×60	8.8×11.8	2.3	100	35	38×26×26	24
082100SL		127	100×31	30	130×102	102×78	10.5×13.5	2.7	140	24	46×28×25	29

● WHEEL: GRAY RUBBER. ● STAINLESS STEEL AVAILABLE


083

083050		60	50×21	17	65×48	54×24	φ6.5	2	50	150	42×26×22	22
083065		84	65×23	21	95×70	76×44.5	φ9	2.3	80	60	38×26×26	20
083075		97	75×31	23	105×80	83×60	8.8×11.8	2.3	100	40	38×26×26	21
083100		127	100×31	30	130×102	102×78	10.5×13.5	2.7	140	24	46×28×25	23.5

● WHEEL: PP(DIFFERENT COLOR AVAILABLE). ● STAINLESS STEEL AVAILABLE


083F

083050F		60	50×21		65×48	54×24	φ6.5	2	50	170	42×26×22	25.5
083065F		84	65×23		95×70	76×44.5	φ9	2.3	80	60	38×26×26	22
083075F		97	75×31		105×80	83×60	8.8×11.8	2.3	100	40	38×26×26	21
083100F		127	100×31		130×102	102×78	10.5×13.5	2.7	140	24	46×28×25	24

● WHEEL: PP(DIFFERENT COLOR AVAILABLE). ● STAINLESS STEEL AVAILABLE


083SL

083050SL		60	50×21	17	65×48	54×24	φ6.5	2	50	140	42×26×22	31
083065SL		84	65×23	21	95×70	76×44.5	φ9	2.3	80	50	38×26×26	24
083075SL		97	75×31	23	105×80	83×60	8.8×11.8	2.3	100	35	38×26×26	24
083100SL		127	100×31	30	130×102	102×78	10.5×13.5	2.7	140	24	46×28×25	29

● WHEEL: PP(DIFFERENT COLOR AVAILABLE). ● STAINLESS STEEL AVAILABLE


084

084050		60	50×21	17	65×48	54×24	φ6.5	2	50	150	42×26×22	22
084065		84	65×23	21	95×70	76×44.5	φ9	2.3	80	60	38×26×26	20
084075		97	75×31	23	105×80	83×60	8.8×11.8	2.3	100	40	38×26×26	21
084100		127	100×31	30	130×102	102×78	10.5×13.5	2.7	140	24	46×28×25	23.5

● WHEEL: NYLON (DIFFERENT COLOR AVAILABLE). ● STAINLESS STEEL AVAILABLE

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg		mm	mm	mm	mm	mm	mm		ART. NO.	Product Design


084F

25.5	42×26×22	170	50	2	φ6.5	54×24	65×48		50×21	60		084050F
22	38×26×26	60	80	2.3	φ9	76×44.5	95×70		65×23	84		084065F
21	38×26×26	40	100	2.3	8.8×11.8	83×60	105×80		75×31	97		084075F
24	46×28×25	24	140	2.7	10.5×13.5	102×78	130×102		100×31	127		084100F

● WHEEL: NYLON (DIFFERENT COLOR AVAILABLE). ● STAINLESS STEEL AVAILABLE


084SL

31	42×26×22	140	50	2	φ6.5	54×24	65×48	17	50×21	60		084050SL
24	38×26×26	50	80	2.3	φ9	76×44.5	95×70	21	65×23	84		084065SL
24	38×26×26	35	100	2.3	8.8×11.8	83×60	105×80	23	75×31	97		084075SL
29	46×28×25	24	140	2.7	10.5×13.5	102×78	130×102	30	100×31	127		084100SL

● WHEEL: NYLON (DIFFERENT COLOR AVAILABLE). ● STAINLESS STEEL AVAILABLE


189

17	40×24×20	240	10	1.2	φ4	29×23	38×33	14	25×14	37		189025
20	40×24×20	240	15	1.2	φ4	29×23	38×33	14	30×14	43		189030
37	44×27.5×23	240	20	1.2	φ5.2	35×28.5	47×40	16	38×17	54		189038
20	40×27.5×17	72	30	1.5	φ6.2	46×35	60×48	21	50×22	65		189050
34	35×30×28	80	35	1.5	φ7	51×38	65×54	25	65×23	82		189065

● WHEEL: CASTING IRON. ● STAINLESS STEEL AVAILABLE


190

14	40×24×20	240	10	1.2	φ4	29×23	38×33		25×14	37		190025
17	40×24×20	240	15	1.2	φ4	29×23	38×33		30×14	43		190030
35.5	44×27.5×23	240	20	1.2	φ5.2	35×28.5	47×40		38×17	54		190038
16	40×27.5×17	72	30	1.5	φ6.2	46×35	60×48		50×22	65		190050
29.5	35×30×28	80	35	1.5	φ7	51×38	65×54		65×23	82		190065

● WHEEL: CASTING IRON. ● STAINLESS STEEL AVAILABLE


191

41	44×27.5×23	240	20	1.2	φ5.2	35×28.5	47×40	16	38×17	54		191038
19	40×27.5×17	64	30	1.5	φ6.2	46×35	60×48	21	50×22	65		191050
36	35×30×28	80	35	1.5	φ7	51×38	65×54	25	65×23	82		191065

● WHEEL: CASTING IRON. ● STAINLESS STEEL AVAILABLE

ROTI CARUCIOARE INDUSTRIALE

ART. NO.		mm	mm	mm	mm	mm			kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)

380

380050		65	50×22	21	25	M10		1.5	30	72	40×27.5×17	20
380065		82	65×23	25	25	M10		1.5	35	80	35×30×28	24

- WHEEL: CASTING IRON, • STAINLESS STEEL AVAILABLE

381

381050		65	50×22	21	25	M10		1.5	30	64	40×27.5×17	19
381065		82	65×23	25	25	M10		1.5	35	80	35×30×28	36

- WHEEL: CASTING IRON, • STAINLESS STEEL AVAILABLE



192

ART. NO.		mm	mm	mm	mm	mm	mm		kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
192025		37	25×14	13	38×33	29×23	ϕ4	1.2	10	480	50×24×20	17.5
192030		43	30×14	13	38×33	29×23	ϕ4	1.2	15	480	50×24×20	19
192038		54	38×17	16	47×40	35×28.5	ϕ5.2	1.2	20	240	44×27.5×23	15.5
192050		65	50×22	21	60×48	46×35	ϕ6.2	1.5	30	120	46.5×28×17	16
192065		82	65×23	25	65×54	51×38	ϕ7	1.5	35	80	35×30×28	14.5
192075		97	75×25	32	70×58	54×41	ϕ8.2	2	45	60	46.5×21×30	20

- WHEEL: PP/NYLON (DIFFERENT COLOR AVAILABLE), • STAINLESS STEEL AVAILABLE

193

193025		37	25×14		38×33	29×23	ϕ4	1.2	10	480	50×24×20	11.5
193030		43	30×14		38×33	29×23	ϕ4	1.2	15	480	50×24×20	12.5
193038		54	38×17		47×40	35×28.5	ϕ5.2	1.2	20	240	44×27.5×23	13.5
193050		65	50×22		60×48	46×35	ϕ6.2	1.5	30	120	46.5×28×17	13
193065		82	65×23		65×54	51×38	ϕ7	1.5	35	80	35×30×28	11
193075		97	75×25		70×58	54×41	ϕ8.2	2	45	60	46.5×21×30	18

- WHEEL: PP/NYLON (DIFFERENT COLOR AVAILABLE), • STAINLESS STEEL AVAILABLE

194

194038		54	38×17	16	47×40	35×28.5	ϕ5.2	1.2	20	240	44×27.5×23	20.5
194050		65	50×22	21	60×48	46×35	ϕ6.2	1.5	30	120	41×27.5×25	18
194065		82	65×23	25	65×54	51×38	ϕ7	1.5	35	80	35×30×28	17.5
194075		97	75×25	32	70×58	54×41	ϕ8.2	2	45	60	46.5×21×32	21

- WHEEL: PP/NYLON (DIFFERENT COLOR AVAILABLE), • STAINLESS STEEL AVAILABLE

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg			mm	mm	mm	mm	mm		ART. NO.

195

16	41×27.5×25	120	30	1.5		M10	25	21	50×22	65		195050
14.5	35×30×28	80	35	1.5		M10	25	25	65×23	82		195065
20	46.5×21×30	60	45	2		M10	25	32	75×25	97		195075

- WHEEL: PP/NYLON (DIFFERENT COLOR AVAILABLE), • STAINLESS STEEL AVAILABLE

196

18	41×27.5×25	120	30	1.5		M10	25	21	50×22	65		196050
17.5	35×30×28	80	35	1.5		M10	25	25	65×23	82		196065
21	46.5×21×30	60	45	2		M10	25	32	75×25	97		196075

- WHEEL: PP/NYLON (DIFFERENT COLOR AVAILABLE), • STAINLESS STEEL AVAILABLE

197

21	41×27.5×25	120	30	1.5		M10	25	21	50×22	65		197050
21	35×30×28	80	35	1.5		M10	25	25	65×23	82		197065
24	46.5×21×30	60	45	2		M10	25	32	75×25	97		197075

- WHEEL: BLACK RUBBER, • STAINLESS STEEL AVAILABLE

198

22.5	41×27.5×25	120	30	1.5		M10	25	21	50×22	65		198050
22.5	35×30×28	80	35	1.5		M10	25	25	65×23	82		198065
25	46.5×21×32	60	45	2		M10	25	32	75×25	97		198075

- WHEEL: BLACK RUBBER, • STAINLESS STEEL AVAILABLE

199

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg		mm	mm	mm	mm	mm	mm		ART. NO.
18	50×24×20	480	10	1.2	ϕ4	29×23	38×33	14	25×14	37		199025
20	50×24×20	480	15	1.2	ϕ4	29×23	38×33	14	30×14	43		199030
22.5	44×27.5×23	240	20	1.2	ϕ5.2	35×28.5	47×40	16	38×17	54		199038
21.5	46.5×28×17	120	30	1.5	ϕ6.2	46×35	60×48	21	50×22	65		199050
22	35×30×28	80	35	1.5	ϕ7	51×38	65×54	25	65×23	82		199065
25	46.5×21×30	60	45	2	ϕ8.2	54×41	70×58	32	75×25	97		199075

- WHEEL: BLACK RUBBER, • STAINLESS STEEL AVAILABLE

ROTI CARUCIOARE INDUSTRIALE

Product Design	ART. NO.		mm	mm	mm	mm	mm	mm		kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)


200

200025		37	25 × 14		38 × 33	29 × 23	ϕ4	1.2	10	480	50 × 24 × 20	12.5
200030		43	30 × 14		38 × 33	29 × 23	ϕ4	1.2	15	480	50 × 24 × 20	13
200040		54	38 × 17		47 × 40	35 × 28.5	ϕ5.2	1.2	20	240	44 × 27.5 × 23	18
200050		65	50 × 22		60 × 48	46 × 35	ϕ6.2	1.5	30	120	46.5 × 28 × 17	16.5
200065		82	65 × 23		65 × 54	51 × 38	ϕ7	1.5	35	80	35 × 30 × 28	18
200075		97	75 × 25		70 × 58	54 × 41	ϕ8.2	2	45	60	46.5 × 21 × 30	22

- WHEEL: BLACK RUBBER, ● STAINLESS STEEL AVAILABLE


201

201038		54	38 × 17	16	47 × 40	35 × 28.5	ϕ5.2	1.2	20	240	44 × 27.5 × 23	26.5
201050		65	50 × 22	21	60 × 48	46 × 35	ϕ6.2	1.5	30	120	41 × 27.5 × 25	23
201065		82	65 × 23	25	65 × 54	51 × 38	ϕ7	1.5	35	80	35 × 30 × 28	23.5
201075		97	75 × 25	32	70 × 58	54 × 41	ϕ8.2	2	45	60	46.5 × 21 × 32	26

- WHEEL: BLACK RUBBER, ● STAINLESS STEEL AVAILABLE


202

202050		65	50×49	18	46×36.5	34×24	ϕ5.3	2	50	120	45 × 29 × 26	22.5

- WHEEL: WHITE NYLON ● STAINLESS STEEL AVAILABLE


203

203050		65	50×49	18	46×36.5	34×24	ϕ5.3	2	50	120	45 × 29 × 26	23.5

- WHEEL: WHITE NYLON ● STAINLESS STEEL AVAILABLE


204

ART. NO.		mm	mm	mm	mm	mm			kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
204050		62	50×49	18	38	8.2		2	50	120	40 × 29 × 26	21

- WHEEL: BROWN NYLON ● STAINLESS STEEL AVAILABLE

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg			mm	mm	mm	mm	mm		ART. NO.	Product Design

22	40 × 29 × 26	120	50	2		8.2	38	18	50×49	62		205050

- WHEEL: BROWN NYLON ● STAINLESS STEEL AVAILABLE


205

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg		mm	mm	mm	mm	mm	mm		ART. NO.
18	41 × 25 × 28	560	15	/	ϕ4.5	21 × 21	30 × 30	12	30 × 33	43		207030
14	39 × 30 × 24	240	25	/	ϕ5.2	26 × 26	38 × 38	15	40 × 40	53		207040
16.5	51 × 37 × 20	200	30	/	ϕ5.2	26 × 26	38 × 38	18	50 × 46	65		207050

- TWIN WHEEL: NYLON (DIFFERENT COLOR AVAILABLE)


207

15	41 × 30 × 24	240	25	/	ϕ5.2	26 × 26	38 × 38	15	40 × 40	53		208040
17	53 × 37 × 20	200	30	/	ϕ5.2	26 × 26	38 × 38	18	50 × 46	65		208050

- TWIN WHEEL: NYLON (DIFFERENT COLOR AVAILABLE)


208

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg			mm		mm	mm	mm		ART. NO.
21	48 × 31 × 24	240	25	/		U=19/16/25		15	40 × 40	53		209040
21	52 × 22 × 35	200	30	/		U=19/16/25		18	50 × 46	65		209050

- TWIN WHEEL: NYLON (DIFFERENT COLOR AVAILABLE)


209

21.5	48 × 31 × 24	240	25	/		U=19/16/25		15	40 × 40	53		210040
21.5	52 × 22 × 35	200	30	/		U=19/16/25		18	50 × 46	65		210050

- TWIN WHEEL: NYLON (DIFFERENT COLOR AVAILABLE)


210

ROTI CARUCIOARE INDUSTRIALE

Product Design	ART. NO.		mm	mm	mm	mm	mm			kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
 211	211040		50	40×40	15	15	M10		/	25	240	39×30×24	13
	211050		62	50×46	18	15	M10		/	30	200	51×37×20	15

● TWIN WHEEL: NYLON (DIFFERENT COLOR AVAILABLE)

Product Design	ART. NO.		mm	mm	mm	mm	mm			kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
 212	212040		50	40×40	15	15	M10		/	25	240	41×30×24	14.5
	212050		62	50×46	18	15	M10		/	30	200	53×37×20	16

● TWIN WHEEL: NYLON (DIFFERENT COLOR AVAILABLE)

Product Design	ART. NO.		mm	mm	mm	mm	mm			kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
 213	213040		53	40×40	15	38	7.5		/	25	240	39×30×24	15
	213050		65	50×46	18	38	7.5		/	30	200	51×37×20	17

● TWIN WHEEL: NYLON (DIFFERENT COLOR AVAILABLE)

Product Design	ART. NO.		mm	mm	mm	mm	mm			kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
 214	214040		53	40×40	15	38	7.5		/	25	240	41×30×24	16
	214050		65	50×46	18	38	7.5		/	30	200	53×37×20	18

● TWIN WHEEL: NYLON (DIFFERENT COLOR AVAILABLE)

Product Design	ART. NO.		mm	mm	mm	mm	mm			kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
 215	215050		65	50×50	18	22	11		/	30	200	48×28×34	21.5

● TWIN WHEEL: NYLON (DIFFERENT COLOR AVAILABLE)

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg		mm	mm	mm	mm	mm	mm		ART. NO.	Product Design
21.5	48×28×34	200	30	/	φ5.2	26×26	38×38	18	50×50	65		215050P	 215P

● TWIN WHEEL: NYLON (DIFFERENT COLOR AVAILABLE)

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg			mm	mm	mm	mm	mm		ART. NO.	Product Design
21.5	48×28×34	200	30	/		M10	38×38	18	50×50	65		215050T	 215T

● TWIN WHEEL: NYLON (DIFFERENT COLOR AVAILABLE)

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg			mm	mm	mm	mm	mm		ART. NO.	Product Design
14.5	41×30×24	240	25	/		11	22	15	40×40	50		216040L	 216L
16	53×37×20	200	30	/		11	22	18	50×46	62		216050L	

● TWIN WHEEL: NYLON (DIFFERENT COLOR AVAILABLE)

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg			mm	mm	mm	mm	mm		ART. NO.	Product Design
13	39×30×24	240	25	/		11	22	15	40×40	53		382040	 382
15	51×37×20	200	30	/		11	22	18	50×46	62		382050	

● TWIN WHEEL: NYLON (DIFFERENT COLOR AVAILABLE)

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg			mm	mm	mm	mm	mm		ART. NO.	Product Design
14.6	41×30×24	240	25	/		11	22	15	40×40	50		383040	 383
16	53×37×20	200	30	/		11	22	18	50×46	62		383050	

● TWIN WHEEL: NYLON (DIFFERENT COLOR AVAILABLE)

Product Design	ART. NO.		mm	mm	mm	mm	mm			kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
 218	218050		55	50×42	11	20.5	11		/	53	150	24.5×22.5×24.5	12.5
 219	219050		45	40×40	11	35	11		/	53	150	24.5×22.5×24.5	12.5

- TREAD: PU HUB: NYLON (218)
- TREAD: PU HUB: NYLON (219)

220

ART. NO.		mm	mm	mm	mm	mm	mm		kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
220055		45	55×38		38×38	26×26	ϕ5.1	/	30	240	57×21×28	13.5
220065		46	65×39		38×38	26×26	ϕ5.1	/	40	192	58×25×27	13

- WHEEL: NYLON

221

ART. NO.		mm	mm	mm	mm	mm			kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
221055		45	55×38		15	M8		/	30	240	57×21×28	13.5
221065		46	65×39		15	M8		/	40	192	58×25×27	13

- WHEEL: NYLON

222

ART. NO.		mm	mm	mm	mm	mm	mm		kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
222055		45	55×38		38×38	26×26	ϕ5.1	/	30	240	57×21×28	13.5
222065		46	65×39		38×38	26×26	ϕ5.1	/	40	192	58×25×27	13

- WHEEL: NYLON

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg			mm	mm	mm	mm	mm		ART. NO.	Product Design
13.5	57×21×28	240	30	/		M8	15		55×38	45		223055	 223
13	58×25×27	192	40	/		M8	15		65×39	46		223065	

- WHEEL: NYLON

224

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg			mm	mm	mm	mm	mm		ART. NO.
15.5	38×19×23	120	20	/		M10	15	18	⌀40	52		224040
22	41×22×28	120	25	/		M10	15	23	⌀50	63		224050

- BALL MATERIAL: RUBBER OR PVC

224L

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg			mm	mm	mm	mm	mm		ART. NO.
16	38×19×23	120	20	/		M10	15	18	⌀40	52		224040L
22.5	41×22×28	120	25	/		M10	15	23	⌀50	63		224050L

- BALL MATERIAL: RUBBER OR PVC

225

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg		mm	mm	mm	mm	mm	mm		ART. NO.
15.5	38×19×23	120	20	/	ϕ5.2	26×26	38×38	18	⌀40	52		225040
21	41×22×28	120	25	/	ϕ5.2	26×26	38×38	23	⌀50	63		225050

- BALL MATERIAL: RUBBER OR PVC

225L

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg		mm	mm	mm	mm	mm	mm		ART. NO.
16	38×19×23	120	20	/	ϕ5.2	26×26	38×38	18	⌀40	52		225040L
21.5	41×22×28	120	25	/	ϕ5.2	26×26	38×38	23	⌀50	63		225050L

- BALL MATERIAL: RUBBER OR PVC

ROTI CARUCIOARE INDUSTRIALE

Product Design	ART. NO.		mm	mm	mm	mm	mm			kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)


226

ART. NO.		mm	mm	mm	mm	mm			kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
226040		52	⌀40	18	38	7.5		/	20	120	38×19×23	16
226050		63	⌀50	23	38	7.5		/	25	120	41×22×28	21.5

- BALL MATERIAL: RUBBER OR PVC


227

ART. NO.		mm	mm	mm	mm	mm	mm		kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
227040		52	⌀40	18	38×38	26×26	ϕ5.2	/	20	120	38×19×23	15.5
227050		63	⌀50	23	38×38	26×26	ϕ5.2	/	25	120	41×22×28	21

- BALL MATERIAL: RUBBER OR PVC


228

ART. NO.		mm	mm	mm	mm	mm			kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
228040		52	⌀40	18	15	M10		/	20	120	38×19×23	15.5
228050		63	⌀50	23	15	M10		/	25	120	41×22×28	22

- BALL MATERIAL: RUBBER OR PVC


229

ART. NO.		mm	mm	mm	mm	mm	mm		kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
229040		52	⌀40	18	38×38	26×26	ϕ5.2	/	20	120	38×19×23	15.5
229050		63	⌀50	23	38×38	26×26	ϕ5.2	/	25	120	41×22×28	21

- BALL MATERIAL: RUBBER OR PVC


230

ART. NO.		mm	mm	mm	mm	mm			kg	PCS/CTN	CNT MEAS (CM)	
230040		52	⌀40	18	15	M10		/	20	120	38×19×23	15.5
230050		63	⌀50	23	15	M10		/	25	120	41×22×28	22

- BALL MATERIAL: RUBBER OR PVC

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg			mm	mm	mm	mm	mm		ART. NO.	Product Design


231

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg			mm	mm	mm	mm	mm		ART. NO.
16	38×19×23	120	20	/		11	22	18	⌀40	52		231040
21.5	41×22×28	120	25	/		11	22	23	⌀50	63		231050

- BALL MATERIAL: RUBBER OR PVC


232

47.5	63.3×26.8×29	350	30	1.8		7	37	17	75X11	85		232075

- TREAD: PU ● HUB: NYLON


233

47.5	63.3×26.8×29	350	30	1.8		7	37	17	75X11	85		233075

- TREAD: PU ● HUB: NYLON


247

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg		mm	mm	mm	mm	mm	mm		ART. NO.
6.5	64.5×11.6×13.7	4	90	2.3	Φ8.5	83.5×69.5	114×100	29	125×50	150		247125

- WHEEL:RUBBER, ● BEARING: PLAIN BEARING ● STAINLESS STEEL AVAILABLE


384

6.2	64.5×11.6×13.7	4	90	2.3	Φ8.5	83.5×69.5	114×100		125×50	150		384125

- WHEEL:RUBBER, ● BEARING: PLAIN BEARING ● STAINLESS STEEL AVAILABLE

ROTI CARUCIOARE INDUSTRIALE

Product Design	ART. NO.		mm	mm	mm	mm	mm	mm		kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)

248

248125		150	125×50	29	114×100	83.5×69.5	Φ8.5	2.3	90	4	64.5×11.6×13.7	6.2

● WHEEL:RUBBER, ● BEARING: PLAIN BEARING ● STAINLESS STEEL AVAILABLE

385

385125		150	125×50	29	114×100	83.5×69.5	Φ8.5	2.3	90	4	64.5×11.6×13.7	6.5

● WHEEL:PP(DIFFERENT COLOR AVAILABLE), ● BEARING: PLAIN BEARING OR DOUBLE BALL BEARING, ● STAINLESS STEEL AVAILABLE

386

386125		150	125×50		114×100	83.5×69.5	Φ8.5	2.3	90	4	64.5×11.6×13.7	6

● WHEEL:PP(DIFFERENT COLOR AVAILABLE), ● BEARING: PLAIN BEARING OR DOUBLE BALL BEARING, ● STAINLESS STEEL AVAILABLE

387

387125		150	125×50	29	114×100	83.5×69.5	Φ8.5	2.3	90	4	64.5×11.6×13.7	6.5

● WHEEL:PP(DIFFERENT COLOR AVAILABLE), ● BEARING: PLAIN BEARING OR DOUBLE BALL BEARING, ● STAINLESS STEEL AVAILABLE

234

ART. NO.		mm	mm	mm	mm	mm	mm		kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
234075		96	77×22	26	49.5×49.5	36.8×36.8	ϕ6.5	1.8	50	90	43×27×23	24
234100		121	100×25.5	32	70×58	62×55	ϕ8.2	2	70	60	43×27×23	22
234125		142	125×26	32	85×72	62×55	ϕ8.2	2.3	90	40	43×27×23	20

● TREAD: GREY PVC/PU (DIFFERENT COLOR AVAILABLE) ● HUB: NYLON ● STAINLESS STEEL AVAILABLE

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg		mm	mm	mm	mm	mm	mm		ART. NO.	Product Design
22	43×27×23	70	50	1.8	ϕ6.5	36.8×36.8	49.5×49.5	26	77×22	96		235075	
24	43×27×23	50	70	2	ϕ8.2	62×55	70×58	32	100×25.5	121		235100	
22	43×27×23	30	90	2.3	ϕ8.2	62×55	85×72	32	125×26	142		235125	

● TREAD: GREY PVC/PU (DIFFERENT COLOR AVAILABLE) ● HUB: NYLON ● STAINLESS STEEL AVAILABLE

235

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg			mm	mm	mm	mm	mm		ART. NO.
24	43×27×23	90	50	1.8		3/8''	25	26	77×22	96		236075
22	43×27×23	60	70	2		3/8''	25	32	100×25.5	121		236100
20	43×27×23	40	90	2.3		3/8''	25	32	125×26	142		236125

● TREAD: GREY PVC/PU (DIFFERENT COLOR AVAILABLE) ● HUB: NYLON ● STAINLESS STEEL AVAILABLE

236

24	43×27×23	90	50	1.8		3/8''	25	26	77×22	96		237075
22	43×27×23	60	70	2		3/8''	25	32	100×25.5	121		237100
22	43×27×23	40	90	2.3		3/8''	25	32	125×26	142		237125

● TREAD: GREY PVC/PU (DIFFERENT COLOR AVAILABLE) ● HUB: NYLON ● STAINLESS STEEL AVAILABLE

237

24	43×27×23	60	60	2		3/8''	32	32	75×25	95		240075
20	43×27×23	40	80	2/2.3		3/8''	32	32	100×25	116		240100

● WHEEL: BLACK RUBBER ● STAINLESS STEEL AVAILABLE

240

24	43×27×23	60	60	2		3/8''	32	32	75×25	95		241075
20	43×27×23	40	80	2/2.3		3/8''	32	32	100×25	116		241100

● WHEEL: BLACK RUBBER ● STAINLESS STEEL AVAILABLE

241

ROTI CARUCIOARE INDUSTRIALE

Product Design	ART. NO.		mm	mm	mm	mm	mm			kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
 242	242075		95	75×25	32	57	⌀22		2	60	60	43×27×23	29
	242100		116	100×25	32	57	⌀22		2/2.3	80	40	43×27×23	24

●WHEEL: BLACK RUBBER ●STAINLESS STEEL AVAILABLE

Product Design	ART. NO.		mm	mm	mm	mm	mm			kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
 243	243075		95	75×25	32	57	⌀22		2	60	60	43×27×23	29
	243100		116	100×25	32	57	⌀22		2/2.3	80	40	43×27×23	24

●WHEEL: BLACK RUBBER ●STAINLESS STEEL AVAILABLE

Product Design	ART. NO.		mm	mm	mm	mm	mm	mm		kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
 244	244100		120	100×25	33	110×58.5	80×40		1.8	60	60	57×28×21	36.5

●WHEEL: BLACK RUBBER ●STAINLESS STEEL AVAILABLE

Product Design	ART. NO.		mm	mm	mm	mm	mm	mm		kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
 245	245100		120	100×25	33	110×58.5	80×40		1.8	60	50	57×28×21	31

●WHEEL: BLACK RUBBER ●STAINLESS STEEL AVAILABLE

产品图样 Product Design	ART. NO.			mm		mm	mm	kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
 A B 261	261100			100×50				240	20	56×20.5×10.5	8
	261125			200×50				300	20	56×26×13	11.5
	261150			150×50				400	10	56×15.5×15.5	8.5
	261200			200×50				500	10	56×20×20	14

●TREAD: PU/PVC(DIFFERENT COLOR AVAILABLE) ●HUB: PP/NYLON

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg	mm	mm		mm			ART. NO.	产品图 Product Design
16	56×20.5×10.5	20	240				100×50			262100	 A B 262
22	56×26×13	20	300				200×50			262125	
14.5	56×15.5×15.5	10	400				150×50			262150	
22	56×20×20	10	500				200×50			262200	

●TREAD: PU ●HUB: CASTING IRON

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg	mm	mm		mm			ART. NO.	Product Design
20	56×20.5×10.5	20	240				100×50			263100	 263
26.5	56×26×13	20	300				200×50			263125	
17	56×15.5×15.5	10	400				150×50			263150	
25.5	56×20×20	10	500				200×50			263200	

●TREAD: BLACK RUBBER ●HUB: CASTING IRON

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg	mm	mm		mm			ART. NO.	Product Design
7	56×20.5×10.5	20	240				100×50			264100	 264
9	56×26×13	20	300				200×50			264125	
6	56×15.5×15.5	10	400				150×50			264150	
8.5	56×20×20	10	500				200×50			264200	

●WHEEL: NYLON (DIFFERENT COLOR AVAILABLE)

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg	mm	mm		mm			ART. NO.	Product Design
25	56×20.5×10.5	20	240				100×50			265100	 265
36	56×26×13	20	300				200×50			265125	
21	56×15.5×15.5	10	400				150×50			265150	
26	56×20×20	10	500				200×50			265200	

●WHEEL: CASTING IRON

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg	mm	mm		mm			ART. NO.	Product Design
20	57×28×21	80	90				100×50			266100	 A B 267
18.5	57×28×21	44	130				200×50			266125	
18.5	57×28×21	22	180				150×50			266150	
							200×50			266200	

●TREAD: BLUE ELASTIL RUBBER ● HUB: NYLON

ROTI CARUCIOARE INDUSTRIALE

图样
Product Design

268

ART. NO.			mm		mm	mm	kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
268100			100 × 50				250	40	57 × 28 × 20	26.5
268125			200 × 50				250	16	43 × 32.5 × 16	19
268150			150 × 50				250	10	54 × 20 × 20	22
268200			200 × 50				250	7	57 × 25 × 23	33

● TREAD: BLACK RUBBER ● HUB: IRON

269

ART. NO.			mm		mm	mm	kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
269075			75 × 22				50	180	57 × 28 × 21	25
269085			85 × 22				55	150	57 × 28 × 23	30
269100			100 × 27				70	80	57 × 28 × 20	25
269125			125 × 34				100	48	57 × 28 × 19	25
269160			160 × 39				150	26	57 × 28 × 21	27
269200			200 × 45				230	15	57 × 28 × 21	28
269250			250 × 50				250	10	57 × 25 × 25	29

● TREAD: BLACK RUBBER ● HUB: IRON



270

ART. NO.			mm		mm	mm	kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
270075			75 × 22				50	180	57 × 28 × 21	25
270100			100 × 27				70	80	57 × 28 × 21	25
270125			125 × 34				100	48	57 × 28 × 21	25
270160			160 × 39				150	26	57 × 28 × 21	27
270200			200 × 45				230	15	57 × 28 × 21	28

● TREAD: BLACK RUBBER ● HUB: PP



271

ART. NO.			mm		mm	mm	kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
271075			75 × 22				50	180	57 × 28 × 21	25
271085			85 × 22				55	150	57 × 28 × 23	30
271100			100 × 27				70	80	57 × 28 × 20	25
271125			125 × 34				100	48	57 × 28 × 19	25
271160			160 × 39				150	26	57 × 28 × 21	27
271200			200 × 45				230	15	57 × 28 × 21	28
271250			250 × 50				250	10	57 × 25 × 25	29

● TREAD: GRAY RUBBER ● HUB: IRON



272

ART. NO.			mm		mm	mm	kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
272075			75 × 22				50	180	57 × 28 × 21	25
272100			100 × 27				70	80	57 × 28 × 21	25
272125			125 × 34				100	48	57 × 28 × 21	25
272160			160 × 39				150	26	57 × 28 × 21	27
272200			200 × 45				230	15	57 × 28 × 21	28

● TREAD: GRAY RUBBER ● HUB: PP

产品图
Product Design



274

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg	mm	mm		mm			ART. NO.
31	57 × 28 × 21	30	110				160 × 39			274160
18	57 × 28 × 19	12	180				200 × 45			274200
26	52 × 25 × 25	10	200				250 × 45			274250

● TREAD: BLACK RUBBER ● HUB: IRON

275

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg	mm	mm		mm			ART. NO.
18	35 × 25 × 13	20	80				125 × 35			275125
15	31 × 15.5 × 18.5	10	120				152 × 35			275152
16	36 × 18 × 21	10	130				178 × 38			275178
17.5	42 × 22 × 23	10	150				203 × 40			275203
19	51 × 25.5 × 26.5	10	160				254 × 40			275254

● TREAD: BLACK RUBBER ● HUB: PP

276

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg	mm	mm		mm			ART. NO.
11.5	57 × 28 × 18	40	60				125 × 35			276125
23	57 × 28 × 21	40	80				152 × 35			276152
20	57 × 28 × 21	20	100				178 × 37			276178
16	42 × 22 × 23	10	150				203 × 44			276203

● TREAD: BLACK RUBBER ● HUB: PP

277

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg	mm	mm		mm			ART. NO.
10	57 × 28 × 21	150	55				80 × 27			277080
8.5	57 × 28 × 21	80	70				100 × 27			277100
8.5	57 × 28 × 21	48	100				125 × 34			277125
11	57 × 28 × 21	26	150				160 × 39			277160
8.5	57 × 28 × 21	15	230				200 × 43			277200

● WHEEL: PP / NYLON(DIFFERENT COLOR AVAILABLE)

284

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg	mm	mm		mm			ART. NO.
24	24 × 20.5 × 20.5	16	250				100 × 38			284100
24.5	36 × 18 × 13	11	350				125 × 50			284152
25.5	36 × 21 × 16.5	9	500				160 × 50			284160

● WHEEL: CASTING IRON

ROTI CARUCIOARE INDUSTRIALE



388

图样 Product Design	ART. NO.			mm		mm	mm	kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
388	388100							240	20	56×20.5×10.5	
	388125							300	20	56×26×13	
	388150							400	10	56×15.5×15.5	
	388200							500	10	56×20×20	

● TREAD: BLACK ELASTIL RUBBER ● HUB: CASTING ALUMINIUM


389

图样 Product Design	ART. NO.			mm		mm	mm	kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
389	389200										
	389250										
	389350										
	389400										

● WHEEL: PNEUMATIC BEARING: DOUBLE BALL


390

图样 Product Design	ART. NO.			mm		mm	mm	kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
390	390200							500	10	56×20×20	

● TREAD: BLACK ELASTIL RUBBER ● HUB: PP


391

图样 Product Design	ART. NO.			mm		mm	mm	kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
391	391125			200×50				300	20	56×26×13	
	391150			150×50				400	10	56×15.5×15.5	12
	391200			200×50				500	10	56×20×20	15

● TREAD: PU ● HUB: CASTING ALUMINIUM



392

图样 Product Design	ART. NO.			mm		mm	mm	kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
392	392125			200×50				300	20	56×26×13	
	392150			150×50				400	10	56×15.5×15.5	11.5
	392200			200×50				500	10	56×20×20	14.5

● TREAD: ELASTIL RUBBER ● HUB: CASTING ALUMINIUM

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg		mm	mm	mm	mm	mm	mm		ART. NO.	Product Design
20	48×17×17	20		2.3/3.0			15.8×15.8					285160	285
		200		2.0/2.5								286160	286
840	115×72×60	5610		1.25/2.0								287125	287
11.3	41×23.5×23.5	12										288099	288
24	68.5×11.5×23.5	6										288104	
30	73×12×23.5	6										288114	
33.3	56×26×20	40		4	Φ34		110×140					289	289


285


286


287


288


289





Product Design	ART. NO.		mm	mm	mm	mm	mm	mm		kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
290	290					4"×4-1/2"					90	40×26×26	46
291	291150												
	291175												
	291200												
	291225												
292													
293													
294													

- CONNECTION STRUCTURE


Top Plate


Thread


Hole


Stem


Scaffolding stem

- LOCK STRUCTURE


Top Lock（TL）


Top Lock（TL）


Side Lock（SL）


Side Lock（SL）


Top Lock（TL）

- BEARING

- WHEEL STRUCTURE



ROTI CARUCIOARE INDUSTRIALE

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg		mm	mm	mm	mm	mm	mm		ART. NO.
	57 × 28 × 21	24	130	3	14 × 19	79.5 × 60	102 × 84	42	125 × 40	155		616125
	57 × 28 × 22	11	180	3.5	15.5 × 10.5	105.5 × 77.5	135 × 105	50	160 × 50	195		616160

● TREAD: BLUE ELASTIC RUBBER, ● HUB: NYLON, ● BEARING: ROLLER BEARING ● STAINLESS STEEL AVAILABLE


616

	57 × 28 × 21	24	130	3	14 × 19	79.5 × 60	102 × 84		125 × 40	155		617125
	57 × 28 × 22	11	180	3.5	15.5 × 10.5	105.5 × 77.5	135 × 105		160 × 50	195		617160

● TREAD: BLUE ELASTIC RUBBER, ● HUB: NYLON, ● BEARING: ROLLER BEARING ● STAINLESS STEEL AVAILABLE


617

	57 × 28 × 21	24	130	3	14 × 19	79.5 × 60	102 × 84	42	125 × 40	155		618125
	57 × 28 × 22	11	180	3.5	15.5 × 10.5	105.5 × 77.5	135 × 105	50	160 × 50	195		618160

● TREAD: BLUE ELASTIC RUBBER, ● HUB: NYLON, ● BEARING: ROLLER BEARING ● STAINLESS STEEL AVAILABLE


618

	57 × 28 × 22	24	130	3.5	14 × 19	79.5 × 60	102 × 84	42	129 × 46	157		619125

● TREAD: RED PU, ● HUB: PP, ● BEARING: ROLLER BEARING ● STAINLESS STEEL AVAILABLE


619

	57 × 28 × 22	24	130	3.5	14 × 19	79.5 × 60	102 × 84	42	129 × 46	157		620125

● TREAD: RED PU, ● HUB: PP, ● BEARING: ROLLER BEARING ● STAINLESS STEEL AVAILABLE


620

ROTI CARUCIOARE INDUSTRIALE

Product Design	ART. NO.		mm	mm	mm	mm	mm	mm		kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)


621

ART. NO.		mm	mm	mm	mm	mm	mm		kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
621125		157	129 × 46	42	102 × 84	79.5 × 60	14 × 19	3.5	130	24	57 × 28 × 22	

● TREAD: RED PU, ● HUB: PP, ● BEARING: ROLLER BEARING ● STAINLESS STEEL AVAILABLE


400

ART. NO.		mm	mm	mm	mm	mm	mm		kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
400080		112	80 × 32	31	102 × 84	80 × 60	14 × 9	2.5	80	40	40 × 28 × 24	
400100		128	100 × 32	33	102 × 84	80 × 60	14 × 9	2.5	100	38	57 × 28 × 23	
400125		152	125 × 37.5	34	102 × 84	80 × 60	14 × 9	2.5	130	28	57 × 28 × 23	
400160		193	160 × 40	43	135 × 105	105 × 77.5	15.5 × 10.5	3	200	12	57 × 28 × 21	
400200		232	200 × 50	52	135 × 105	105 × 77.5	15.5 × 10.5	3	230	8	57 × 28 × 21	

● TREAD: BLACK RUBBER, ● HUB: STEEL, ● BEARING: ROLLER BEARING ● STAINLESS STEEL AVAILABLE


401

ART. NO.		mm	mm	mm	mm	mm	mm		kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
401080		112	80 × 32		102 × 84	80 × 60	14 × 9	2.5	80	50	57 × 28 × 24	
401100		128	100 × 32		102 × 84	80 × 60	14 × 9	2.5	100	38	57 × 28 × 23	
401125		152	125 × 37.5		102 × 84	80 × 60	14 × 9	2.5	130	28	57 × 28 × 23	
401160		193	160 × 40		135 × 105	105 × 77.5	15.5 × 10.5	3	200	12	57 × 28 × 21	
401200		232	200 × 50		135 × 105	105 × 77.5	15.5 × 10.5	3	230	8	57 × 28 × 21	

● TREAD: BLACK RUBBER, ● HUB: STEEL, ● BEARING: ROLLER BEARING ● STAINLESS STEEL AVAILABLE


402

ART. NO.		mm	mm	mm	mm	mm	mm		kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
402080		112	80 × 32	31	102 × 84	80 × 60	14 × 9	2.5	80	40	57 × 28 × 23	
402100		128	100 × 32	33	102 × 84	80 × 60	14 × 9	2.5	100	32	57 × 28 × 23	
402125		152	125 × 37.5	34	102 × 84	80 × 60	14 × 9	2.5	130	24	57 × 28 × 23	
402160		193	160 × 40	43	135 × 105	105 × 77.5	15.5 × 10.5	3	200	12	57 × 28 × 21	
402200		232	200 × 50	52	135 × 105	105 × 77.5	15.5 × 10.5	3	230	8	57 × 28 × 21	

● TREAD: BLACK RUBBER, ● HUB: STEEL, ● BEARING: ROLLER BEARING ● STAINLESS STEEL AVAILABLE


403

ART. NO.		mm	mm	mm	mm	mm			kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
403080		110	80 × 32	31	30	M12		2.5	80	60	57 × 28 × 21	
403100		127	100 × 32	33	30	M12		2.5	100	38	57 × 28 × 21	
403125		149	125 × 37.5	34	30	M12		2.5	130	28	57 × 28 × 21	
403160		189	160 × 40	43	40	M16		3	200	12	57 × 28 × 21	
403200		210	200 × 50	52	40	M16		3	230	8	57 × 28 × 21	

● TREAD: BLACK RUBBER, ● HUB: STEEL, ● BEARING: ROLLER BEARING ● STAINLESS STEEL AVAILABLE


404

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg			mm	mm	mm	mm	mm		ART. NO.
	57 × 28 × 21	40	80	2.5		M12	30	31	80 × 32	110		404080
	57 × 28 × 21	32	100	2.5		M12	30	33	100 × 32	127		404100
	57 × 28 × 21	24	130	2.5		M12	30	34	125 × 37.5	149		404125
	57 × 28 × 21	12	200	3		M16	40	43	160 × 40	189		404160
	57 × 28 × 21	8	230	3		M16	40	52	200 × 50	210		404200

● TREAD: BLACK RUBBER, ● HUB: STEEL, ● BEARING: ROLLER BEARING ● STAINLESS STEEL AVAILABLE


405

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg				mm	mm	mm	mm		ART. NO.
	40 × 28 × 24	40	80	2.5			12.5	31	80 × 32	110		405080
	57 × 28 × 23	38	100	2.5			12.5	33	100 × 32	127		405100
	57 × 28 × 23	28	130	2.5			12.5	34	125 × 37.5	149		405125
	57 × 28 × 21	12	200	3			16.5	43	160 × 40	189		405160
	57 × 28 × 21	8	230	3			16.5	52	200 × 50	210		405200

● TREAD: BLACK RUBBER, ● HUB: STEEL, ● BEARING: ROLLER BEARING ● STAINLESS STEEL AVAILABLE


406

	57 × 28 × 23	40	80	2.5			12.5	31	80 × 32	110		406080
	57 × 28 × 23	32	100	2.5			12.5	33	100 × 32	127		406100
	57 × 28 × 23	24	130	2.5			12.5	34	125 × 37.5	149		406125
	57 × 28 × 21	12	200	3			16.5	43	160 × 40	189		406160
	57 × 28 × 21	8	230	3			16.5	52	200 × 50	210		406200

● TREAD: BLACK RUBBER, ● HUB: STEEL, ● BEARING: ROLLER BEARING ● STAINLESS STEEL AVAILABLE


407

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg		mm	mm	mm	mm	mm	mm		ART. NO.
	40 × 28 × 24	40	60	2.5	14 × 9	80 × 60	102 × 84	31	80 × 30	112		407080
	57 × 28 × 23	38	75	2.5	14 × 9	80 × 60	102 × 84	33	100 × 30	128		407100
	57 × 28 × 23	28	120	2.5	14 × 9	80 × 60	102 × 84	34	125 × 37.5	152		407125
	57 × 28 × 21	12	140	3	15.5 × 10.5	105 × 77.5	135 × 105	43	160 × 40	193		407160
	57 × 28 × 21	8	200	3	15.5 × 10.5	105 × 77.5	135 × 105	52	200 × 50	232		407200

● TREAD: BLACK RUBBER, ● HUB: PP, ● BEARING: ROLLER BEARING ● STAINLESS STEEL AVAILABLE


408

	57 × 28 × 24	50	60	2.5	14 × 9	80 × 60	102 × 84		80 × 30	112		408080
	57 × 28 × 23	38	75	2.5	14 × 9	80 × 60	102 × 84		100 × 30	128		408100
	57 × 28 × 23	28	120	2.5	14 × 9	80 × 60	102 × 84		125 × 37.5	152		408125
	57 × 28 × 21	12	140	3	15.5 × 10.5	105 × 77.5	135 × 105		160 × 40	193		408160
	57 × 28 × 21	8	200	3	15.5 × 10.5	105 × 77.5	135 × 105		200 × 50	232		408200

● TREAD: BLACK RUBBER, ● HUB: PP, ● BEARING: ROLLER BEARING ● STAINLESS STEEL AVAILABLE

ROTI CARUCIOARE INDUSTRIALE

409

ART. NO.		mm	mm	mm	mm	mm	mm		kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
409080		112	80 × 30	31	102 × 84	80 × 60	14 × 9	2.5	60	40	57 × 28 × 23	
409100		128	100 × 30	33	102 × 84	80 × 60	14 × 9	2.5	75	32	57 × 28 × 23	
409125		152	125 × 37.5	34	102 × 84	80 × 60	14 × 9	2.5	120	24	57 × 28 × 23	
409160		193	160 × 40	43	135 × 105	105 × 77.5	15.5 × 10.5	3	140	12	57 × 28 × 21	
409200		232	200 × 50	52	135 × 105	105 × 77.5	15.5 × 10.5	3	200	8	57 × 28 × 21	

● TREAD: BLACK RUBBER, ● HUB: PP, ● BEARING: ROLLER BEARING ● STAINLESS STEEL AVAILABLE

410

ART. NO.		mm	mm	mm	mm	mm			kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
410080		110	80 × 30	31	30	M12		2.5	60	60	57 × 28 × 21	
410100		127	100 × 30	33	30	M12		2.5	75	38	57 × 28 × 21	
410125		149	125 × 37.5	34	30	M12		2.5	120	28	57 × 28 × 21	
410160		189	160 × 40	43	40	M16		3	140	12	57 × 28 × 21	
410200		210	200 × 50	52	40	M16		3	200	8	57 × 28 × 21	

● TREAD: BLACK RUBBER, ● HUB: PP, ● BEARING: ROLLER BEARING ● STAINLESS STEEL AVAILABLE

411

411080		110	80 × 30	31	30	M12		2.5	60	40	57 × 28 × 21	
411100		127	100 × 30	33	30	M12		2.5	75	32	57 × 28 × 21	
411125		149	125 × 37.5	34	30	M12		2.5	120	24	57 × 28 × 21	
411160		189	160 × 40	43	40	M16		3	140	12	57 × 28 × 21	
411200		210	200 × 50	52	40	M16		3	200	8	57 × 28 × 21	

● TREAD: BLACK RUBBER, ● HUB: PP, ● BEARING: ROLLER BEARING ● STAINLESS STEEL AVAILABLE

412

ART. NO.		mm	mm	mm	mm				kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
412080		110	80 × 30	31	12.5			2.5	60	40	40 × 28 × 24	
412100		127	100 × 30	33	12.5			2.5	75	38	57 × 28 × 23	
412125		149	125 × 37.5	34	12.5			2.5	120	28	57 × 28 × 23	
412160		189	160 × 40	43	16.5			3	140	12	57 × 28 × 21	
412200		210	200 × 50	52	16.5			3	200	8	57 × 28 × 21	

● TREAD: BLACK RUBBER, ● HUB: PP, ● BEARING: ROLLER BEARING ● STAINLESS STEEL AVAILABLE

413

413080		110	80 × 30	31	12.5			2.5	60	40	57 × 28 × 23	
413100		127	100 × 30	33	12.5			2.5	75	32	57 × 28 × 23	
413125		149	125 × 37.5	34	12.5			2.5	120	24	57 × 28 × 23	
413160		189	160 × 40	43	16.5			3	140	12	57 × 28 × 21	
413200		210	200 × 50	52	16.5			3	200	8	57 × 28 × 21	

● TREAD: BLACK RUBBER, ● HUB: PP, ● BEARING: ROLLER BEARING ● STAINLESS STEEL AVAILABLE

414

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg		mm	mm	mm	mm	mm	mm		ART. NO.
	40 × 28 × 24	40	80	2.5	14 × 9	80 × 60	102 × 84	31	80 × 32	112		414080
	57 × 28 × 23	38	100	2.5	14 × 9	80 × 60	102 × 84	33	100 × 32	128		414100
	57 × 28 × 23	28	130	2.5	14 × 9	80 × 60	102 × 84	34	125 × 37.5	152		414125
	57 × 28 × 21	12	200	3	15.5 × 10.5	105 × 77.5	135 × 105	43	160 × 40	193		414160
	57 × 28 × 21	8	230	3	15.5 × 10.5	105 × 77.5	135 × 105	52	200 × 50	232		414200

● TREAD: GREY RUBBER, ● HUB: STEEL, ● BEARING: ROLLER BEARING ● STAINLESS STEEL AVAILABLE

415

	57 × 28 × 24	50	80	2.5	14 × 9	80 × 60	102 × 84		80 × 32	112		415080
	57 × 28 × 23	38	100	2.5	14 × 9	80 × 60	102 × 84		100 × 32	128		415100
	57 × 28 × 23	28	130	2.5	14 × 9	80 × 60	102 × 84		125 × 37.5	152		415125
	57 × 28 × 21	12	200	3	15.5 × 10.5	105 × 77.5	135 × 105		160 × 40	193		415160
	57 × 28 × 21	8	230	3	15.5 × 10.5	105 × 77.5	135 × 105		200 × 50	232		415200

● TREAD: GREY RUBBER, ● HUB: STEEL, ● BEARING: ROLLER BEARING ● STAINLESS STEEL AVAILABLE

416

	57 × 28 × 23	40	80	2.5	14 × 9	80 × 60	102 × 84	31	80 × 32	112		416080
	57 × 28 × 23	32	100	2.5	14 × 9	80 × 60	102 × 84	33	100 × 32	128		416100
	57 × 28 × 23	24	130	2.5	14 × 9	80 × 60	102 × 84	34	125 × 37.5	152		416125
	57 × 28 × 21	12	200	3	15.5 × 10.5	105 × 77.5	135 × 105	43	160 × 40	193		416160
	57 × 28 × 21	8	230	3	15.5 × 10.5	105 × 77.5	135 × 105	52	200 × 50	232		416200

● TREAD: GREY RUBBER, ● HUB: STEEL, ● BEARING: ROLLER BEARING ● STAINLESS STEEL AVAILABLE

417

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg			mm	mm	mm	mm	mm	ART. NO.
	57 × 28 × 21	60	80	2.5		M12	30	31	80 × 32	110	417080
	57 × 28 × 21	38	100	2.5		M12	30	33	100 × 32	127	417100
	57 × 28 × 21	28	130	2.5		M12	30	34	125 × 37.5	149	417125
	57 × 28 × 21	12	200	3		M16	40	43	160 × 40	189	417160
	57 × 28 × 21	8	230	3		M16	40	52	200 × 50	210	417200

● TREAD: GREY RUBBER, ● HUB: STEEL, ● BEARING: ROLLER BEARING ● STAINLESS STEEL AVAILABLE

418

	57 × 28 × 21	40	80	2.5		M12	30	31	80 × 32	110	418080
	57 × 28 × 21	32	100	2.5		M12	30	33	100 × 32	127	418100
	57 × 28 × 21	24	130	2.5		M12	30	34	125 × 37.5	149	418125
	57 × 28 × 21	12	200	3		M16	40	43	160 × 40	189	418160
	57 × 28 × 21	8	230	3		M16	40	52	200 × 50	210	418200

● TREAD: GREY RUBBER, ● HUB: STEEL, ● BEARING: ROLLER BEARING ● STAINLESS STEEL AVAILABLE

ROTI CARUCIOARE INDUSTRIALE

419

ART. NO.		mm	mm	mm	mm				kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
419080		110	80 × 32	31	12.5			2.5	80	40	40 × 28 × 24	
419100		127	100 × 32	33	12.5			2.5	100	38	57 × 28 × 23	
419125		149	125 × 37.5	34	12.5			2.5	130	28	57 × 28 × 23	
419160		189	160 × 40	43	16.5			3	200	12	57 × 28 × 21	
419200		210	200 × 50	52	16.5			3	230	8	57 × 28 × 21	

• TREAD: GREY RUBBER, • HUB: STEEL, • BEARING: ROLLER BEARING • STAINLESS STEEL AVAILABLE

420

ART. NO.		mm	mm	mm	mm				kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
420080		110	80 × 32	31	12.5			2.5	80	40	57 × 28 × 23	
420100		127	100 × 32	33	12.5			2.5	100	32	57 × 28 × 23	
420125		149	125 × 37.5	34	12.5			2.5	130	24	57 × 28 × 23	
420160		189	160 × 40	43	16.5			3	200	12	57 × 28 × 21	
420200		210	200 × 50	52	16.5			3	230	8	57 × 28 × 21	

• TREAD: GREY RUBBER, • HUB: STEEL, • BEARING: ROLLER BEARING • STAINLESS STEEL AVAILABLE

421

ART. NO.		mm	mm	mm	mm	mm	mm		kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
421080		112	80 × 30	31	102 × 84	80 × 60	14 × 9	2.5	60	40	40 × 28 × 24	
421100		128	100 × 30	33	102 × 84	80 × 60	14 × 9	2.5	75	38	57 × 28 × 23	
421125		152	125 × 37.5	34	102 × 84	80 × 60	14 × 9	2.5	120	28	57 × 28 × 23	
421160		193	160 × 40	43	135 × 105	105 × 77.5	15.5 × 10.5	3	140	12	57 × 28 × 21	
421200		232	200 × 50	52	135 × 105	105 × 77.5	15.5 × 10.5	3	200	8	57 × 28 × 21	

• TREAD: GREY RUBBER, • HUB: PP • BEARING: ROLLER BEARING • STAINLESS STEEL AVAILABLE

422

ART. NO.		mm	mm	mm	mm	mm	mm		kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
422080		112	80 × 30		102 × 84	80 × 60	14 × 9	2.5	60	50	57 × 28 × 24	
422100		128	100 × 30		102 × 84	80 × 60	14 × 9	2.5	75	38	57 × 28 × 23	
422125		152	125 × 37.5		102 × 84	80 × 60	14 × 9	2.5	120	28	57 × 28 × 23	
422160		193	160 × 40		135 × 105	105 × 77.5	15.5 × 10.5	3	140	12	57 × 28 × 21	
422200		232	200 × 50		135 × 105	105 × 77.5	15.5 × 10.5	3	200	8	57 × 28 × 21	

• TREAD: GREY RUBBER, • HUB: PP • BEARING: ROLLER BEARING • STAINLESS STEEL AVAILABLE

423

ART. NO.		mm	mm	mm	mm	mm	mm		kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
423080		112	80 × 30	31	102 × 84	80 × 60	14 × 9	2.5	60	40	57 × 28 × 23	
423100		128	100 × 30	33	102 × 84	80 × 60	14 × 9	2.5	75	32	57 × 28 × 23	
423125		152	125 × 37.5	34	102 × 84	80 × 60	14 × 9	2.5	120	24	57 × 28 × 23	
423160		193	160 × 40	43	135 × 105	105 × 77.5	15.5 × 10.5	3	140	12	57 × 28 × 21	
423200		232	200 × 50	52	135 × 105	105 × 77.5	15.5 × 10.5	3	200	8	57 × 28 × 21	

• TREAD: GREY RUBBER, • HUB: PP • BEARING: ROLLER BEARING • STAINLESS STEEL AVAILABLE

424

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg			mm	mm	mm	mm	mm		ART. NO.
	57 × 28 × 21	60	60	2.5		M12	30	31	80 × 30	110		424080
	57 × 28 × 21	38	75	2.5		M12	30	33	100 × 30	127		424100
	57 × 28 × 21	28	120	2.5		M12	30	34	125 × 37.5	149		424125
	57 × 28 × 21	12	140	3		M16	40	43	160 × 40	189		424160
	57 × 28 × 21	8	200	3		M16	40	52	200 × 50	210		424200

• TREAD: GREY RUBBER, • HUB: PP, • BEARING: ROLLER BEARING • STAINLESS STEEL AVAILABLE

425

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg			mm	mm	mm	mm	mm		ART. NO.
	57 × 28 × 21	40	60	2.5		M12	30	31	80 × 30	110		425080
	57 × 28 × 21	32	75	2.5		M12	30	33	100 × 30	127		425100
	57 × 28 × 21	24	120	2.5		M12	30	34	125 × 37.5	149		425125
	57 × 28 × 21	12	140	3		M16	40	43	160 × 40	189		425160
	57 × 28 × 21	8	200	3		M16	40	52	200 × 50	210		425200

• TREAD: GREY RUBBER, • HUB: PP, • BEARING: ROLLER BEARING • STAINLESS STEEL AVAILABLE



426

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg				mm	mm	mm	mm		ART. NO.
	40 × 28 × 24	40	60	2.5			12.5	31	80 × 30	110		426080
	57 × 28 × 23	38	75	2.5			12.5	33	100 × 30	127		426100
	57 × 28 × 23	28	120	2.5			12.5	34	125 × 37.5	149		426125
	57 × 28 × 21	12	140	3			16.5	43	160 × 40	189		426160
	57 × 28 × 21	8	200	3			16.5	52	200 × 50	210		426200

• TREAD: GREY RUBBER, • HUB: PP, • BEARING: ROLLER BEARING • STAINLESS STEEL AVAILABLE

427

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg				mm	mm	mm	mm		ART. NO.
	57 × 28 × 24	40	60	2.5			12.5	31	80 × 30	110		427080
	57 × 28 × 23	32	75	2.5			12.5	33	100 × 30	127		427100
	57 × 28 × 23	24	120	2.5			12.5	34	125 × 37.5	149		427125
	57 × 28 × 21	12	140	3			16.5	43	160 × 40	189		427160
	57 × 28 × 21	8	200	3			16.5	52	200 × 50	210		427200

• TREAD: GREY RUBBER, • HUB: PP, • BEARING: ROLLER BEARING • STAINLESS STEEL AVAILABLE

428

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg		mm	mm	mm	mm	mm	mm		ART. NO.
	40 × 28 × 24	40	65	2	14 × 9	80 × 60	102 × 84	32	80 × 36	108		428080
	57 × 28 × 21	38	80	2	14 × 9	80 × 60	102 × 84	33	100 × 36	125		428100
	57 × 28 × 23	28	120	2	14 × 9	80 × 60	102 × 84	34	125 × 42	150		428125
	57 × 28 × 21	12	170	2.7	15.5 × 10.5	105 × 75	135 × 105	43	160 × 45	190		428160
	57 × 28 × 21	8	250	2.7	15.5 × 10.5	105 × 76	135 × 106	47	195 × 45	235		428200

• WHEEL: PP OR NYLON, • BEARING: PLAIN BEARING • STAINLESS STEEL AVAILABLE

ROTI CARUCIOARE INDUSTRIALE

Product Design

429

ART. NO.		mm	mm	mm	mm	mm	mm		kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
429080		108	80×36		102×84	80×60	14×9	2	65	50	57×28×24	
429100		125	100×36		102×84	80×60	14×9	2	80	38	57×28×21	
429125		150	125×42		102×84	80×60	14×9	2	120	28	57×28×23	
429160		190	160×45		135×105	105×75	15.5×10.5	2.7	170	12	57×28×21	
429200		235	195×45		135×106	105×75	15.5×10.5	2.7	250	8	57×28×21	

● WHEEL: PP OR NYLON, ● BEARING: PLAIN BEARING, ● STAINLESS STEEL AVAILABLE

430

430080		108	80×36	32	102×84	80×60	14×9	2	65	50	57×28×23	
430100		125	100×36	33	102×84	80×60	14×9	2	80	38	57×28×24	
430125		150	125×42	34	102×84	80×60	14×9	2	120	28	57×28×25	
430160		190	160×45	43	135×105	105×75	15.5×10.5	2.7	170	12	57×28×21	
430200		235	195×45	47	135×106	105×75	15.5×10.5	2.7	250	8	57×28×23	

● WHEEL: PP OR NYLON, ● BEARING: PLAIN BEARING, ● STAINLESS STEEL AVAILABLE

431

ART. NO.		mm	mm	mm	mm	mm			kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
431080		108	80×36	32		M12		2	65	60	40×28×24	
431100		125	100×36	33		M12		2	80	38	57×28×21	
431125		150	125×42	34		M12		2	120	28	57×28×23	
431160		190	160×45	43		M16		2.7	170	12	57×28×21	
431200		235	195×45	47		M16		2.7	250	8	57×28×21	

● WHEEL: PP OR NYLON, ● BEARING: PLAIN BEARING, ● STAINLESS STEEL AVAILABLE

432

432080		108	80×36	32		M12		2	65	40	40×28×21	
432100		125	100×36	33		M12		2	80	38	57×28×21	
432125		150	125×42	34		M12		2	120	24	57×28×21	
432160		190	160×45	43		M16		2.7	170	12	57×28×21	
432200		235	195×45	47		M16		2.7	250	8	57×28×21	

● WHEEL: PP OR NYLON, ● BEARING: PLAIN BEARING, ● STAINLESS STEEL AVAILABLE

433

433080		108	80×36	32		Ø12.5		2	65	60	57×28×23	
433100		125	100×36	33		Ø12.5		2	80	38	57×28×24	
433125		150	125×42	34		Ø12.5		2	120	28	57×28×25	
433160		190	160×45	43		Ø14.5		2.7	170	12	57×28×21	
433200		235	195×45	47		Ø14.5		2.7	250	8	57×28×23	

● WHEEL: PP OR NYLON, ● BEARING: PLAIN BEARING, ● STAINLESS STEEL AVAILABLE

Product Design

434

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg				mm	mm	mm	mm		ART. NO.
	57×28×21	40	65	2		Ø12.5		32	80×36	108		434080
	57×28×24	38	80	2		Ø12.5		33	100×36	125		434100
	57×28×25	28	120	2		Ø12.5		34	125×42	150		434125
	57×28×21	12	170	2.7		Ø14.5		43	160×45	190		434160
	57×28×23	8	250	2.7		Ø14.5		47	195×45	235		434200

● WHEEL: PP OR NYLON, ● BEARING: PLAIN BEARING, ● STAINLESS STEEL AVAILABLE

450

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg		mm	mm	mm	mm	mm	mm		ART. NO.
	40×28×24	40	90	2.5	14×9	80×60	102×84	31	80×30	112		450080
	57×28×23	38	110	2.5	14×9	80×60	102×84	33	100×34	128		450100
	57×28×23	28	150	2.5	14×9	80×60	102×84	34	125×37.5	152		450125
	57×28×21	12	180	3	15.5×10.5	105×77.5	135×105	43	150×40	189		450150
	57×28×21	8	250	3	15.5×10.5	105×77.5	135×105	52	200×48	232		450200

● WHEEL: PP, ● BEARING: ROLLER/PLAIN BEARING, ● STAINLESS STEEL AVAILABLE



451

	57×28×24	50	90	2.5	14×9	80×60	102×84		80×30	112		451080
	57×28×23	38	110	2.5	14×9	80×60	102×84		100×34	128		451100
	57×28×23	28	150	2.5	14×9	80×60	102×84		125×37.5	152		451125
	57×28×21	12	180	3	15.5×10.5	105×77.5	135×105		150×40	189		451150
	57×28×21	8	250	3	15.5×10.5	105×77.5	135×105		200×48	232		451200

● WHEEL: PP, ● BEARING: ROLLER/PLAIN BEARING, ● STAINLESS STEEL AVAILABLE

452

	57×28×23	40	90	2.5	14×9	80×60	102×84	31	80×30	112		452080
	57×28×23	38	110	2.5	14×9	80×60	102×84	33	100×34	128		452100
	57×28×23	24	150	2.5	14×9	80×60	102×84	34	125×37.5	152		452125
	57×28×21	12	180	3	15.5×10.5	105×77.5	135×105	43	150×40	189		452150
	57×28×21	8	250	3	15.5×10.5	105×77.5	135×105	52	200×48	232		452200

● WHEEL: PP, ● BEARING: ROLLER/PLAIN BEARING, ● STAINLESS STEEL AVAILABLE

453

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg			mm	mm	mm	mm	mm		ART. NO.
	57×28×21	60	90	2.5		M12	30	31	80×30	112		453080
	57×28×21	38	110	2.5		M12	30	33	100×34	128		453100
	57×28×21	28	150	2.5		M12	30	34	125×37.5	152		453125
	57×28×21	12	180	3		M16	40	43	150×40	189		453160
	57×28×21	8	250	3		M16	40	52	200×48	232		453200

● WHEEL: PP, ● BEARING: ROLLER/PLAIN BEARING, ● STAINLESS STEEL AVAILABLE

ROTI CARUCIOARE INDUSTRIALE

Product Design	ART. NO.		mm	mm	mm	mm	mm			kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
 454	454080		112	80×30	31	30	M12		2.5	90	40	57×28×21	
	454100		128	100×34	33	30	M12		2.5	110	38	57×28×21	
	454125		152	125×37.5	34	30	M12		2.5	150	24	57×28×21	
	454160		189	150×40	43	40	M16		3	180	12	57×28×21	
	454200		232	200×48	52	40	M16		3	250	8	57×28×21	

● WHEEL: PP OR NYLON, ● BEARING: ROLLER/PLAIN BEARING, ● STAINLESS STEEL AVAILABLE

Product Design	ART. NO.		mm	mm	mm	mm				kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
 455	455080		112	80×30	31	12.5			2.5	90	40	40×28×24	
	455100		128	100×34	33	12.5			2.5	110	38	57×28×23	
	455125		152	125×37.5	34	12.5			2.5	150	28	57×28×23	
	455160		189	150×40	43	16.5			3	180	12	57×28×21	
	455200		232	200×48	52	16.5			3	250	8	57×28×21	

● WHEEL: PP OR NYLON, ● BEARING: ROLLER/PLAIN BEARING, ● STAINLESS STEEL AVAILABLE

 456	456080		112	80×30	31	12.5			2.5	90	40	57×28×23	
	456100		128	100×34	33	12.5			2.5	110	38	57×28×23	
	456125		152	125×37.5	34	12.5			2.5	150	24	57×28×23	
	456160		189	150×40	43	16.5			3	180	12	57×28×21	
	456200		232	200×48	52	16.5			3	250	8	57×28×21	

● WHEEL: PP OR NYLON, ● BEARING: ROLLER/PLAIN BEARING, ● STAINLESS STEEL AVAILABLE

Product Design	ART. NO.		mm	mm	mm	mm	mm	mm		kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
 464	464080		110	80×32	31	102×84	80×60	14×9	2.5	80	40	40×28×24	
	464100		128	100×32	33	102×84	80×60	14×9	2.5	110	38	57×28×23	
	464125		152	125×32	34	102×84	80×60	14×9	2.5	130	28	57×28×23	

● TREAD: GREY TPR(DIFFERENT COLOR AVAILABLE), ● HUB: PP, ● BEARING: BALL BEARING ● STAINLESS STEEL AVAILABLE

 465	465080		110	80×32		102×84	80×60	14×9	2.5	80	50	57×28×24	
	465100		128	100×32		102×84	80×60	14×9	2.5	110	38	57×28×23	
	465125		152	125×32		102×84	80×60	14×9	2.5	130	28	57×28×23	

● TREAD: GREY TPR(DIFFERENT COLOR AVAILABLE), ● HUB: PP, ● BEARING: BALL BEARING ● STAINLESS STEEL AVAILABLE

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg		mm	mm	mm	mm	mm	mm		ART. NO.	Product Design
	57×28×23	50	80	2.5	14×9	80×60	102×84	31	80×32	110		466080	 466
	57×28×23	38	110	2.5	14×9	80×60	102×84	33	100×32	128		466100	
	57×28×23	24	130	2.5	14×9	80×60	102×84	34	125×32	152		466125	

● TREAD: GREY TPR(DIFFERENT COLOR AVAILABLE), ● HUB: PP, ● BEARING: BALL BEARING ● STAINLESS STEEL AVAILABLE

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg			mm	mm	mm	mm	mm		ART. NO.	Product Design
	57×28×21	60	80	2.5		M12	30	31	80×32	108		467080	 467
	57×28×21	38	110	2.5		M12	30	33	100×32	127		467100	
	57×28×21	28	130	2.5		M12	30	34	125×32	150		467125	

● TREAD: GREY TPR(DIFFERENT COLOR AVAILABLE), ● HUB: PP, ● BEARING: BALL BEARING ● STAINLESS STEEL AVAILABLE

	57×28×21	40	80	2.5		M12	30	31	80×32	108		468080	 468
	57×28×21	38	110	2.5		M12	30	33	100×32	127		468100	
	57×28×21	24	130	2.5		M12	30	34	125×32	150		468125	

● TREAD: GREY TPR(DIFFERENT COLOR AVAILABLE), ● HUB: PP, ● BEARING: BALL BEARING ● STAINLESS STEEL AVAILABLE

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg			mm	mm	mm	mm		ART. NO.	Product Design
	40×28×24	40	80	2.5		12.5	31	80×32	108		469080	 469
	57×28×23	38	110	2.5		12.5	33	100×32	127		469100	
	57×28×23	28	130	2.5		12.5	34	125×32	150		469125	

● TREAD: GREY TPR(DIFFERENT COLOR AVAILABLE), ● HUB: PP, ● BEARING: BALL BEARING ● STAINLESS STEEL AVAILABLE

	57×28×23	40	80	2.5		12.5	31	80×32	108		470080	 470
	57×28×23	38	110	2.5		12.5	33	100×32	127		470100	
	57×28×23	24	130	2.5		12.5	34	125×32	150		470125	

● TREAD: GREY TPR(DIFFERENT COLOR AVAILABLE), ● HUB: PP, ● BEARING: BALL BEARING ● STAINLESS STEEL AVAILABLE

ROTI CARUCIOARE INDUSTRIALE

471

ART. NO.		mm	mm	mm	mm	mm	mm		kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
471080		110	80×30	31	102×84	80×60	14×9	2.5	60	40	40×28×24	
471100		128	100×30	33	102×84	80×60	14×9	2.5	70	38	57×28×23	
471125		152	125×35	34	102×84	80×60	14×9	2.5	90	28	57×28×23	
471160		193	160×40	43	135×105	105×77.5	15.5×10.5	3	120	12	57×28×21	
471200		232	200×50	52	135×105	105×77.5	15.5×10.5	3	140	8	57×28×21	

● TREAD: GREY TPR, ● HUB: PP, ● BEARING: PLAIN BEARING ● STAINLESS STEEL AVAILABLE

472

ART. NO.		mm	mm	mm	mm	mm	mm		kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
472080		110	80×30	31	102×84	80×60	14×9	2.5	60	40	57×28×23	
472100		128	100×30	33	102×84	80×60	14×9	2.5	70	38	57×28×23	
472125		152	125×35	34	102×84	80×60	14×9	2.5	90	24	57×28×23	
472160		193	160×40	43	135×105	105×77.5	15.5×10.5	3	120	12	57×28×21	
472200		232	200×50	52	135×105	105×77.5	15.5×10.5	3	140	8	57×28×21	

● TREAD: GREY TPR, ● HUB: PP, ● BEARING: PLAIN BEARING ● STAINLESS STEEL AVAILABLE



473

ART. NO.		mm	mm	mm	mm	mm			kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
473080		108	80×30	31	30	M12		2.5	60	60	57×28×21	
473100		127	100×30	33	30	M12		2.5	70	38	57×28×21	
473125		150	125×35	34	30	M12		2.5	90	28	57×28×21	
473160		189	160×40	43	35	M12		3	120	12	57×28×21	
473200		228	200×50	52	35	M12		3	140	8	57×28×21	

● TREAD: GREY TPR, ● HUB: PP, ● BEARING: PLAIN BEARING ● STAINLESS STEEL AVAILABLE

474

ART. NO.		mm	mm	mm	mm	mm			kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
474080		108	80×30	31	30	M12		2.5	60	40	57×28×21	
474100		127	100×30	33	30	M12		2.5	70	38	57×28×21	
474125		150	125×35	34	30	M12		2.5	90	24	57×28×21	
474160		189	160×40	43	35	M12		3	120	12	57×28×21	
474200		228	200×50	52	35	M12		3	140	8	57×28×21	

● TREAD: GREY TPR, ● HUB: PP, ● BEARING: PLAIN BEARING ● STAINLESS STEEL AVAILABLE

475

ART. NO.		mm	mm	mm	mm				kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
474080		108	80×30	31	12.5			2.5	60	40	40×28×24	
474100		127	100×30	33	12.5			2.5	70	38	57×28×23	
474125		150	125×35	34	12.5			2.5	90	28	57×28×23	
474160		189	160×40	43	16.5			3	120	12	57×28×21	
474200		228	200×50	52	16.5			3	140	8	57×28×21	

● TREAD: GREY TPR, ● HUB: PP, ● BEARING: PLAIN BEARING ● STAINLESS STEEL AVAILABLE

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg				mm	mm	mm	mm		ART. NO.
	57×28×23	40	60	2.5			12.5	31	80×30	108		476080
	57×28×23	38	70	2.5			12.5	33	100×30	127		476100
	57×28×23	24	90	2.5			12.5	34	125×35	150		476125
	57×28×21	12	120	3			16.5	43	160×40	189		476160
	57×28×21	8	140	3			16.5	52	200×50	228		476200

● TREAD: GREY TPR, ● HUB: PP, ● BEARING: PLAIN BEARING ● STAINLESS STEEL AVAILABLE

476

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg		mm	mm	mm	mm	mm	mm		ART. NO.
	57×28×23	38	100	2.5	14×9	80×60	102×84	33	100×32	128		477100
	57×28×23	28	150	2.5	14×9	80×60	102×84	34	125×32	150		477125

● TREAD: PURPLE PU, ● HUB: PP, ● BEARING: BALL BEARING ● STAINLESS STEEL AVAILABLE

477

	57×28×23	38	100	2.5	16×9	80×60	102×84		100×32	110		478100
	57×28×23	28	150	2.5	16×9	80×60	102×84		125×32	128		478125

● TREAD: PURPLE PU, ● HUB: PP, ● BEARING: BALL BEARING ● STAINLESS STEEL AVAILABLE



478

	57×28×23	32	100	2.5	14×9	80×60	102×84	33	100×32	128		479100
	57×28×23	24	150	2.5	14×9	80×60	102×84	34	125×32	150		479125

● TREAD: PURPLE PU, ● HUB: PP, ● BEARING: BALL BEARING ● STAINLESS STEEL AVAILABLE

479

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg			mm	mm	mm	mm	mm		ART. NO.
	57×28×21	38	100	2.5		M12	30	33	100×32	127		480100
	57×28×21	28	150	2.5		M12	30	34	125×32	150		480125

● TREAD: PURPLE PU, ● HUB: PP, ● BEARING: BALL BEARING ● STAINLESS STEEL AVAILABLE

480

ROTI CARUCIOARE INDUSTRIALE

481

Product Design	ART. NO.		mm	mm	mm	mm	mm			kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
481	481100		127	100×32	33	30	M12		2.5	100	38	57×28×21	
	481125		150	125×32	34	30	M12		2.5	150	24	57×28×21	

● TREAD: PURPLE PU, ● HUB: PP, ● BEARING: BALL BEARING ● STAINLESS STEEL AVAILABLE

482

ART. NO.		mm	mm	mm	mm				kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
482100		127	100×32	33	12.5			2.5	100	38	57×28×23	
482125		150	125×32	34	12.5			2.5	150	28	57×28×23	

● TREAD: PURPLE PU, ● HUB: PP, ● BEARING: BALL BEARING ● STAINLESS STEEL AVAILABLE



483

483100		127	100×32	33	12.5			2.5	100	38	57×28×23	
483125		150	125×32	34	12.5			2.5	150	24	57×28×23	

● TREAD: PURPLE PU, ● HUB: PP, ● BEARING: BALL BEARING ● STAINLESS STEEL AVAILABLE

484

ART. NO.		mm	mm	mm	mm	mm	mm		kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
484125		168	125×40	34	135×105	105×77.5	15.5×10.5	2.5	180			
484160		193	160×50	43	135×105	105×77.5	15.5×10.5	3	270			
484200		232	200×50	52	135×105	105×77.5	15.5×10.5	3	350			

● TREAD: BLUE ELASTIC RUBBER, ● HUB: NYLON, ● BEARING: DOUBLE BALL BEARING ● STAINLESS STEEL AVAILABLE

485

485125		168	125×40		135×105	105×77.5	15.5×10.5	2.5	180			
485160		193	160×50		135×105	105×77.5	15.5×10.5	3	270			
485200		232	200×50		135×105	105×77.5	15.5×10.5	3	350			

● TREAD: BLUE ELASTIC RUBBER, ● HUB: NYLON, ● BEARING: DOUBLE BALL BEARING ● STAINLESS STEEL AVAILABLE

486

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg		mm	mm	mm	mm	mm	mm		ART. NO.	Product Design
			180	2.5	15.5×10.5	105×77.5	135×105	34	125×40	168		486125	486
			270	3	15.5×10.5	105×77.5	135×105	43	160×50	193		486160	
			350	3	15.5×10.5	105×77.5	135×105	52	200×50	232		486200	

● TREAD: BLUE ELASTIC RUBBER, ● HUB: NYLON, ● BEARING: DOUBLE BALL BEARING ● STAINLESS STEEL AVAILABLE

487

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg			mm	mm	mm	mm	mm		ART. NO.
			180	2.5		M12	30	34	125×40	164		487125
			270	3		M16	40	43	160×50	189		487160
			350	3		M16	40	52	200×50	228		487200

● TREAD: BLUE ELASTIC RUBBER, ● HUB: NYLON, ● BEARING: DOUBLE BALL BEARING ● STAINLESS STEEL AVAILABLE

488

			180	2.5		M12	30	34	125×40	164		488125
			270	3		M16	40	43	160×50	189		488160
			350	3		M16	40	52	200×50	228		488200

● TREAD: BLUE ELASTIC RUBBER, ● HUB: NYLON, ● BEARING: DOUBLE BALL BEARING ● STAINLESS STEEL AVAILABLE

489

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg				mm	mm	mm	mm		ART. NO.
			180	2.5			12.5	34	125×40	164		489125
			270	3			16.5	43	160×50	189		489160
			350	3			16.5	52	200×50	228		489200

● TREAD: BLUE ELASTIC RUBBER, ● HUB: NYLON, ● BEARING: DOUBLE BALL BEARING ● STAINLESS STEEL AVAILABLE

490

			180	2.5			12.5	34	125×40	164		490125
			270	3			16.5	43	160×50	189		490160
			350	3			16.5	52	200×50	228		490200

● TREAD: BLUE ELASTIC RUBBER, ● HUB: NYLON, ● BEARING: DOUBLE BALL BEARING ● STAINLESS STEEL AVAILABLE

ROTI CARUCIOARE INDUSTRIALE

Product Design	ART. NO.		mm	mm	mm	mm	mm	mm		kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)

491

ART. NO.		mm	mm	mm	mm	mm	mm		kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
491125		168	125×50	34	135×105	105×77.5	15.5×10.5	2.5	250			
491160		193	160×50	43	135×105	105×77.5	15.5×10.5	3	380			
491200		232	200×50	52	135×105	105×77.5	15.5×10.5	3	550			

● TREAD: RED PU, ● HUB: CASTING ALUMINIUM, ● BEARING: DOUBLE RBALL BEARING ● STAINLESS STEEL AVAILABLE

492

ART. NO.		mm	mm	mm	mm	mm	mm		kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
492125		168	125×50		135×105	105×77.5	15.5×10.5	2.5	250			
492160		193	160×50		135×105	105×77.5	15.5×10.5	3	380			
492200		232	200×50		135×105	105×77.5	15.5×10.5	3	550			

● TREAD: RED PU, ● HUB: CASTING ALUMINIUM, ● BEARING: DOUBLE RBALL BEARING ● STAINLESS STEEL AVAILABLE



493

ART. NO.		mm	mm	mm	mm	mm	mm		kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
493125		168	125×50	34	135×105	105×77.5	15.5×10.5	2.5	250			
493160		193	160×50	43	135×105	105×77.5	15.5×10.5	3	380			
493200		232	200×50	52	135×105	105×77.5	15.5×10.5	3	550			

● TREAD: RED PU, ● HUB: CASTING ALUMINIUM, ● BEARING: DOUBLE RBALL BEARING ● STAINLESS STEEL AVAILABLE

494

ART. NO.		mm	mm	mm	mm	mm	mm		kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
494125		168	125×50	34	135×105	105×77.5	15.5×10.5	2.5	250			
494160		193	160×50	43	135×105	105×77.5	15.5×10.5	3	330			
494200		232	200×50	52	135×105	105×77.5	15.5×10.5	3	450			

● TREAD: BLACK ELASTIC RUBBER, ● HUB: CASTING ALUMINIUM, ● BEARING: DOUBLE BALL BEARING ● STAINLESS STEEL AVAILABLE

495

ART. NO.		mm	mm	mm	mm	mm	mm		kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
495125		168	125×50		135×105	105×77.5	15.5×10.5	2.5	250			
495160		193	160×50		135×105	105×77.5	15.5×10.5	3	330			
495200		232	200×50		135×105	105×77.5	15.5×10.5	3	450			

● TREAD: BLACK ELASTIC RUBBER, ● HUB: CASTING ALUMINIUM, ● BEARING: DOUBLE BALL BEARING ● STAINLESS STEEL AVAILABLE

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg		mm	mm	mm	mm	mm	mm		ART. NO.	Product Design

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg		mm	mm	mm	mm	mm	mm		ART. NO.
			250	2.5	15.5×10.5	105×77.5	135×105	34	125×50	168		496125
			330	3	15.5×10.5	105×77.5	135×105	43	160×50	193		496160
			450	3	15.5×10.5	105×77.5	135×105	52	200×50	232		496200

● TREAD: BLACK ELASTIC RUBBER, ● HUB: CASTING ALUMINIUM, ● BEARING: DOUBLE BALL BEARING ● STAINLESS STEEL AVAILABLE

496

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg		mm	mm	mm	mm	mm	mm		ART. NO.
			250	2.5	15.5×10.5	105×77.5	135×105	34	125×50	168		497125
			330	3	15.5×10.5	105×77.5	135×105	43	160×50	193		497160
			450	3	15.5×10.5	105×77.5	135×105	52	200×50	232		497200

● TREAD: GREY ELASTIC RUBBER, ● HUB: CASTING ALUMINIUM, ● BEARING: DOUBLE BALL BEARING ● STAINLESS STEEL AVAILABLE

497

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg		mm	mm	mm	mm	mm	mm		ART. NO.
			250	2.5	15.5×10.5	105×77.5	135×105		125×50	168		498125
			330	3	15.5×10.5	105×77.5	135×105		160×50	193		498160
			450	3	15.5×10.5	105×77.5	135×105		200×50	232		498200

● TREAD: GREY ELASTIC RUBBER, ● HUB: CASTING ALUMINIUM, ● BEARING: DOUBLE BALL BEARING ● STAINLESS STEEL AVAILABLE

498

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg		mm	mm	mm	mm	mm	mm		ART. NO.
			250	2.5	15.5×10.5	105×77.5	135×105	34	125×50	168		499125
			330	3	15.5×10.5	105×77.5	135×105	43	160×50	193		499160
			450	3	15.5×10.5	105×77.5	135×105	52	200×50	232		499200

● TREAD: GREY ELASTIC RUBBER, ● HUB: CASTING ALUMINIUM, ● BEARING: DOUBLE BALL BEARING ● STAINLESS STEEL AVAILABLE

499

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg		mm	mm	mm	mm	mm	mm		ART. NO.
			280	2.5	15.5×10.5	105×77.5	135×105	34	125×50	168		500125
			320	3	15.5×10.5	105×77.5	135×105	43	160×50	193		500160
			350	3	15.5×10.5	105×77.5	135×105	52	200×50	232		500200

● TREAD: RED PU(PVC/DIFFERENT COLOR AVAILABLE), ● HUB: PP, ● BEARING: DOUBLE BALL BEARING ● STAINLESS STEEL AVAILABLE

500

ROTI CARUCIOARE INDUSTRIALE

Product Design	ART. NO.		mm	mm	mm	mm	mm	mm		kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)


501

501125		168	125×50		135×105	105×77.5	15.5×10.5	2.5	280			
501160		193	160×50		135×105	105×77.5	15.5×10.5	3	320			
501200		232	200×50		135×105	105×77.5	15.5×10.5	3	350			

● TREAD: RED PU(PVC/DIFFERENT COLOR AVAILABLE), ● HUB: PP, ● BEARING: DOUBLE BALL BEARING ● STAINLESS STEEL AVAILABLE


502

502125		168	125×50	34	135×105	105×77.5	15.5×10.5	2.5	280			
502160		193	160×50	43	135×105	105×77.5	15.5×10.5	3	320			
502200		232	200×50	52	135×105	105×77.5	15.5×10.5	3	350			

● TREAD: RED PU(PVC/DIFFERENT COLOR AVAILABLE), ● HUB: PP, ● BEARING: DOUBLE BALL BEARING ● STAINLESS STEEL AVAILABLE


503

503125		168	125×50	34	135×105	105×77.5	15.5×10.5	2.5	300			
503160		193	160×50	43	135×105	105×77.5	15.5×10.5	3	320			
503200		232	200×50	52	135×105	105×77.5	15.5×10.5	3	350			

● TREAD: RED PU, ● HUB: CASTING IRON, ● BEARING: DOUBLE BALL BEARING ● STAINLESS STEEL AVAILABLE


504

504125		168	125×50		135×105	105×77.5	15.5×10.5	2.5	300			
504160		193	160×50		135×105	105×77.5	15.5×10.5	3	320			
504200		232	200×50		135×105	105×77.5	15.5×10.5	3	350			

● TREAD: RED PU, ● HUB: CASTING IRON, ● BEARING: DOUBLE BALL BEARING ● STAINLESS STEEL AVAILABLE


505

505125		168	125×50	34	135×105	105×77.5	15.5×10.5	2.5	300			
505160		193	160×50	43	135×105	105×77.5	15.5×10.5	3	320			
505200		232	200×50	52	135×105	105×77.5	15.5×10.5	3	350			

● TREAD: RED PU, ● HUB: CASTING IRON, ● BEARING: DOUBLE BALL BEARING ● STAINLESS STEEL AVAILABLE

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg			mm	mm	mm	mm	mm		ART. NO.	Product Design

	38×26×24	6	400	6.0	16×9	100	Φ45	Ø35	150×50	190		506160
	38×26×24	4	500	6.0	16×9	100	Φ55	Ø35	200×50	235		506200

● TREAD: BLACK RUBBER, ● HUB: CASTING IRON, ● BEARING:ROLLER BEARING


506

	38×26×24	6	400	6.0	16×9	100	Φ45	Ø35	150×50	190		507160
	38×26×24	4	500	6.0	16×9	100	Φ55	Ø35	200×50	235		507200

● TREAD: PU, ● HUB: PP OR NYLON, ● BEARING:ROLLER BEARING


507

	38×26×24	6	400	6.0	16×9	100	Φ45	Ø35	150×50	190		508160
	38×26×24	4	500	6.0	16×9	100	Φ55	Ø35	200×50	235		508200

● TREAD: PU, ● HUB: CASTING IRON, ● BEARING:ROLLER BEARING


508

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg		mm	mm	mm	mm	mm	mm		ART. NO.
	54×21×16	10	240	6.0	10.5×19	85×72	115×100	35	100×50	142		509100
	62×21×17	10	300	6.0	10.5×19	85×72	115×100	39	125×50	164		509125
	36×21×28.5	8	400	6.0	10.5×19	85×72	115×100	45	150×50	190		509160
	56×20×24.5	6	500	6.0	10.5×19	85×72	115×100	40	200×50	240		509200

● TREAD: PVC/PU(DIFFERENT COLOR AVAILABLE), ● HUB: PP ● BEARING: ROLLER BEARING/DOUBLE BEARING


509

	54×21×16	10	240	6.0	10.5×19	85×72	115×100		100×50	142		510100
	62×21×17	10	300	6.0	10.5×19	85×72	115×100		125×50	164		510125
	36×21×28.5	8	400	6.0	10.5×19	85×72	115×100		150×50	190		510160
	60×21×24	6	500	6.0	10.5×19	85×72	115×100		200×50	240		510200

● TREAD: PVC/PU(DIFFERENT COLOR AVAILABLE), ● HUB: PP ● BEARING: ROLLER BEARING/DOUBLE BEARING


510

ROTI CARUCIOARE INDUSTRIALE

Product Design	ART. NO.		mm	mm	mm	mm	mm	mm		kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)

511

511100		142	100 × 50	35	115 × 100	85 × 72	10.5 × 19	6.0	240	10	54 × 21 × 16	
511125		164	125 × 50	39	115 × 100	85 × 72	10.5 × 19	6.0	300	10	62 × 21 × 17	
511160		190	150 × 50	45	115 × 100	85 × 72	10.5 × 19	6.0	400	8	41 × 21 × 28.5	
511200		240	200 × 50	40	115 × 100	85 × 72	10.5 × 19	6.0	500	6	57 × 20 × 20.5	

● TREAD: PVC/PU(DIFFERENT COLOR AVAILABLE), ● HUB: PP ● BEARING: ROLLER BEARING/DOUBLE BEARING

512

512100		142	100 × 50	35	115 × 100	85 × 72	10.5 × 19	6.0	240	10	54 × 21 × 16	
512125		164	125 × 50	39	115 × 100	85 × 72	10.5 × 19	6.0	300	10	62 × 21 × 17	
512160		190	150 × 50	45	115 × 100	85 × 72	10.5 × 19	6.0	400	8	36 × 21 × 28.5	
512200		240	200 × 50	40	115 × 100	85 × 72	10.5 × 19	6.0	500	6	56 × 20 × 24.5	

● TREAD: PU OR PVC(DIFFERENT COLOR AVAILABLE), ● HUB: PP ● BEARING: ROLLER BEARING/DOUBLE BEARING



513

513100		142	100 × 50	35	115 × 100	85 × 72	10.5 × 19	6.0	240	6	62 × 18 × 15	
513125		164	125 × 50	39	115 × 100	85 × 72	10.5 × 19	6.0	300	6	62 × 18 × 16.5	
513160		190	150 × 50	45	115 × 100	85 × 72	10.5 × 19	6.0	400	6	62 × 18 × 19.5	
513200		240	200 × 50	40	115 × 100	85 × 72	10.5 × 19	6.0	500	6	62 × 20 × 24.5	

● TREAD: PU OR PVC(DIFFERENT COLOR AVAILABLE), ● HUB: PP ● BEARING: ROLLER BEARING/DOUBLE BEARING

514

514100		142	100 × 50	35	115 × 100	85 × 72	10.5 × 19	6.0	240	6	62 × 24 × 15	
514125		164	125 × 50	39	115 × 100	85 × 72	10.5 × 19	6.0	300	6	62 × 24 × 16.5	
514160		190	150 × 50	45	115 × 100	85 × 72	10.5 × 19	6.0	400	6	62 × 24 × 19.5	
514200		240	200 × 50	40	115 × 100	85 × 72	10.5 × 19	6.0	500	6	62 × 24 × 24.5	

● TREAD: PU OR PVC(DIFFERENT COLOR AVAILABLE), ● HUB: PP ● BEARING: ROLLER BEARING/DOUBLE BEARING

515

515100		142	100 × 50		115 × 100	85 × 72	10.5 × 19	6.0	240	10	54 × 21 × 16	
515125		164	125 × 50		115 × 100	85 × 72	10.5 × 19	6.0	300	10	62 × 21 × 17	
515160		190	150 × 50		115 × 100	85 × 72	10.5 × 19	6.0	400	8	36 × 21 × 28.5	
515200		240	200 × 50		115 × 100	85 × 72	10.5 × 19	6.0	500	6	60 × 21 × 24	

● TREAD: PU OR PVC(DIFFERENT COLOR AVAILABLE), ● HUB: PP ● BEARING: ROLLER BEARING/DOUBLE BEARING

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg		mm	mm	mm	mm	mm	mm		ART. NO.	Product Design

	54 × 21 × 16	10	240	6.0	10.5 × 19	85 × 72	115 × 100	35	100 × 50	142		516100
	62 × 21 × 17	10	300	6.0	10.5 × 19	85 × 72	115 × 100	39	125 × 50	164		516125
	41 × 21 × 28.5	8	400	6.0	10.5 × 19	85 × 72	115 × 100	45	150 × 50	190		516160
	57 × 20 × 20.5	6	500	6.0	10.5 × 19	85 × 72	115 × 100	40	200 × 50	240		516200

● TREAD: PU OR PVC(DIFFERENT COLOR AVAILABLE), ● HUB: PP ● BEARING: ROLLER BEARING/DOUBLE BEARING

516

	54 × 21 × 16	10	240	6.0	10.5 × 19	85 × 72	115 × 100	35	100 × 50	142		517100
	62 × 21 × 17	10	300	6.0	10.5 × 19	85 × 72	115 × 100	39	125 × 50	164		517125
	36 × 21 × 28.5	8	400	6.0	10.5 × 19	85 × 72	115 × 100	45	150 × 50	190		517160
	56 × 20 × 24.5	6	500	6.0	10.5 × 19	85 × 72	115 × 100	40	200 × 50	240		517200

● TREAD: PU (DIFFERENT COLOR AVAILABLE), ● HUB: CASTING IRON ● BEARING: ROLLER BEARING/DOUBLE BEARING

517

	62 × 18 × 15	6	240	6.0	10.5 × 19	85 × 72	115 × 100	35	100 × 50	142		518100
	62 × 18 × 16.5	6	300	6.0	10.5 × 19	85 × 72	115 × 100	39	125 × 50	164		518125
	62 × 18 × 19.5	6	400	6.0	10.5 × 19	85 × 72	115 × 100	45	150 × 50	190		518160
	62 × 20 × 24.5	6	500	6.0	10.5 × 19	85 × 72	115 × 100	40	200 × 50	240		518200

● TREAD: PU (DIFFERENT COLOR AVAILABLE), ● HUB: CASTING IRON ● BEARING: ROLLER BEARING/DOUBLE BEARING

518

	62 × 24 × 15	6	240	6.0	10.5 × 19	85 × 72	115 × 100	35	100 × 50	142		519100
	62 × 24 × 16.5	6	300	6.0	10.5 × 19	85 × 72	115 × 100	39	125 × 50	164		519125
	62 × 24 × 19.5	6	400	6.0	10.5 × 19	85 × 72	115 × 100	45	150 × 50	190		519160
	62 × 24 × 24.5	6	500	6.0	10.5 × 19	85 × 72	115 × 100	40	200 × 50	240		519200

● TREAD: PU (DIFFERENT COLOR AVAILABLE), ● HUB: CASTING IRON ● BEARING: ROLLER BEARING/DOUBLE BEARING

519

	54 × 21 × 16	10	240	6.0	10.5 × 19	85 × 72	115 × 100		100 × 50	142		520100
	62 × 21 × 17	10	300	6.0	10.5 × 19	85 × 72	115 × 100		125 × 50	164		520125
	36 × 21 × 28.5	8	400	6.0	10.5 × 19	85 × 72	115 × 100		150 × 50	190		520160
	60 × 21 × 24	6	500	6.0	10.5 × 19	85 × 72	115 × 100		200 × 50	240		520200

● TREAD: PU (DIFFERENT COLOR AVAILABLE), ● HUB: CASTING IRON ● BEARING: ROLLER BEARING/DOUBLE BEARING

520

ROTI CARUCIOARE INDUSTRIALE

521

Product Design	ART. NO.		mm	mm	mm	mm	mm	mm		kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
521	521100		142	100×50	35	115×100	85×72	10.5×19	6.0	240	10	54×21×16	
	521125		164	125×50	39	115×100	85×72	10.5×19	6.0	300	10	62×21×17	
	521160		190	150×50	45	115×100	85×72	10.5×19	6.0	400	8	41×21×28.5	
	521200		240	200×50	40	115×100	85×72	10.5×19	6.0	500	6	57×20×20.5	

● TREAD: PU (DIFFERENT COLOR AVAILABLE), ● HUB: CASTING IRON ● BEARING: ROLLER BEARING/DOUBLE BEARING

522

Product Design	ART. NO.		mm	mm	mm	mm	mm	mm		kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
522	522100		142	100×50	35	115×100	85×72	10.5×19	6.0	240	10	54×21×16	
	522125		164	125×50	39	115×100	85×72	10.5×19	6.0	300	10	62×21×17	
	522160		190	150×50	45	115×100	85×72	10.5×19	6.0	400	8	36×21×28.5	
	522200		240	200×50	40	115×100	85×72	10.5×19	6.0	500	6	56×20×24.5	

● TREAD: BLACK RUBBER, ● HUB: CASTING IRON, ● BEARING:ROLLER BEARING

523

Product Design	ART. NO.		mm	mm	mm	mm	mm	mm		kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
523	523100		142	100×50	35	115×100	85×72	10.5×19	6.0	240	6	62×18×15	
	523125		164	125×50	39	115×100	85×72	10.5×19	6.0	300	6	62×18×16.5	
	523160		190	150×50	45	115×100	85×72	10.5×19	6.0	400	6	62×18×19.5	
	523200		240	200×50	40	115×100	85×72	10.5×19	6.0	500	6	62×20×24.5	

● TREAD: BLACK RUBBER, ● HUB: CASTING IRON, ● BEARING:ROLLER BEARING

524

Product Design	ART. NO.		mm	mm	mm	mm	mm	mm		kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
524	524100		142	100×50	35	115×100	85×72	10.5×19	6.0	240	6	62×24×15	
	524125		164	125×50	39	115×100	85×72	10.5×19	6.0	300	6	62×24×16.5	
	524160		190	150×50	45	115×100	85×72	10.5×19	6.0	400	6	62×24×19.5	
	524200		240	200×50	40	115×100	85×72	10.5×19	6.0	500	6	62×24×24.5	

● TREAD: BLACK RUBBER, ● HUB: CASTING IRON, ● BEARING:ROLLER BEARING

525

Product Design	ART. NO.		mm	mm	mm	mm	mm	mm		kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
525	525100		142	100×50		115×100	85×72	10.5×19	6.0	240	10	54×21×16	
	525125		164	125×50		115×100	85×72	10.5×19	6.0	300	10	62×21×17	
	525160		190	150×50		115×100	85×72	10.5×19	6.0	400	8	36×21×28.5	
	525200		240	200×50		115×100	85×72	10.5×19	6.0	500	6	60×21×24	

● TREAD: BLACK RUBBER, ● HUB: CASTING IRON, ● BEARING:ROLLER BEARING

526

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg		mm	mm	mm	mm	mm	mm		ART. NO.	Product Design
	54×21×16	10	240	6.0	10.5×19	85×72	115×100	35	100×50	142		526100	526
	62×21×17	10	300	6.0	10.5×19	85×72	115×100	39	125×50	164		526125	
	41×21×28.5	8	400	6.0	10.5×19	85×72	115×100	45	150×50	190		526160	
	57×20×20.5	6	500	6.0	10.5×19	85×72	115×100	40	200×50	240		526200	

● TREAD: BLACK RUBBER, ● HUB: CASTING IRON, ● BEARING:ROLLER BEARING

527

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg		mm	mm	mm	mm	mm	mm		ART. NO.	Product Design
	54×21×16	10	240	6.0	10.5×19	85×72	115×100	35	100×50	142		527100	527
	62×21×17	10	300	6.0	10.5×19	85×72	115×100	39	125×50	164		527125	
	36×21×28.5	8	400	6.0	10.5×19	85×72	115×100	45	150×50	190		527160	
	56×20×24.5	6	500	6.0	10.5×19	85×72	115×100	40	200×50	240		527200	

● WHEEL: NYLON(DIFFERENT COLOR AVAILABLE), ● BEARING: ROLLER BEARING/DOUBLE BALL BEARING

528

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg		mm	mm	mm	mm	mm	mm		ART. NO.	Product Design
	54×21×16	10	240	6.0	10.5×19	85×72	115×100		100×50	142		528100	528
	62×21×17	10	300	6.0	10.5×19	85×72	115×100		125×50	164		528125	
	36×21×28.5	8	400	6.0	10.5×19	85×72	115×100		150×50	190		528160	
	60×21×24	6	500	6.0	10.5×19	85×72	115×100		200×50	240		528200	

● WHEEL: NYLON(DIFFERENT COLOR AVAILABLE), ● BEARING: ROLLER BEARING/DOUBLE BALL BEARING

529

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg		mm	mm	mm	mm	mm	mm		ART. NO.	Product Design
	54×21×16	10	240	6.0	10.5×19	85×72	115×100	35	100×50	142		529100	529
	62×21×17	10	300	6.0	10.5×19	85×72	115×100	39	125×50	164		529125	
	41×21×28.5	8	400	6.0	10.5×19	85×72	115×100	45	150×50	190		529160	
	57×20×20.5	6	500	6.0	10.5×19	85×72	115×100	40	200×50	240		529200	

● WHEEL: NYLON(DIFFERENT COLOR AVAILABLE), ● BEARING: ROLLER BEARING/DOUBLE BALL BEARING

530

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg		mm	mm	mm	mm	mm	mm		ART. NO.	Product Design
	54×21×16	10	240	6.0	10.5×19	85×72	115×100	35	100×50	142		530100	530
	62×21×17	10	300	6.0	10.5×19	85×72	115×100	39	125×50	164		530125	
	36×21×28.5	8	400	6.0	10.5×19	85×72	115×100	45	150×50	190		530160	
	56×20×24.5	6	500	6.0	10.5×19	85×72	115×100	40	200×50	240		530200	

● WHEEL: CASTING IRON, ● BEARING:ROLLER BEARING

ROTI CARUCIOARE INDUSTRIALE

Product Design	ART. NO.		mm	mm	mm	mm	mm	mm		kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)

531

ART. NO.		mm	mm	mm	mm	mm	mm		kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
531100		142	100×50	35	115×100	85×72	10.5×19	6.0	240	10	62×24×15	
531125		164	125×50	39	115×100	85×72	10.5×19	6.0	300	10	62×24×16.5	
531160		190	150×50	45	115×100	85×72	10.5×19	6.0	400	8	62×24×19.5	
531200		240	200×50	40	115×100	85×72	10.5×19	6.0	500	6	62×24×24.5	

● WHEEL: CASTING IRON, ● BEARING:ROLLER BEARING

532

ART. NO.		mm	mm	mm	mm	mm	mm		kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
532100		142	100×50		115×100	85×72	10.5×19	6.0	240	10	54×21×16	
532125		164	125×50		115×100	85×72	10.5×19	6.0	300	10	62×21×17	
532160		190	150×50		115×100	85×72	10.5×19	6.0	400	8	36×21×28.5	
532200		240	200×50		115×100	85×72	10.5×19	6.0	500	6	60×21×24	

● WHEEL: CASTING IRON, ● BEARING:ROLLER BEARING

533

ART. NO.		mm	mm	mm	mm	mm	mm		kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
533100		142	100×50	35	115×100	85×72	10.5×19	6.0	240	10	54×21×16	
533125		164	125×50	39	115×100	85×72	10.5×19	6.0	300	10	62×21×17	
533160		190	150×50	45	115×100	85×72	10.5×19	6.0	400	8	41×21×28.5	
533200		240	200×50	40	115×100	85×72	10.5×19	6.0	500	6	57×20×20.5	

● WHEEL: CASTING IRON, ● BEARING:ROLLER BEARING

534

ART. NO.		mm	mm	mm	mm	mm	mm		kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
534100		142	100×50	35	115×100	85×72	10.5×19	6.0	240	10	54×21×16	
534125		164	125×50	39	115×100	85×72	10.5×19	6.0	300	10	62×21×17	
534160		190	150×50	45	115×100	85×72	10.5×19	6.0	400	8	36×21×28.5	
534200		240	200×50	40	115×100	85×72	10.5×19	6.0	500	6	56×20×24.5	

● WHEEL :BLACK PP(DIFFERENT COLOR AVAILABLE) ● BEARING: PLAIN / ROLLER BEARING

535

ART. NO.		mm	mm	mm	mm	mm	mm		kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
535100		142	100×50	35	115×100	85×72	10.5×19	6.0	240	6	62×24×15	
535125		164	125×50	39	115×100	85×72	10.5×19	6.0	300	6	62×24×16.5	
535160		190	150×50	45	115×100	85×72	10.5×19	6.0	400	6	62×24×19.5	
535200		240	200×50	40	115×100	85×72	10.5×19	6.0	500	6	62×24×24.5	

● WHEEL :BLACK PP(DIFFERENT COLOR AVAILABLE) ● BEARING: PLAIN / ROLLER BEARING

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg		mm	mm	mm	mm	mm	mm		ART. NO.	Product Design

536

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg		mm	mm	mm	mm	mm	mm		ART. NO.
	54×21×16	10	240	6.0	10.5×19	85×72	115×100		100×50	142		536100
	62×21×17	10	300	6.0	10.5×19	85×72	115×100		125×50	164		536125
	36×21×28.5	8	400	6.0	10.5×19	85×72	115×100		150×50	190		536160
	60×21×24	6	500	6.0	10.5×19	85×72	115×100		200×50	240		536200

● WHEEL :BLACK PP(DIFFERENT COLOR AVAILABLE) ● BEARING: PLAIN / ROLLER BEARING

537

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg		mm	mm	mm	mm	mm	mm		ART. NO.
	54×21×16	10	240	6.0	10.5×19	85×72	115×100	35	100×50	142		537100
	62×21×17	10	300	6.0	10.5×19	85×72	115×100	39	125×50	164		537125
	41×21×28.5	8	400	6.0	10.5×19	85×72	115×100	45	150×50	190		537160
	57×20×20.5	6	500	6.0	10.5×19	85×72	115×100	40	200×50	240		537200

● WHEEL :BLACK PP(DIFFERENT COLOR AVAILABLE) ● BEARING: PLAIN / ROLLER BEARING

538

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg		mm	mm	mm	mm	mm	mm		ART. NO.
	54×21×16	10	240	6.0	10.5×19	85×72	115×100	35	100×50	142		538100
	62×21×17	10	300	6.0	10.5×19	85×72	115×100	39	125×50	164		538125
	36×21×28.5	8	400	6.0	10.5×19	85×72	115×100	45	150×50	190		538160
	56×20×24.5	6	500	6.0	10.5×19	85×72	115×100	40	200×50	240		538200

● TREAD: TPR, ● HUB:PP ● BEARING: ROLLER/DOUBLE BALL BEARING

539

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg		mm	mm	mm	mm	mm	mm		ART. NO.
	62×24×15	10	240	6.0	10.5×19	85×72	115×100	35	100×50	142		539100
	62×24×16.5	10	300	6.0	10.5×19	85×72	115×100	39	125×50	164		539125
	62×24×19.5	8	400	6.0	10.5×19	85×72	115×100	45	150×50	190		539160
	62×24×24.5	6	500	6.0	10.5×19	85×72	115×100	40	200×50	240		539200

● TREAD: TPR, ● HUB:PP ● BEARING: ROLLER/DOUBLE BALL BEARING

540

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg		mm	mm	mm	mm	mm	mm		ART. NO.
	54×21×16	10	240	6.0	10.5×19	85×72	115×100		100×50	142		540100
	62×21×17	10	300	6.0	10.5×19	85×72	115×100		125×50	164		540125
	36×21×28.5	8	400	6.0	10.5×19	85×72	115×100		150×50	190		540160
	60×21×24	6	500	6.0	10.5×19	85×72	115×100		200×50	240		540200

● TREAD: TPR, ● HUB:PP ● BEARING: ROLLER/DOUBLE BALL BEARING

ROTI CARUCIOARE INDUSTRIALE

Product Design	ART. NO.		mm	mm	mm	mm	mm	mm		kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)

541

541100		142	100 × 50	35	115 × 100	85 × 72	10.5 × 19	6.0	240	10	54 × 21 × 16	
541125		164	125 × 50	39	115 × 100	85 × 72	10.5 × 19	6.0	300	10	62 × 21 × 17	
541160		190	150 × 50	45	115 × 100	85 × 72	10.5 × 19	6.0	400	8	41 × 21 × 28.5	
541200		240	200 × 50	40	115 × 100	85 × 72	10.5 × 19	6.0	500	6	57 × 20 × 20.5	

● TREAD: TPR, ● HUB:PP ● BEARING: ROLLER/DOUBLE BALL BEARING

542

542125		164	125 × 50	39	115 × 100	85×72	10.5 × 19	6.0	300	10	62 × 21 × 17	
542160		190	150 × 50	45	115 × 100	85×72	10.5 × 19	6.0	400	8	36 × 21 × 28.5	
542200		240	200 × 50	40	115 × 100	85×72	10.5 × 19	6.0	500	6	56 × 20 × 24.5	

● TREAD: BLUE ELASTIC RUBBER ● HUB: PP ● BEARING: ROLLER/DOUBLE BALL BEARING

543

543125		164	125 × 50		115 × 100	85×72	10.5 × 19	6.0	300	10	62 × 21 × 17	
543160		190	150 × 50		115 × 100	85×72	10.5 × 19	6.0	400	8	36 × 21 × 28.5	
543200		240	200 × 50		115 × 100	85×72	10.5 × 19	6.0	500	6	60 × 21 × 24	

● TREAD: BLUE ELASTIC RUBBER ● HUB: PP ● BEARING: ROLLER/DOUBLE BALL BEARING

544

544125		164	125 × 50	39	115 × 100	85×72	10.5 × 19	6.0	300	10	62 × 21 × 17	
544160		190	150 × 50	45	115 × 100	85×72	10.5 × 19	6.0	400	8	41 × 21 × 28.5	
544200		240	200 × 50	40	115 × 100	85×72	10.5 × 19	6.0	500	6	57 × 20 × 20.5	

● TREAD: BLUE ELASTIC RUBBER ● HUB: PP ● BEARING: ROLLER/DOUBLE BALL BEARING

545

545125		164	125 × 50	39	115 × 100	85×72	10.5 × 19	6.0	300	10	62 × 24 × 16.5	
545160		190	150 × 50	45	115 × 100	85×72	10.5 × 19	6.0	400	8	62 × 24 × 19.5	
545200		240	200 × 50	40	115 × 100	85×72	10.5 × 19	6.0	500	6	62 × 24 × 24.5	

● TREAD: BLUE ELASTIC RUBBER ● HUB: PP ● BEARING: ROLLER/DOUBLE BALL BEARING

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg		mm	mm	mm	mm	mm	mm		ART. NO.	Product Design

	62 × 21 × 17	10	300	6.0	10.5 × 19	85×72	115 × 100	39	125 × 50	164		546125
	36 × 21 × 28.5	8	400	6.0	10.5 × 19	85×72	115 × 100	45	150 × 50	190		546160
	56 × 20 × 24.5	6	500	6.0	10.5 × 19	85×72	115 × 100	40	200 × 50	240		546200

● TREAD: PU ● HUB: CASTING ALUMINUM ● BEARING: DOUBLE BALL BEARING



546

	62 × 21 × 17	10	300	6.0	10.5 × 19	85×72	115 × 100		125 × 50	164		547125
	36 × 21 × 28.5	8	400	6.0	10.5 × 19	85×72	115 × 100		150 × 50	190		547160
	60 × 21 × 24	6	500	6.0	10.5 × 19	85×72	115 × 100		200 × 50	240		547200

● TREAD: PU ● HUB: CASTING ALUMINUM ● BEARING: DOUBLE BALL BEARING

547

	62 × 21 × 17	10	300	6.0	10.5 × 19	85×72	115 × 100	39	125 × 50	164		548125
	41 × 21 × 28.5	8	400	6.0	10.5 × 19	85×72	115 × 100	45	150 × 50	190		548160
	57 × 20 × 20.5	6	500	6.0	10.5 × 19	85×72	115 × 100	40	200 × 50	240		548200

● TREAD: PU ● HUB: CASTING ALUMINUM ● BEARING: DOUBLE BALL BEARING



548

	62 × 24 × 16.5	10	300	6.0	10.5 × 19	85×72	115 × 100	39	125 × 50	164		549125
	62 × 24 × 19.5	8	400	6.0	10.5 × 19	85×72	115 × 100	45	150 × 50	190		549160
	62 × 24 × 24.5	6	500	6.0	10.5 × 19	85×72	115 × 100	40	200 × 50	240		549200

● TREAD: PU ● HUB: CASTING ALUMINUM ● BEARING: DOUBLE BALL BEARING

549

	62 × 21 × 17	10	300	6.0	10.5 × 19	85×72	115 × 100	39	125 × 50	164		550125
	36 × 21 × 28.5	8	400	6.0	10.5 × 19	85×72	115 × 100	45	150 × 50	190		550160
	56 × 20 × 24.5	6	500	6.0	10.5 × 19	85×72	115 × 100	40	200 × 50	240		550200

● TREAD: GREY ELASTIC RUBBER ● HUB: CASTING ALUMINUM ● BEARING: DOUBLE BALL BEAING

550

ROTI CARUCIOARE INDUSTRIALE

551

ART. NO.		mm	mm	mm	mm	mm	mm		kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
551125		164	125×50		115×100	85×72	10.5×19	6.0	300	10	62×21×17	
551160		190	150×50		115×100	85×72	10.5×19	6.0	400	8	36×21×28.5	
515200		240	200×50		115×100	85×72	10.5×19	6.0	500	6	60×21×24	

● TREAD: GREY ELASTIC RUBBER ● HUB: CASTING ALUMINUM ● BEARING: DOUBLE BALL BEAING

552

ART. NO.		mm	mm	mm	mm	mm	mm		kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
552125		164	125×50	39	115×100	85×72	10.5×19	6.0	300	10	62×21×17	
55260		190	150×50	45	115×100	85×72	10.5×19	6.0	400	8	41×21×28.5	
55200		240	200×50	40	115×100	85×72	10.5×19	6.0	500	6	57×20×20.5	

● TREAD: GREY ELASTIC RUBBER ● HUB: CASTING ALUMINUM ● BEARING: DOUBLE BALL BEAING

553

ART. NO.		mm	mm	mm	mm	mm	mm		kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
553125		164	125×50		115×100	85×72	10.5×19	6.0	300	10	62×24×16.5	
535160		190	150×50		115×100	85×72	10.5×19	6.0	400	8	62×24×19.5	
553200		240	200×50		115×100	85×72	10.5×19	6.0	500	6	62×24×24.5	

● TREAD: GREY ELASTIC RUBBER ● HUB: CASTING ALUMINUM ● BEARING: DOUBLE BALL BEAING

554

ART. NO.		mm	mm	mm	mm	mm	mm		kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
554125		164	125×50	39	115×100	85×72	10.5×19	6.0	300	10	62×21×17	
554160		190	150×50	45	115×100	85×72	10.5×19	6.0	400	8	36×21×28.5	
554200		240	200×50	40	115×100	85×72	10.5×19	6.0	500	6	56×20×24.5	

● TREAD: BLACK ELASTIC RUBBER ● HUB: CASTING ALUMINUM ● BEARING: DOUBLE BALL BEAING

555

ART. NO.		mm	mm	mm	mm	mm	mm		kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
555125		164	125×50		115×100	85×72	10.5×19	6.0	300	10	62×21×17	
555160		190	150×50		115×100	85×72	10.5×19	6.0	400	8	36×21×28.5	
555200		240	200×50		115×100	85×72	10.5×19	6.0	500	6	60×21×24	

● TREAD: BLACK ELASTIC RUBBER ● HUB: CASTING ALUMINUM ● BEARING: DOUBLE BALL BEAING

556

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg		mm	mm	mm	mm	mm	mm		ART. NO.
	62×21×17	10	300	6.0	10.5×19	85×72	115×100	39	125×50	164		556125
	41×21×28.5	8	400	6.0	10.5×19	85×72	115×100	45	150×50	190		556160
	57×20×20.5	6	500	6.0	10.5×19	85×72	115×100	40	200×50	240		556200

● TREAD: BLACK ELASTIC RUBBER ● HUB: CASTING ALUMINUM ● BEARING: DOUBLE BALL BEAING

557

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg		mm	mm	mm	mm	mm	mm		ART. NO.
	62×24×16.5	10	300	6.0	10.5×19	85×72	115×100	39	125×50	164		557125
	62×24×19.5	8	400	6.0	10.5×19	85×72	115×100	45	150×50	190		557160
	62×24×24.5	6	500	6.0	10.5×19	85×72	115×100	40	200×50	240		557200

● TREAD: BLACK ELASTIC RUBBER ● HUB: CASTING ALUMINUM ● BEARING: DOUBLE BALL BEAING

558

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg		mm	mm	mm	mm	mm	mm		ART. NO.
	54×21×16	10	200	6.0	10.5×19	85×72	115×100	35	100×50	142		558100
	62×21×17	10	300	6.0	10.5×19	85×72	115×100	39	125×50	164		558125
	36×21×28.5	8	400	6.0	10.5×19	85×72	115×100	45	150×50	190		558160
	56×20×24.5	6	500	6.0	10.5×19	85×72	115×100	40	200×50	240		558200

● WHEEL: BLACK BAKELITE ● BEAING: PLAIN BEAING

559

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg		mm	mm	mm	mm	mm	mm		ART. NO.
	54×21×16	10	200	6.0	10.5×19	85×72	115×100		100×50	142		559100
	62×21×17	10	300	6.0	10.5×19	85×72	115×100		125×50	164		559125
	36×21×28.5	8	400	6.0	10.5×19	85×72	115×100		150×50	190		559160
	60×21×24	6	500	6.0	10.5×19	85×72	115×100		200×50	240		559200

● WHEEL: BLACK BAKELITE ● BEAING: PLAIN BEAING

560

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg		mm	mm	mm	mm	mm	mm		ART. NO.
	54×21×16	10	200	6.0	10.5×19	85×72	115×100	35	100×50	142		560100
	62×21×17	10	300	6.0	10.5×19	85×72	115×100	39	125×50	164		560125
	41×21×28.5	8	400	6.0	10.5×19	85×72	115×100	45	150×50	190		560160
	57×20×20.5	6	500	6.0	10.5×19	85×72	115×100	40	200×50	240		560200

● WHEEL: BLACK BAKELITE ● BEAING: PLAIN BEAING


561

ART. NO.		mm	mm	mm	mm	mm	mm		kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
561100		142	100 × 50	35	115 × 100	85×72	10.5 × 19	6.0	200	10	62 × 24 × 15	
561125		164	125 × 50	39	115 × 100	85×72	10.5 × 19	6.0	300	10	62 × 24 × 16.5	
561160		190	150 × 50	45	115 × 100	85×72	10.5 × 19	6.0	400	8	62 × 24 × 19.5	
561200		240	200 × 50	40	115 × 100	85×72	10.5 × 19	6.0	500	6	62 × 24 × 24.5	

● WHEEL: BLACK BAKELITE ● BEAING: PLAIN BEAING


562

ART. NO.		mm	mm	mm	mm	mm	mm		kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
562100		142	100 × 50	35	115 × 100	85×72	10.5 × 19	6.0	200	10	54 × 21 × 16	
562125		164	125 × 50	39	115 × 100	85×72	10.5 × 19	6.0	300	10	62 × 21 × 17	
562160		190	150 × 50	45	115 × 100	85×72	10.5 × 19	6.0	400	8	36 × 21 × 28.5	
562200		240	200 × 50	40	115 × 100	85×72	10.5 × 19	6.0	500	6	56 × 20 × 24.5	

● TREAD: BLACK ELASTIC RUBBER ● HUB: CASTING ALUMINUM ● BEARING: ROLLER BEARING


563

ART. NO.		mm	mm	mm	mm	mm	mm		kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
563100		142	100 × 50		115 × 100	85×72	10.5 × 19	6.0	200	10	54 × 21 × 16	
563125		164	125 × 50		115 × 100	85×72	10.5 × 19	6.0	300	10	62 × 21 × 17	
563160		190	150 × 50		115 × 100	85×72	10.5 × 19	6.0	400	8	36 × 21 × 28.5	
563200		240	200 × 50		115 × 100	85×72	10.5 × 19	6.0	500	6	60 × 21 × 24	

● TREAD: BLACK ELASTIC RUBBER ● HUB: CASTING ALUMINUM ● BEARING: ROLLER BEARING


564

ART. NO.		mm	mm	mm	mm	mm	mm		kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
564100		142	100 × 50	35	115 × 100	85×72	10.5 × 19	6.0	200	10	54 × 21 × 16	
564125		164	125 × 50	39	115 × 100	85×72	10.5 × 19	6.0	300	10	62 × 21 × 17	
564160		190	150 × 50	45	115 × 100	85×72	10.5 × 19	6.0	400	8	41 × 21 × 28.5	
564200		240	200 × 50	40	115 × 100	85×72	10.5 × 19	6.0	500	6	57 × 20 × 20.5	

● TREAD: BLACK ELASTIC RUBBER ● HUB: CASTING ALUMINUM ● BEARING: ROLLER BEARING


565

ART. NO.		mm	mm	mm	mm	mm	mm		kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
565100		142	100 × 50	35	115 × 100	85×72	10.5 × 19	6.0	200	10	62 × 24 × 15	
565125		164	125 × 50	39	115 × 100	85×72	10.5 × 19	6.0	300	10	62 × 24 × 16.5	
565160		190	150 × 50	45	115 × 100	85×72	10.5 × 19	6.0	400	8	62 × 24 × 19.5	
565200		240	200 × 50	40	115 × 100	85×72	10.5 × 19	6.0	500	6	62 × 24 × 24.5	

● TREAD: BLACK ELASTIC RUBBER ● HUB: CASTING ALUMINUM ● BEARING: ROLLER BEARING


566

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg		mm	mm	mm	mm	mm	mm		ART. NO.
			300	6.0	10.5 × 19	85×72	115 × 100	39	125 × 50	164		566125
	36 × 21 × 28.5	8	300	6.0	10.5 × 19	85×72	115 × 100	45	150 × 50	190		566160
	60 × 20.5 × 25	6	500	6.0	10.5 × 19	85×72	115 × 100	40	200 × 50	240		566200

● TREAD:BLACK RUBBER, ●HUB:STEEL ● BEARING :BALL BEARING


567

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg		mm	mm	mm	mm	mm	mm		ART. NO.
			300	6.0	10.5 × 19	85×72	115 × 100	39	125 × 50	164		567125
	36 × 21 × 28.5	8	300	6.0	10.5 × 19	85×72	115 × 100	/	150 × 50	190		567160
	60 × 20.5 × 25	6	500	6.0	10.5 × 19	85×72	115 × 100	/	200 × 50	240		567200

● TREAD:BLACK RUBBER, ●HUB:STEEL ● BEARING :BALL BEARING


568

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg		mm	mm	mm	mm	mm	mm		ART. NO.
	57 × 28 × 21	10	180	3	13×10.5	105×77	135×110	56	150×50	180		568160
	57 × 28 × 20.5	8	260	3	13×10.5	105×77	135×110	65	200×50	260		568200

● TREAD: BLACK RUBBER, ● HUB:STEEL ● BEARING: ROLLER BEARING


569

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg		mm	mm	mm	mm	mm	mm		ART. NO.
	57 × 28 × 21	10	180	3	13×10.5	105×77	135×110	56	150×50	180		569160
	57 × 28 × 20.5	8	260	3	13×10.5	105×77	135×110	65	200×50	260		569200

● TREAD: BLACK RUBBER, ● HUB:STEEL ● BEARING: ROLLER BEARING


570

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg		mm	mm	mm	mm	mm	mm		ART. NO.
	57 × 28 × 21	10	180	3	13×10.5	105×77	135×110	56	150×50	180		570160
	57 × 28 × 20.5	8	260	3	13×10.5	105×77	135×110	65	200×50	260		570200

● TREAD: PU, ● HUB: STEEL ● BEARING: ROLLER BEARING

ROTI CARUCIOARE INDUSTRIALE

571

Product Design	ART. NO.		mm	mm	mm	mm	mm	mm		kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
	571160		180	150×50	56	135×110	105×77	13×10.5	3	180	10	57×28×21	
	571200		260	200×50	65	135×110	105×77	13×10.5	3	260	8	57×28×20.5	

● TREAD: PU, ● HUB: STEEL ● BEARING: ROLLER BEARING

572

ART. NO.		mm	mm	mm	mm	mm			kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
572160		180	150×50	56	Φ55	22×22	13×10.5	3	180	10	57×28×21	
572200		260	200×50	65	Φ55	22×22	13×10.5	3	260	8	57×28×20.5	

● TREAD: PVC, ● HUB:PP ● BEARING: ROLLER BEARING

573

573160		180	150×50	56	Φ55	22×22	13×10.5	3	180	10	57×28×21	
573200		260	200×50	65	Φ55	22×22	13×10.5	3	260	8	57×28×20.5	

● TREAD: PVC, ● HUB:PP ● BEARING: ROLLER BEARING

574

574160		180	150×50	56	Φ55	22×22	13×10.5	3	180	10	57×28×21	
574200		260	200×50	65	Φ55	22×22	13×10.5	3	260	8	57×28×20.5	

● TREAD: BLACK RUBBER, ● HUB:STEEL ● BEARING: ROLLER BEARING

575

575160		180	150×50	56	Φ55	22×22	13×10.5	3	180	10	57×28×21	
575200		260	200×50	65	Φ55	22×22	13×10.5	3	260	8	57×28×20.5	

● TREAD: BLACK RUBBER, ● HUB:STEEL ● BEARING: ROLLER BEARING

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg			mm	mm	mm	mm	mm		ART. NO.	Product Design
	57×28×21	10	180	3	13×10.5	22×22	Φ55	56	150×50	180		576160	
	57×28×20.5	8	260	3	13×10.5	22×22	Φ55	65	200×50	260		576200	

● TREAD: PU , ● HUB:PP ● BEARING: ROLLER BEARING

576

	57×28×21	10	180	3	13×10.5	22×22	Φ55	56	150×50	180		577160
	57×28×20.5	8	260	3	13×10.5	22×22	Φ55	65	200×50	260		577200

● TREAD: PU , ● HUB:PP ● BEARING: ROLLER BEARING

577

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg				mm	mm	mm	mm		ART. NO.
	42×26×23	24	70	2.3			Φ12	50	125×30	155		578125

● TREAD:PU, ● BEARING:BALL BEARING, ● STAINLESS STEEL AVAILABLE

578

	38×26×23	24	60	2. 3			Φ12	35	100×30	135		579100
	42×26×23	24	70	2. 3			Φ12	35	125×30	155		579125

● TREAD:PU, ● BEARING:BALL BEARING, ● STAINLESS STEEL AVAILABLE

579

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg			mm	mm	mm	mm	mm		ART. NO.
			130	2.5		32×32	92	40	100×31	127.5		580100
			150	2.5		32×32	92	41	125×31	151.5		580125

● WHEEL: BLACK RUBBER, ● STAINLESS STEEL AVAILABLE

580

ROTI CARUCIOARE INDUSTRIALE

581

ART. NO.		mm	mm	mm	mm	mm			kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
581100		127.5	100×31	40	92	32×32		22.5	130			
581125		151.5	125×31	41	92	32×32		2.5	150			

● WHEEL: BLACK RUBBER, ● STAINLESS STEEL AVAILABLE

582

ART. NO.		mm	mm	mm	mm	mm	mm		kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
582050												
582075		100	75×22	34	77×67	55×48	16×8.5	2.5	100			

● WHEEL: PP / NYLON ● STAINLESS STEEL AVAILABLE

583

583050												
583075		100	75×22	34	77×67	55×48	16×8.5	2.5	100			

● WHEEL: PP / NYLON ● STAINLESS STEEL AVAILABLE

584

ART. NO.		mm	mm	mm	mm	mm			kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
584050												
584075		100	75×22	34	25	M12		2.5	100			

● WHEEL: PP / NYLON ● STAINLESS STEEL AVAILABLE

585

585050												
585075		100	75×22	34	25	M12		2.5	100			

● WHEEL: PP / NYLON ● STAINLESS STEEL AVAILABLE

586

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg				mm	mm	mm	mm		ART. NO.
												586050
			100	2.5			12.5	34	75×22	100		586075

● WHEEL: PP / NYLON ● STAINLESS STEEL AVAILABLE

587

												587050
			100	2.5			12.5	34	75×22	100		587075

● WHEEL: PP / NYLON ● STAINLESS STEEL AVAILABLE

588

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg		mm	mm	mm	mm	mm	mm		ART. NO.
												588050
			100	2.5	16×8.5	55×48	77×67	34	75×22	100		588075

● TREAD: GREY RUBBER ● HUB:PP ● STAINLESS STEEL AVAILABLE

589

												589050
			100	2.5	16×8.5	55×48	77×67	34	75×22	100		589075

● TREADL: GREY RUBBER ● HUB:PP ● STAINLESS STEEL AVAILABLE

590

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg			mm	mm	mm	mm	mm		ART. NO.
												590050
			100	2.5		M12	25	34	75×22	100		590075

● TREAD: GREY RUBBER ● HUB:PP ● STAINLESS STEEL AVAILABLE

ROTI CARUCIOARE INDUSTRIALE

Product Design	ART. NO.		mm	mm	mm	mm	mm			kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)


591

591050												
591075		100	75×22	34	25	M12		2.5	100			

● TREAD: GREY RUBBER ●HUB:PP ●STAINLESS STEEL AVAILABLE


592

ART. NO.		mm	mm	mm	mm	mm	mm		kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
592050												
592075		100	75×22	34	77×67	55×48	16×8.5	2.5	100			

● TREAD: GREY TPR ●HUB:PP ●STAINLESS STEEL AVAILABLE


593

593050												
593075		100	75×22	34	77×67	55×48	16×8.5	2.5	100			

● TREAD: GREY TPR ●HUB:PP ●STAINLESS STEEL AVAILABLE


594

ART. NO.		mm	mm	mm	mm	mm			kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
594050												
594075		100	75×22	34	25	M12		2.5	100			

● TREAD: GREY TPR ●HUB:PP ●STAINLESS STEEL AVAILABLE


595

595050												
595075		100	75×22	34	25	M12		2.5	100			

● TREAD: GREY TPR ●HUB:PP ●STAINLESS STEEL AVAILABLE

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg				mm	mm	mm	mm		ART. NO.	Product Design

												596050
			100	2.5			12.5	34	75×22	100		596075

● TREAD: GREY TPR ●HUB:PP ●STAINLESS STEEL AVAILABLE


596

												597050
			100	2.5			12.5	34	75×22	100		597075

● TREAD: GREY TPR ●HUB:PP ●STAINLESS STEEL AVAILABLE


597

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg		mm	mm	mm	mm	mm	mm		ART. NO.
			40	1.5	13×6.5	45×45	60×60	24	50×20	70		598050
			50	2.0	13×6.5	45×45	60×60	25	65×21	85		598065
			65	2.0	12×6.5	49×49	65×65	30	75×25	100		598075

● TREAD: GREY TPR ●HUB:PP ●STAINLESS STEEL AVAILABLE


598

			40	1.5	13×6.5	45×45	60×60	24	50×20	70		599050
			50	2.0	13×6.5	45×45	60×60	25	65×21	85		599065
			65	2.0	12×6.5	49×49	65×65	30	75×25	100		599075

● TREAD: GREY TPR ●HUB:PP ●STAINLESS STEEL AVAILABLE


599

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg			mm	mm	mm	mm	mm		ART. NO.
			40	1.5		M10	30	25	50×20	70		600050
			50	2.0		M10	30	24	65×21	85		600065
			65	2.0		M10	30	30	75×25	100		600075

● TREAD: GREY TPR ●HUB:PP ●STAINLESS STEEL AVAILABLE


600

ROTI CARUCIOARE INDUSTRIALE

Product Design	ART. NO.		mm	mm	mm	mm	mm				kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)


601

ART. NO.		mm	mm	mm	mm	mm				kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
601050		70	50×20	25	30	M10			1.5	40			
601065		85	65×21	24	30	M10			2.0	50			
601075		100	75×25	30	30	M10			2.0	65			

● TREAD: GREY TPR, ● HUB: PP, ● STAINLESS STEEL AVAILABLE


602

ART. NO.		mm	mm	mm	mm				kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
602050		70	50×20	25	10.3			1.5	40			
602065		85	65×21	24	10.3			2.0	50			
602075		100	75×25	30	10.3			2.0	65			

● TREAD: GREY TPR, ● HUB: PP, ● STAINLESS STEEL AVAILABLE


603

603050		70	50×20	25	10.3			1.5	40			
603065		85	65×21	24	10.3			2.0	50			
603075		100	75×25	30	10.3			2.0	65			

● TREAD: GREY TPR, ● HUB: PP, ● STAINLESS STEEL AVAILABLE


604

ART. NO.		mm	mm	mm	mm	mm	mm		kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
604050		65	50×49	18	46×36.5	34×24	ϕ5.3	2	50	120	40×29×26	

● WHEEL: WHITE NYLON


605

605050		65	50×49	18	46×36.5	34×24	ϕ5.3	2	50	120	45×29×26	

● WHEEL: WHITE NYLON

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg			mm	mm	mm	mm	mm		ART. NO.	Product Design

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg			mm	mm	mm	mm	mm		ART. NO.
	40×29×26	120	50	2		⌀8.2	38	18	50×49	62		606050

● WHEEL: BROWN NYLON


606

	45×29×26	120	50	2		⌀8.2	38	18	50×49	62		607050

● WHEEL: BROWN NYLON


607

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg		mm	mm	mm	mm	mm	mm		ART. NO.
	41×25×28	560	15	/	ϕ4.5	21×21	30×30	12	30×33	43		608030
	39×30×24	240	25	/	ϕ5.2	26×26	38×38	15	40×40	53		608040
	51×37×20	200	30	/	ϕ5.2	26×26	38×38	18	50×46	65		608050

● TWIN WHEEL: NYLON


608

	41×30×24	240	25	/	ϕ5.2	26×26	38×38	15	40×40	53		609040
	53×37×20	200	30	/	ϕ5.2	26×26	38×38	18	50×46	65		609050

● TWIN WHEEL: NYLON


609

G.W. (KG)	CNT MEAS (CM)	PCS/CTN	kg			mm	mm	mm	mm	mm		ART. NO.
	39×30×24	240	25	/		10	M10×15	15	40×40	50		610040
	51×37×20	200	30	/		10	M10×15	18	50×46	62		610050

● TWIN WHEEL:NYLON


610

Product Design	ART. NO.		mm	mm	mm	mm	mm			kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
611	611040		50	40×40	15	M10×15	10		/	25	240	41×30×24	
	611050		62	50×46	18	M10×15	10		/	30	200	53×37×20	


611

● TWIN WHEEL:NYLON

ART. NO.		mm	mm	mm	mm	mm			kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
612050		55	50×42	17	11×35			/	40	130	24.5×17×24.5	


612

● TREAD: PU HUB: NYLON

613040		45	40×40	11	11×20.5		/	35	150	24.5×22.5×24.5	


613

● TREAD: PU HUB: NYLON

ART. NO.		mm	mm	mm	mm	mm			kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
614040		52	⌀40	18		M10×15		1.5	20	120	38×19×23	
614050		63	⌀50	23		M10×15		1.5	25	120	41×22×28	


614

● BALL MATERIAL:RUBBER / PVC

ART. NO.		mm	mm	mm	mm	mm	mm		kg	PCS/CTN	CNT MEAS (CM)	G.W. (KG)
615040		52	⌀40	18	38×38	26×26	ϕ5.2	1.5	20	120	38×19×23	
615050		63	⌀50	23	38×38	26×26	ϕ5.2	1.5	25	120	41×22×28	


615

● BALL MATERIAL:RUBBER / PVC

- CONNECTION STRUCTURE

Top Plate Thread Hole Stem Scaffolding stem

- LOCK STRUCTURE



Top Lock（TL） Top Lock（TL） Side Lock（SL） Side Lock（SL） Top Lock（TL）

- BEARING

- WHEEL STRUCTURE



The color of the products and printed matter may be different to some extent, please subject to real products!

The color of the products and printed matter may be different to some extent, please subject to real products!